

Sample Name: **Blue Slushee CRJ (Foxhollow-879) Primary**  
Tested for: **Willamette Valley Alchemy**  
**Compliance Extract**

Laboratory ID: 20K0129-05

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300003909000013756

Lot # NA

Batch RFID: 1A4010300003909000013748

Batch Size: 467.0 (g)

Process Date: 11/18/2020

License: 1000096CBB6

Date Sampled: 11/19/20 00:00

Date Accepted: 11/19/20



## Potency Analysis

Date Extracted: 11/23/20

Analysis Method: UNODC 5.4.8

Date Analyzed: 11/23/20

\* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																		
<b>Total THC</b> ((THCA*0.877)+d9)	79.96	799.6	0.08	<table border="1"> <tr><td>THC</td><td>32.79</td></tr> <tr><td>THCA</td><td>53.79</td></tr> <tr><td>CBD</td><td>0.08</td></tr> <tr><td>CBN</td><td>0.08</td></tr> <tr><td>CBG</td><td>0.93</td></tr> <tr><td>CBGA</td><td>0.83</td></tr> <tr><td>CBC</td><td>0.20</td></tr> <tr><td>THCV</td><td>0.17</td></tr> <tr><td><b>Total:</b></td><td><b>88.86</b></td></tr> </table>	THC	32.79	THCA	53.79	CBD	0.08	CBN	0.08	CBG	0.93	CBGA	0.83	CBC	0.20	THCV	0.17	<b>Total:</b>	<b>88.86</b>
THC	32.79																					
THCA	53.79																					
CBD	0.08																					
CBN	0.08																					
CBG	0.93																					
CBGA	0.83																					
CBC	0.20																					
THCV	0.17																					
<b>Total:</b>	<b>88.86</b>																					
<b>Total CBD</b> ((CBDA*0.877)+CBD)	< LOQ	< LOQ	0.08																			
d9-THC (d9-Tetrahydrocannabinol)*	32.79	327.9	0.08																			
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.10																			
THCA (d9-Tetrahydrocannabinolic Acid)*	53.79	537.9	0.15																			
CBD (Cannabidiol)*	0.08	0.8	0.08																			
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	0.15																			
CBN (Cannabinol)*	0.08	0.8	0.08																			
CBG (Cannabigerol)*	0.93	9.3	0.10																			
CBGA (Cannabigerolic Acid)	0.83	8.3	0.10																			
CBDV (Cannabidivarin)*	< LOQ	< LOQ	0.10																			
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.10																			
CBC (Cannabichromene)*	0.20	2	0.10																			
THCV (Tetrahydrocannabivarin)	0.17	1.7	0.10																			
<b>Total Cannabinoids</b>	<b>88.86</b>	<b>888.6</b>	<b>0.08</b>																			

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Blue Slushee CRJ (Foxhollow-879) Duplicate**  
 Tested for: **Willamette Valley Alchemy**  
**Compliance Extract**

Laboratory ID: 20K0129-06

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300003909000013756

Process Date: 11/18/2020

Lot # NA

License: 1000096CBB6

Batch RFID: 1A4010300003909000013748

Date Sampled: 11/19/20 00:00

Batch Size: 467.0 (g)

Date Accepted: 11/19/20


### Potency Analysis

Date Extracted: 11/23/20

Analysis Method: UNODC 5.4.8

Date Analyzed: 11/23/20

\* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
<b>Total THC</b> ((THCA*0.877)+d9)	79.49	794.9	0.08	
<b>Total CBD</b> ((CBDA*0.877)+CBD)	0.08	0.8	0.08	
d9-THC (d9-Tetrahydrocannabinol)*	33.09	330.9	0.08	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.11	
THCA (d9-Tetrahydrocannabinolic Acid)*	52.91	529.1	0.16	
CBD (Cannabidiol)*	< LOQ	< LOQ	0.08	
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	0.16	
CBN (Cannabinol)*	0.08	0.8	0.08	
CBG (Cannabigerol)*	< LOQ	< LOQ	0.11	
CBGA (Cannabigerolic Acid)	0.90	9	0.11	
CBDV (Cannabidivarin)*	< LOQ	< LOQ	0.11	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.11	
CBC (Cannabichromene)*	0.21	2.1	0.11	
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.11	
<b>Total Cannabinoids</b>	87.20	872	0.08	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **Blue Slushee CRJ (Foxhollow-879)**

Sample Metrc ID: 1A4010300003909000013756

	Primary Result %	Duplicate Result %	Average %	% RPD	Pass/Fail (<15%RPD)
<b>Total THC</b> ((THCA*0.877)+d9)	79.96	79.49	79.73	0.59	PASS
<b>Total CBD</b> ((CBDA*0.877)+CBD)	< LOQ	0.08	NA	NA	NA



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

<b>Sample Name:</b> Blue Slushee CRJ (Foxhollow-879) I	<b>License:</b> 100096CBB6
<b>Tested for:</b> Willamette Valley Alchemy Compliance Extract	<b>Date Sampled:</b> 11/19/20 00:00
	<b>Date Accepted:</b> 11/19/20
<b>Laboratory ID:</b> 20K0129-05	<b>Sample Metrc ID:</b> 1A4010300003909000013756
<b>Matrix:</b> Extracts and Concentrates	<b>Batch RFID:</b> 1A4010300003909000013748
<b>Lot # NA</b>	<b>Batch Size:</b> 467.0 (g)

### Terpene Analysis

Date Extracted: 11/23/20

Analysis Method: Terpenes by GC/FID

Date Analyzed: 11/23/20

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	0.122	0.091	beta Myrcene	< LOQ	0.091
alpha Phellandrene	< LOQ	0.091	3-Carene	< LOQ	0.091
alpha Terpinene	< LOQ	0.091	Limonene	0.346	0.091
Terpinolene	< LOQ	0.091	Linalool	0.337	0.091
Fenchol	0.138	0.091	Borneol	< LOQ	0.091
Terpineol	0.179	0.091	Geraniol	< LOQ	0.091
alpha Humulene	0.214	0.091	beta Caryophyllene	0.729	0.091
(-)-Caryophyllene Oxide	< LOQ	0.091	(-)-alpha Bisabolol	0.253	0.091
Camphene	< LOQ	0.091	beta Pinene	< LOQ	0.091
Ocimene	< LOQ	0.091	Sabinene	< LOQ	0.091
Camphor	< LOQ	0.091	Isoborneol	< LOQ	0.091
Menthol	< LOQ	0.091	alpha Cedrene	< LOQ	0.091
Nerolidol	< LOQ	0.091	(+)-Pulegone	< LOQ	0.091
Eucalyptol	< LOQ	0.091	p-Cymene	< LOQ	0.091
(-)-Isopulegol	< LOQ	0.091	Geranyl Acetate	< LOQ	0.091
Guaiol	0.236	0.091	Valencene	< LOQ	0.091
Phytol	0.113	0.091	Citronellol	< LOQ	0.091
gamma Terpinene	< LOQ	0.091			
<b>Total Terpenes</b>				<b>2.666 %</b>	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Terpene Analysis is not ORELAP Accredited.



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Blue Slushee CRJ (Foxhollow-879) Primary**

License: **100096CBB6**

Tested for: **Willamette Valley Alchemy**

Date Sampled: **11/19/20 00:00**

**Compliance Extract**


Date Accepted: **11/19/20 18:39**

Laboratory ID: **20K0129-05**

Matrix: **Extracts and**

Client/Metric ID: **1A4010300003909000013756**

**Terpene Profile**




Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Blue Slushee CRJ (Foxhollow-879) Primary** License: **100096CBB6**  
 Tested for: **Willamette Valley Alchemy** Date Sampled: **11/19/20 00:00**  
**Compliance Extract** Date Accepted: **11/19/20**

Laboratory ID: **20K0129-05** Sample Metrc ID: **1A4010300003909000013756**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300003909000013748**  
 Lot # **NA** Batch Size: **467.0 (g)**

## Pesticide Analysis in ppm

Date Extracted: 11/20/20 Analysis Method: AOAC 2007.01 & EN 15662  
 Date Analyzed: 11/25/20 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.241	Acephate	< LOQ	0.4	0.193
Acequinocyl	< LOQ	2	0.963	Acetamiprid	< LOQ	0.2	0.096
Aldicarb	< LOQ	0.4	0.193	Azoxystrobin	< LOQ	0.2	0.096
Bifenazate	< LOQ	0.2	0.096	Bifenthrin	< LOQ	0.2	0.096
Boscalid	< LOQ	0.4	0.193	Carbaryl	< LOQ	0.2	0.096
Carbofuran	< LOQ	0.2	0.096	Chlorantraniliprole	< LOQ	0.2	0.096
Chlorfenapyr	< LOQ	1	0.482	Chlorpyrifos	< LOQ	0.2	0.096
Clofentezine	< LOQ	0.2	0.096	Cyfluthrin	< LOQ	1	0.482
Cypermethrin	< LOQ	1	0.482	Daminozide	< LOQ	1	0.482
DDVP (Dichlorvos)	< LOQ	1	0.482	Diazinon	< LOQ	0.2	0.096
Dimethoate	< LOQ	0.2	0.096	Ethoprophos	< LOQ	0.2	0.096
Etofenprox	< LOQ	0.4	0.193	Etoxazole	< LOQ	0.2	0.096
Fenoxycarb	< LOQ	0.2	0.096	Fenpyroximate	< LOQ	0.4	0.193
Fipronil	< LOQ	0.4	0.193	Fonicamid	< LOQ	1	0.482
Fludioxonil	< LOQ	0.4	0.193	Hexythiazox	< LOQ	1	0.482
Imazalil	< LOQ	0.2	0.096	Imidacloprid	< LOQ	0.4	0.193
Kresoxim-methyl	< LOQ	0.4	0.193	Malathion	< LOQ	0.2	0.096
Metalaxyl	< LOQ	0.2	0.096	Methiocarb	< LOQ	0.2	0.096
Methomyl	< LOQ	0.4	0.193	Methyl parathion	< LOQ	0.2	0.096
MGK-264	< LOQ	0.2	0.096	Myclobutanil	< LOQ	0.2	0.096
Naled	< LOQ	0.5	0.241	Oxamyl	< LOQ	1	0.482
Paclobutrazol	< LOQ	0.4	0.193	Permethrins (total)	< LOQ	0.2	0.096
Phosmet	< LOQ	0.2	0.096	Piperonyl butoxide	< LOQ	2	0.482
Prallethrin	< LOQ	0.2	0.096	Propiconazole	< LOQ	0.4	0.193
Propoxur	< LOQ	0.2	0.096	Pyrethrins (total)	< LOQ	1	0.482
Pyridaben	< LOQ	0.2	0.096	Spinosad	< LOQ	0.2	0.096
Spiromesifen	< LOQ	0.2	0.096	Spirotetramat	< LOQ	0.2	0.096
Spiroxamine	< LOQ	0.4	0.193	Tebuconazole	< LOQ	0.4	0.193
Thiacloprid	< LOQ	0.2	0.096	Thiamethoxam	< LOQ	0.2	0.096
Trifloxystrobin	< LOQ	0.2	0.096				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Blue Slushee CRJ (Foxhollow-879) Duplicate** License: **100096CBB6**  
 Tested for: **Willamette Valley Alchemy** Date Sampled: **11/19/20 00:00**  
**Compliance Extract** Date Accepted: **11/19/20**

Laboratory ID: **20K0129-06** Sample Metrc ID: **1A4010300003909000013756**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300003909000013748**  
 Lot # **NA** Batch Size: **467.0 (g)**

## Pesticide Analysis in ppm

Date Extracted: 11/20/20 Analysis Method: AOAC 2007.01 & EN 15662  
 Date Analyzed: 11/25/20 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.248	Acephate	< LOQ	0.4	0.199
Acequinocyl	< LOQ	2	0.993	Acetamiprid	< LOQ	0.2	0.099
Aldicarb	< LOQ	0.4	0.199	Azoxystrobin	< LOQ	0.2	0.099
Bifenazate	< LOQ	0.2	0.099	Bifenthrin	< LOQ	0.2	0.099
Boscalid	< LOQ	0.4	0.199	Carbaryl	< LOQ	0.2	0.099
Carbofuran	< LOQ	0.2	0.099	Chlorantraniliprole	< LOQ	0.2	0.099
Chlorfenapyr	< LOQ	1	0.496	Chlorpyrifos	< LOQ	0.2	0.099
Clofentezine	< LOQ	0.2	0.099	Cyfluthrin	< LOQ	1	0.496
Cypermethrin	< LOQ	1	0.496	Daminozide	< LOQ	1	0.496
DDVP (Dichlorvos)	< LOQ	1	0.496	Diazinon	< LOQ	0.2	0.099
Dimethoate	< LOQ	0.2	0.099	Ethoprophos	< LOQ	0.2	0.099
Etofenprox	< LOQ	0.4	0.199	Etoxazole	< LOQ	0.2	0.099
Fenoxycarb	< LOQ	0.2	0.099	Fenpyroximate	< LOQ	0.4	0.199
Fipronil	< LOQ	0.4	0.199	Fonicamid	< LOQ	1	0.496
Fludioxonil	< LOQ	0.4	0.199	Hexythiazox	< LOQ	1	0.496
Imazalil	< LOQ	0.2	0.099	Imidacloprid	< LOQ	0.4	0.199
Kresoxim-methyl	< LOQ	0.4	0.199	Malathion	< LOQ	0.2	0.099
Metalaxyl	< LOQ	0.2	0.099	Methiocarb	< LOQ	0.2	0.099
Methomyl	< LOQ	0.4	0.199	Methyl parathion	< LOQ	0.2	0.099
MGK-264	< LOQ	0.2	0.099	Myclobutanil	< LOQ	0.2	0.099
Naled	< LOQ	0.5	0.248	Oxamyl	< LOQ	1	0.496
Paclobutrazol	< LOQ	0.4	0.199	Permethrins (total)	< LOQ	0.2	0.099
Phosmet	< LOQ	0.2	0.099	Piperonyl butoxide	< LOQ	2	0.496
Prallethrin	< LOQ	0.2	0.099	Propiconazole	< LOQ	0.4	0.199
Propoxur	< LOQ	0.2	0.099	Pyrethrins (total)	< LOQ	1	0.496
Pyridaben	< LOQ	0.2	0.099	Spinosad	< LOQ	0.2	0.099
Spiromesifen	< LOQ	0.2	0.099	Spirotetramat	< LOQ	0.2	0.099
Spiroxamine	< LOQ	0.4	0.199	Tebuconazole	< LOQ	0.4	0.199
Thiacloprid	< LOQ	0.2	0.099	Thiamethoxam	< LOQ	0.2	0.099
Trifloxystrobin	< LOQ	0.2	0.099				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>Blue Slushee CRJ (Foxhollow-879) Primary</b>	License: <b>1000096CBB6</b>
Tested for: <b>Willamette Valley Alchemy Compliance Extract</b>	Date Sampled: <b>11/19/20 00:00</b> Date Accepted: <b>11/19/20</b>
Laboratory ID: <b>20K0129-05</b>	Sample Metric ID: <b>1A4010300003909000013756</b>
Matrix: <b>Extracts and Concentrates</b>	Batch RFID: <b>1A4010300003909000013748</b>
Lot # <b>NA</b>	Batch Size: <b>467.0 (g)</b>

### Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 11/20/20
1,4-Dioxane	< LOQ	380	194	Date Analyzed: 11/20/20
2-Butanol	< LOQ	5000	2550	Analysis Method: USP 467
2-Ethoxyethanol	< LOQ	160	81.6	
2-Propanol (IPA)	< LOQ	5000	2550	
Acetone	< LOQ	5000	2550	
Acetonitrile	< LOQ	400	209	
Benzene	< LOQ	2	1.02	
Butanes	< LOQ	5000	2550	
Cyclohexane	< LOQ	3880	1980	
Dichloromethane (methylene chloride)	< LOQ	600	306	
Ethyl acetate	< LOQ	5000	2550	
Ethyl ether	< LOQ	5000	2550	
Ethylbenzene	< LOQ	2170	1110	
Ethylene glycol	< LOQ	620	316	
Ethylene oxide	< LOQ	50	25.5	
Heptane	< LOQ	5000	2550	
Hexanes	< LOQ	290	148	
Isopropyl acetate	< LOQ	5000	2550	
Isopropylbenzene (cumene)	< LOQ	70	35.7	
Methanol	< LOQ	3000	1530	
Pentanes	< LOQ	5000	2550	
Propane	< LOQ	5000	2550	
Tetrahydrofuran	< LOQ	720	367	
Toluene	< LOQ	890	454	
Xylenes	< LOQ	2170	1110	

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>Blue Slushee CRJ (Foxhollow-879) Duplicate</b>	License: <b>1000096CBB6</b>
Tested for: <b>Willamette Valley Alchemy Compliance Extract</b>	Date Sampled: <b>11/19/20 00:00</b> Date Accepted: <b>11/19/20</b>
Laboratory ID: <b>20K0129-06</b>	Sample Metric ID: <b>1A4010300003909000013756</b>
Matrix: <b>Extracts and Concentrates</b>	Batch RFID: <b>1A4010300003909000013748</b>
Lot # <b>NA</b>	Batch Size: <b>467.0 (g)</b>

### Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	171
2-Butanol	< LOQ	5000	2240
2-Ethoxyethanol	< LOQ	160	71.8
2-Propanol (IPA)	< LOQ	5000	2240
Acetone	< LOQ	5000	2240
Acetonitrile	< LOQ	400	184
Benzene	< LOQ	2	0.898
Butanes	< LOQ	5000	2240
Cyclohexane	< LOQ	3880	1740
Dichloromethane (methylene chloride)	< LOQ	600	269
Ethyl acetate	< LOQ	5000	2240
Ethyl ether	< LOQ	5000	2240
Ethylbenzene	< LOQ	2170	974
Ethylene glycol	< LOQ	620	278
Ethylene oxide	< LOQ	50	22.4
Heptane	< LOQ	5000	2240
Hexanes	< LOQ	290	130
Isopropyl acetate	< LOQ	5000	2240
Isopropylbenzene (cumene)	< LOQ	70	31.4
Methanol	< LOQ	3000	1350
Pentanes	< LOQ	5000	2240
Propane	< LOQ	5000	2240
Tetrahydrofuran	< LOQ	720	323
Toluene	< LOQ	890	400
Xylenes	< LOQ	2170	974

Date Extracted: 11/20/20  
 Date Analyzed: 11/20/20  
 Analysis Method: USP 467

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



**Case Narrative**

**Residual Solvent** - Isopropylbenzene was above normally accepted recovery criteria in the Matrix Spike and Matrix Spike Duplicate due to pinene coelution. Analyte was below the reporting limit in all client samples.

**Terpenes** - QC Blank contained guaiol, phytol, and cedrol.

**Quality Control  
Potency**

**Batch: B202465 - Potency/Terpenes**

Blank(B202465-BLK1)			Extracted - 11/23/20 11:10 Analyzed - 11/23/20 19:38					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						

Duplicate(B202465-DUP1)			Extracted - 11/23/20 11:10 Analyzed - 11/23/20 19:47					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	1.56	%		1.43			8.60	20
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		< LOQ				20
THCA (d9-Tetrahydrocannabinolic Acid)	67.65	%		66.86			1.17	20
CBD (Cannabidiol)	< LOQ	%		< LOQ				20
CBDA (Cannabidiolic Acid)	0.19	%		0.19			1.58	20
CBN (Cannabinol)	< LOQ	%		< LOQ				20
CBG (Cannabigerol)	0.18	%		0.20			10.2	20
CBGA (Cannabigerolic Acid)	3.74	%		3.67			1.81	20
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20
CBC (Cannabichromene)	< LOQ	%		< LOQ				20
THCV (Tetrahydrocannabivarin)	< LOQ	%		< LOQ				20



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Potency (Continued)

**Batch: B202465 - Potency/Terpenes (Continued)**

LCS(B202465-BS1)		Extracted - 11/23/20 11:10 Analyzed - 11/23/20 19:29						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.21	%	0.200		104	80-120		
CBD (Cannabidiol)	0.21	%	0.200		104	80-120		
CBDA (Cannabidiolic Acid)	0.20	%	0.200		100	80-120		
CBN (Cannabinol)	0.20	%	0.200		100	80-120		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Pesticide Analysis

**Batch: B202464 - Pesticide Prep**

Blank(B202464-BLK1)		Extracted - 11/20/20 11:09 Analyzed - 11/25/20 4:12						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Fonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	< LOQ	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B202464 - Pesticide Prep (Continued)**

Blank(B202464-BLK1)			Extracted - 11/20/20 11:09 Analyzed - 11/25/20 4:12					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Paclbutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B202464-BS1)			Extracted - 11/20/20 11:09 Analyzed - 11/25/20 4:28					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	0.97	ppm	0.980		98.7	15-180		
Acephate	0.98	ppm	1.00		98.3	51-141		
Acequinocyl	0.85	ppm	1.00		85.1	16.9-111		
Acetamiprid	0.96	ppm	1.00		96.3	50-150		
Aldicarb	0.97	ppm	1.00		96.6	49-146		
Azoxystrobin	0.96	ppm	1.00		95.9	52-136		
Bifenazate	0.92	ppm	1.00		92.0	41-133		
Bifenthrin	0.89	ppm	1.00		88.8	22-130		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B202464 - Pesticide Prep (Continued)**

LCS(B202464-BS1)		Extracted - 11/20/20 11:09 Analyzed - 11/25/20 4:28						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Boscalid	0.96	ppm	1.00		96.2	29-144		
Carbaryl	0.97	ppm	1.00		96.6	61-127		
Carbofuran	0.96	ppm	1.00		96.1	62-136		
Chlorantraniliprole	0.97	ppm	1.00		96.6	41-150		
Chlorfenapyr	0.96	ppm	1.00		96.2	40-160		
Chlorpyrifos	0.92	ppm	1.00		91.6	29-124		
Clofentezine	0.93	ppm	1.00		92.9	40-127		
Cyfluthrin	0.98	ppm	1.00		97.6	55-165		
Cypermethrin	0.98	ppm	1.00		97.5	21-144		
Daminozide	1.29	ppm	1.00		129	15-145		
DDVP (Dichlorvos)	0.95	ppm	1.00		94.9	55-150		
Diazinon	0.94	ppm	1.00		94.5	43-127		
Dimethoate	0.99	ppm	1.00		99.3	62-136		
Ethoprophos	0.96	ppm	1.00		95.5	45-142		
Etofenprox	0.92	ppm	1.00		92.2	24-113		
Etoxazole	0.98	ppm	1.00		97.9	34-121		
Fenoxycarb	0.94	ppm	1.00		94.0	22-150		
Fenpyroximate	0.97	ppm	1.00		96.6	34-144		
Fipronil	1.03	ppm	1.00		103	25-149		
Flonicamid	0.95	ppm	1.00		94.8	53-144		
Fludioxonil	0.80	ppm	1.00		80.3	29-132		
Hexythiazox	0.93	ppm	1.00		92.7	22-111		
Imazalil	0.99	ppm	1.00		98.8	48-125		
Imidacloprid	0.94	ppm	1.00		94.0	41-150		
Kresoxim-methyl	0.96	ppm	1.00		95.9	43-140		
Malathion	0.89	ppm	1.00		89.5	25-148		
Metalaxyl	0.99	ppm	1.00		98.6	50-136		
Methiocarb	0.95	ppm	1.00		94.5	56-132		
Methomyl	0.97	ppm	1.00		97.4	40-150		
Methyl parathion	0.95	ppm	1.00		95.3	35-160		
MGK-264	0.60	ppm	0.590		101	32-134		
Myclobutanil	1.01	ppm	1.00		101	43-141		
Naled	0.93	ppm	1.00		93.2	15-136		
Oxamyl	0.99	ppm	1.00		99.4	56-133		
Paclobutrazol	0.96	ppm	1.00		95.5	34-143		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B202464 - Pesticide Prep (Continued)**

LCS(B202464-BS1)		Extracted - 11/20/20 11:09 Analyzed - 11/25/20 4:28						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Permethrins (total)	0.90	ppm	1.00		90.0	31-113		
Phosmet	0.93	ppm	1.00		92.6	53-124		
Piperonyl butoxide	1.00	ppm	1.00		99.5	39-128		
Prallethrin	0.98	ppm	1.00		97.8	43-140		
Propiconazole	1.03	ppm	1.00		103	47-124		
Propoxur	0.96	ppm	1.00		95.9	63-135		
Pyrethrins (total)	0.57	ppm	0.580		97.5	19-144		
Pyridaben	0.96	ppm	1.00		95.6	31-122		
Spinosad	0.75	ppm	0.710		106	24-147		
Spiromesifen	0.90	ppm	1.00		89.7	49-133		
Spirotetramat	0.93	ppm	1.00		93.2	29-150		
Spiroxamine	1.15	ppm	1.00		115	15-122		
Tebuconazole	1.03	ppm	1.00		103	40-133		
Thiacloprid	0.97	ppm	1.00		97.2	60-143		
Thiamethoxam	0.95	ppm	1.00		95.4	42-146		
Trifloxystrobin	0.99	ppm	1.00		98.5	41-148		

Matrix Spike(B202464-MS1)		Extracted - 11/20/20 11:09 Analyzed - 11/25/20 9:47						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.30	ppm	0.951	< LOQ	137	55-190		
Acephate	0.96	ppm	0.971	< LOQ	98.6	48-131		
Acequinocyl	0.69	ppm	0.971	< LOQ	70.7	15-119		
Acetamiprid	0.92	ppm	0.971	< LOQ	95.2	50-145		
Aldicarb	0.91	ppm	0.971	< LOQ	93.4	53-133		
Azoxystrobin	0.91	ppm	0.971	< LOQ	93.7	35-147		
Bifenazate	0.90	ppm	0.971	< LOQ	92.8	43-143		
Bifenthrin	0.36	ppm	0.971	< LOQ	37.4	16-107		
Boscalid	0.90	ppm	0.971	< LOQ	93.0	42-140		
Carbaryl	0.88	ppm	0.971	< LOQ	90.6	71-113		
Carbofuran	0.92	ppm	0.971	< LOQ	94.4	73-118		
Chlorantraniliprole	0.92	ppm	0.971	< LOQ	94.3	45-136		
Chlorfenapyr	0.46	ppm	0.971	< LOQ	47.8	40-190		
Chlorpyrifos	0.72	ppm	0.971	< LOQ	73.8	24-125		
Clofentezine	0.90	ppm	0.971	< LOQ	93.0	38-118		
Cyfluthrin	1.45	ppm	0.971	< LOQ	149	35-170		



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B202464 - Pesticide Prep (Continued)**

Matrix Spike(B202464-MS1)			Extracted - 11/20/20 11:09 Analyzed - 11/25/20 9:47					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Cypermethrin	0.94	ppm	0.971	< LOQ	97.2	38-150		
Daminozide	1.19	ppm	0.971	< LOQ	122	16-160		
DDVP (Dichlorvos)	0.88	ppm	0.971	< LOQ	90.9	64-124		
Diazinon	1.00	ppm	0.971	< LOQ	103	50-123		
Dimethoate	0.93	ppm	0.971	< LOQ	95.4	69-116		
Ethoprophos	0.86	ppm	0.971	< LOQ	88.1	39-146		
Etofenprox	0.52	ppm	0.971	< LOQ	53.2	31-117		
Etoxazole	0.70	ppm	0.971	< LOQ	72.5	35-136		
Fenoxycarb	0.89	ppm	0.971	< LOQ	91.4	23-150		
Fenpyroximate	0.92	ppm	0.971	< LOQ	94.6	30-143		
Fipronil	0.98	ppm	0.971	< LOQ	101	15-150		
Flonicamid	0.92	ppm	0.971	< LOQ	95.1	50-131		
Fludioxonil	0.82	ppm	0.971	< LOQ	84.7	44-150		
Hexythiazox	0.97	ppm	0.971	< LOQ	99.9	34-144		
Imazalil	0.65	ppm	0.971	< LOQ	66.8	54-124		
Imidacloprid	0.98	ppm	0.971	< LOQ	101	39-150		
Kresoxim-methyl	1.09	ppm	0.971	< LOQ	112	46-134		
Malathion	0.87	ppm	0.971	< LOQ	89.2	26-148		
Metalaxyl	0.95	ppm	0.971	< LOQ	97.6	60-127		
Methiocarb	0.90	ppm	0.971	< LOQ	92.7	50-131		
Methomyl	0.90	ppm	0.971	< LOQ	93.0	47-135		
Methyl parathion	0.79	ppm	0.971	< LOQ	81.6	33.5-156		
MGK-264	0.44	ppm	0.573	< LOQ	77.5	20-130		
Myclobutanil	0.84	ppm	0.971	< LOQ	86.6	43-134		
Naled	0.84	ppm	0.971	< LOQ	86.0	38-140		
Oxamyl	0.94	ppm	0.971	< LOQ	96.9	48-127		
Paclobutrazol	0.88	ppm	0.971	< LOQ	91.1	30-136		
Permethrins (total)	0.83	ppm	0.971	< LOQ	85.5	20-120		
Phosmet	0.91	ppm	0.971	< LOQ	93.5	51-134		
Piperonyl butoxide	0.62	ppm	0.971	< LOQ	63.5	36-134		
Prallethrin	0.80	ppm	0.971	< LOQ	82.3	23-149		
Propiconazole	0.77	ppm	0.971	< LOQ	79.5	45-133		
Propoxur	0.89	ppm	0.971	< LOQ	91.5	59-130		
Pyrethrins (total)	0.45	ppm	0.563	< LOQ	79.8	15-146		
Pyridaben	0.72	ppm	0.971	< LOQ	73.9	15-150		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B202464 - Pesticide Prep (Continued)**

Matrix Spike(B202464-MS1)			Extracted - 11/20/20 11:09 Analyzed - 11/25/20 9:47					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Spinosad	0.53	ppm	0.689	< LOQ	76.8	23-150		
Spiromesifen	0.80	ppm	0.971	< LOQ	82.5	27-127		
Spirotetramat	0.92	ppm	0.971	< LOQ	95.2	33-150		
Spiroxamine	0.85	ppm	0.971	< LOQ	87.9	54-134		
Tebuconazole	1.06	ppm	0.971	< LOQ	109	22-126		
Thiacloprid	0.87	ppm	0.971	< LOQ	89.5	53-138		
Thiamethoxam	0.93	ppm	0.971	< LOQ	95.9	40-134		
Trifloxystrobin	0.84	ppm	0.971	< LOQ	86.5	25-140		

Matrix Spike Dup(B202464-MSD1)			Extracted - 11/20/20 11:09 Analyzed - 11/25/20					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.34	ppm	0.966	< LOQ	139	55-190	1.62	40
Acephate	0.91	ppm	0.985	< LOQ	92.4	48-131	6.52	26
Acequinocyl	0.76	ppm	0.985	< LOQ	76.8	15-119	8.24	50
Acetamiprid	0.98	ppm	0.985	< LOQ	99.1	50-145	3.99	30
Aldicarb	1.03	ppm	0.985	< LOQ	104	53-133	11.0	30
Azoxystrobin	0.93	ppm	0.985	< LOQ	94.0	35-147	0.320	29
Bifenazate	0.92	ppm	0.985	< LOQ	93.7	43-143	0.921	30
Bifenthrin	0.39	ppm	0.985	< LOQ	40.0	16-107	6.74	29
Boscalid	0.86	ppm	0.985	< LOQ	87.7	42-140	5.81	30
Carbaryl	0.96	ppm	0.985	< LOQ	97.0	71-113	6.80	20
Carbofuran	0.98	ppm	0.985	< LOQ	99.1	73-118	4.87	20
Chlorantraniliprole	0.90	ppm	0.985	< LOQ	91.3	45-136	3.21	30
Chlorfenapyr	0.60	ppm	0.985	< LOQ	61.3	40-190	24.8	50
Chlorpyrifos	0.76	ppm	0.985	< LOQ	77.4	24-125	4.75	29
Clofentezine	0.85	ppm	0.985	< LOQ	85.8	38-118	8.13	26
Cyfluthrin	1.49	ppm	0.985	< LOQ	151	35-170	0.908	50
Cypermethrin	1.03	ppm	0.985	< LOQ	105	38-150	7.72	30
Daminozide	1.17	ppm	0.985	< LOQ	118	16-160	3.17	26
DDVP (Dichlorvos)	0.94	ppm	0.985	< LOQ	95.3	64-124	4.65	27
Diazinon	0.95	ppm	0.985	< LOQ	96.7	50-123	5.90	20
Dimethoate	0.89	ppm	0.985	< LOQ	90.5	69-116	5.23	20
Ethoprophos	0.90	ppm	0.985	< LOQ	91.5	39-146	3.77	30
Etofenprox	0.53	ppm	0.985	< LOQ	54.0	31-117	1.61	27
Etoxazole	0.76	ppm	0.985	< LOQ	77.5	35-136	6.75	30



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



## Quality Control Pesticide Analysis (Continued)

Batch: B202464 - Pesticide Prep (Continued)

Matrix Spike Dup(B202464-MSD1)			Extracted - 11/20/20 11:09 Analyzed - 11/25/20					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Fenoxycarb	0.90	ppm	0.985	< LOQ	91.0	23-150	0.498	40
Fenpyroximate	1.05	ppm	0.985	< LOQ	107	30-143	12.1	26
Fipronil	1.00	ppm	0.985	< LOQ	102	15-150	0.857	30
Flonicamid	0.93	ppm	0.985	< LOQ	94.0	50-131	1.15	26
Fludioxonil	0.84	ppm	0.985	< LOQ	85.7	44-150	1.14	30
Hexythiazox	0.98	ppm	0.985	< LOQ	99.1	34-144	0.748	28
Imazalil	0.64	ppm	0.985	< LOQ	64.8	54-124	3.05	24
Imidacloprid	1.00	ppm	0.985	< LOQ	101	39-150	0.0855	30
Kresoxim-methyl	0.99	ppm	0.985	< LOQ	100	46-134	11.4	20
Malathion	0.92	ppm	0.985	< LOQ	93.7	26-148	5.01	50
Metalaxyl	1.00	ppm	0.985	< LOQ	102	60-127	4.13	30
Methiocarb	0.93	ppm	0.985	< LOQ	94.4	50-131	1.78	30
Methomyl	0.91	ppm	0.985	< LOQ	92.0	47-135	1.07	20
Methyl parathion	0.80	ppm	0.985	< LOQ	80.8	33.5-156	0.959	50
MGK-264	0.47	ppm	0.581	< LOQ	81.4	20-130	4.87	30
Myclobutanil	0.86	ppm	0.985	< LOQ	87.2	43-134	0.684	30
Naled	0.95	ppm	0.985	< LOQ	96.4	38-140	11.4	30
Oxamyl	0.90	ppm	0.985	< LOQ	91.0	48-127	6.31	28
Paclobutrazol	0.92	ppm	0.985	< LOQ	93.7	30-136	2.77	30
Permethrins (total)	0.87	ppm	0.985	< LOQ	88.5	20-120	3.49	28
Phosmet	0.89	ppm	0.985	< LOQ	90.1	51-134	3.78	30
Piperonyl butoxide	0.61	ppm	0.985	< LOQ	62.0	36-134	2.29	30
Prallethrin	0.83	ppm	0.985	< LOQ	84.3	23-149	2.49	30
Propiconazole	0.68	ppm	0.985	< LOQ	69.2	45-133	13.9	30
Propoxur	0.97	ppm	0.985	< LOQ	98.0	59-130	6.90	29
Pyrethrins (total)	0.48	ppm	0.572	< LOQ	84.1	15-146	5.29	28
Pyridaben	0.75	ppm	0.985	< LOQ	75.8	15-150	2.53	29
Spinosad	0.48	ppm	0.700	< LOQ	68.9	23-150	10.8	30
Spiromesifen	0.85	ppm	0.985	< LOQ	86.1	27-127	4.22	28
Spirotetramat	0.92	ppm	0.985	< LOQ	93.5	33-150	1.82	30
Spiroxamine	0.84	ppm	0.985	< LOQ	85.1	54-134	3.26	30
Tebuconazole	1.05	ppm	0.985	< LOQ	106	22-126	2.97	21
Thiacloprid	0.98	ppm	0.985	< LOQ	99.0	53-138	10.0	30
Thiamethoxam	0.88	ppm	0.985	< LOQ	89.5	40-134	6.87	28
Trifloxystrobin	0.89	ppm	0.985	< LOQ	90.2	25-140	4.19	30



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Solvent Analysis

Batch: B202463 - Residual Solvent Prep

Blank(B202463-BLK1)			Extracted - 11/20/20 11:09 Analyzed - 11/20/20 16:20					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	< LOQ	ug/g						
2-Butanol	< LOQ	ug/g						
2-Ethoxyethanol	< LOQ	ug/g						
2-Propanol (IPA)	< LOQ	ug/g						
Acetone	< LOQ	ug/g						
Acetonitrile	< LOQ	ug/g						
Benzene	< LOQ	ug/g						
Butanes	< LOQ	ug/g						
Cyclohexane	< LOQ	ug/g						
Dichloromethane (methylene chloride)	< LOQ	ug/g						
Ethyl acetate	< LOQ	ug/g						
Ethyl ether	< LOQ	ug/g						
Ethylbenzene	< LOQ	ug/g						
Ethylene glycol	< LOQ	ug/g						
Ethylene oxide	< LOQ	ug/g						
Heptane	< LOQ	ug/g						
Hexanes	< LOQ	ug/g						
Isopropyl acetate	< LOQ	ug/g						
Isopropylbenzene (cumene)	< LOQ	ug/g						
Methanol	< LOQ	ug/g						
Pentanes	< LOQ	ug/g						
Propane	< LOQ	ug/g						
Tetrahydrofuran	< LOQ	ug/g						
Toluene	< LOQ	ug/g						
Xylenes	< LOQ	ug/g						

LCS(B202463-BS1)			Extracted - 11/20/20 11:09 Analyzed - 11/20/20 15:17					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	609	ug/g	570		107	70-130		
2,2-Dimethylbutane	525	ug/g	435		121	70-130		
2,2-Dimethylpropane (neopentane)	4040	ug/g	3120		129	60-140		
2-Butanol	3730	ug/g	3500		107	70-130		
2-Ethoxyethanol	247	ug/g	240		103	60-140		
2-Methylbutane (isopentane)	4320	ug/g	3500		123	70-130		
2-Methylpentane/2,3-Dimethylbutane	990	ug/g	870		114	70-130		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Solvent Analysis (Continued)

**Batch: B202463 - Residual Solvent Prep (Continued)**

LCS(B202463-BS1)		Extracted - 11/20/20 11:09 Analyzed - 11/20/20 15:17						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	4010	ug/g	3120		128	60-140		
2-Propanol (IPA)	3940	ug/g	3500		112	70-130		
3-Methylpentane	484	ug/g	435		111	70-130		
Acetone	4140	ug/g	3500		118	70-130		
Acetonitrile	661	ug/g	615		108	70-130		
Benzene	2.71	ug/g	3.00		90.4	70-130		
Cyclohexane	6880	ug/g	5820		118	70-130		
Dichloromethane (methylene chloride)	953	ug/g	900		106	70-130		
Ethyl acetate	3950	ug/g	3500		113	70-130		
Ethyl ether	4320	ug/g	3500		123	70-130		
Ethylbenzene	3260	ug/g	3250		100	70-130		
Ethylene glycol	787	ug/g	930		84.6	60-140		
Ethylene oxide	443	ug/g	375		118	60-140		
Heptane	3940	ug/g	3500		112	70-130		
Isopropyl acetate	4010	ug/g	3500		115	70-130		
Isopropylbenzene (cumene)	108	ug/g	105		103	70-130		
m,p-Xylene	6740	ug/g	6510		103	60-140		
Methanol	2900	ug/g	2500		116	70-130		
n-Butane	3850	ug/g	3120		123	60-140		
n-Hexane	497	ug/g	435		114	70-130		
n-Pentane	4340	ug/g	3500		124	70-130		
Propane	1530	ug/g	1250		122	60-140		
Tetrahydrofuran	1250	ug/g	1080		115	70-130		
Toluene	1330	ug/g	1340		99.4	70-130		
o-Xylene	3250	ug/g	3250		100	70-130		

Matrix Spike(B202463-MS1)		Extracted - 11/20/20 11:09 Analyzed - 11/20/20 15:38						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	563	ug/g	551	< LOQ	102	70-130		
2,2-Dimethylbutane	469	ug/g	420	< LOQ	111	70-130		
2,2-Dimethylpropane (neopentane)	3840	ug/g	3020	< LOQ	127	60-140		
2-Butanol	3470	ug/g	3380	< LOQ	103	70-130		
2-Ethoxyethanol	230	ug/g	232	< LOQ	99.4	60-140		
2-Methylbutane (isopentane)	4080	ug/g	3380	< LOQ	121	70-130		
2-Methylpentane/2,3-Dimethylbutane	909	ug/g	841	< LOQ	108	70-130		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Solvent Analysis (Continued)

**Batch: B202463 - Residual Solvent Prep (Continued)**

Matrix Spike(B202463-MS1)			Extracted - 11/20/20 11:09 Analyzed - 11/20/20 15:38					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	3940	ug/g	3020	< LOQ	131	60-140		
2-Propanol (IPA)	3620	ug/g	3380	< LOQ	107	70-130		
3-Methylpentane	445	ug/g	420	< LOQ	106	70-130		
Acetone	3820	ug/g	3380	< LOQ	113	70-130		
Acetonitrile	621	ug/g	594	< LOQ	105	70-130		
Benzene	2.57	ug/g	2.90	< LOQ	88.6	70-130		
Cyclohexane	6540	ug/g	5630	< LOQ	116	70-130		
Dichloromethane (methylene chloride)	908	ug/g	870	< LOQ	104	70-130		
Ethyl acetate	3660	ug/g	3380	< LOQ	108	70-130		
Ethyl ether	3960	ug/g	3380	< LOQ	117	70-130		
Ethylbenzene	3240	ug/g	3140	< LOQ	103	70-130		
Ethylene glycol	835	ug/g	899	< LOQ	92.9	60-140		
Ethylene oxide	420	ug/g	362	< LOQ	116	60-140		
Heptane	3810	ug/g	3380	< LOQ	113	70-130		
Isopropyl acetate	3680	ug/g	3380	< LOQ	109	70-130		
Isopropylbenzene (cumene)	162	ug/g	101	< LOQ	159	70-130		
m,p-Xylene	6570	ug/g	6290	< LOQ	104	60-140		
Methanol	2710	ug/g	2420	< LOQ	112	70-130		
n-Butane	3770	ug/g	3020	< LOQ	125	60-140		
n-Hexane	459	ug/g	420	< LOQ	109	70-130		
n-Pentane	4160	ug/g	3380	< LOQ	123	70-130		
Propane	1550	ug/g	1210	< LOQ	128	60-140		
Tetrahydrofuran	1140	ug/g	1040	< LOQ	109	70-130		
Toluene	1290	ug/g	1290	< LOQ	99.9	70-130		
o-Xylene	3190	ug/g	3140	< LOQ	102	70-130		

Matrix Spike Dup(B202463-MSD1)			Extracted - 11/20/20 11:09 Analyzed - 11/20/20					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	653	ug/g	632	< LOQ	103	70-130	14.9	30
2,2-Dimethylbutane	538	ug/g	482	< LOQ	112	70-130	13.8	30
2,2-Dimethylpropane (neopentane)	4310	ug/g	3460	< LOQ	125	60-140	11.6	30
2-Butanol	4020	ug/g	3880	< LOQ	104	70-130	14.5	30
2-Ethoxyethanol	269	ug/g	266	< LOQ	101	60-140	15.3	30
2-Methylbutane (isopentane)	4670	ug/g	3880	< LOQ	120	70-130	13.5	30
2-Methylpentane/2,3-Dimethylbutane	1050	ug/g	964	< LOQ	109	70-130	14.5	30



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Solvent Analysis (Continued)

Batch: B202463 - Residual Solvent Prep (Continued)

Matrix Spike Dup(B202463-MSD1)			Extracted - 11/20/20 11:09 Analyzed - 11/20/20					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	4470	ug/g	3460	< LOQ	129	60-140	12.6	30
2-Propanol (IPA)	4160	ug/g	3880	< LOQ	107	70-130	14.1	30
3-Methylpentane	515	ug/g	482	< LOQ	107	70-130	14.6	30
Acetone	4430	ug/g	3880	< LOQ	114	70-130	14.9	30
Acetonitrile	719	ug/g	681	< LOQ	106	70-130	14.6	30
Benzene	2.87	ug/g	3.32	< LOQ	86.3	70-130	11.0	30
Cyclohexane	7540	ug/g	6450	< LOQ	117	70-130	14.3	30
Dichloromethane (methylene chloride)	1040	ug/g	997	< LOQ	104	70-130	13.2	30
Ethyl acetate	4210	ug/g	3880	< LOQ	109	70-130	14.1	30
Ethyl ether	4600	ug/g	3880	< LOQ	119	70-130	14.9	30
Ethylbenzene	3710	ug/g	3600	< LOQ	103	70-130	13.6	30
Ethylene glycol	966	ug/g	1030	< LOQ	93.7	60-140	14.6	30
Ethylene oxide	483	ug/g	416	< LOQ	116	60-140	13.9	30
Heptane	4350	ug/g	3880	< LOQ	112	70-130	13.2	30
Isopropyl acetate	4250	ug/g	3880	< LOQ	110	70-130	14.4	30
Isopropylbenzene (cumene)	176	ug/g	116	< LOQ	152	70-130	8.62	30
m,p-Xylene	7610	ug/g	7220	< LOQ	105	60-140	14.6	30
Methanol	3080	ug/g	2770	< LOQ	111	70-130	12.8	30
n-Butane	4280	ug/g	3460	< LOQ	124	60-140	12.6	30
n-Hexane	526	ug/g	482	< LOQ	109	70-130	13.7	30
n-Pentane	4720	ug/g	3880	< LOQ	122	70-130	12.5	30
Propane	1750	ug/g	1390	< LOQ	127	60-140	12.6	30
Tetrahydrofuran	1320	ug/g	1200	< LOQ	110	70-130	14.5	30
Toluene	1470	ug/g	1480	< LOQ	99.4	70-130	13.2	30
o-Xylene	3680	ug/g	3600	< LOQ	102	70-130	14.3	30



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Terpene Analysis

**Batch: B202466 - Potency/Terpenes**

Blank(B202466-BLK1)			Extracted - 11/23/20 11:10 Analyzed - 11/23/20 16:24					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	< LOQ	%						
beta Myrcene	< LOQ	%						
alpha Phellandrene	< LOQ	%						
3-Carene	< LOQ	%						
alpha Terpinene	< LOQ	%						
Limonene	< LOQ	%						
Terpinolene	< LOQ	%						
Linalool	< LOQ	%						
Fenchol	< LOQ	%						
Borneol	< LOQ	%						
Terpineol	< LOQ	%						
Geraniol	< LOQ	%						
alpha Humulene	< LOQ	%						
beta Caryophyllene	< LOQ	%						
(-)-Caryophyllene Oxide	< LOQ	%						
(-)-alpha Bisabolol	< LOQ	%						
Camphene	< LOQ	%						
beta Pinene	< LOQ	%						
Ocimene	< LOQ	%						
Sabinene	< LOQ	%						
Camphor	< LOQ	%						
Isoborneol	< LOQ	%						
Menthol	< LOQ	%						
alpha Cedrene	< LOQ	%						
Nerolidol	< LOQ	%						
(+)-Pulegone	< LOQ	%						
Eucalyptol	< LOQ	%						
p-Cymene	< LOQ	%						
(-)-Isopulegol	< LOQ	%						
Geranyl Acetate	< LOQ	%						
Guaiol	0.100	%						
Valencene	< LOQ	%						
Phytol	0.191	%						
Citronellol	< LOQ	%						
gamma Terpinene	< LOQ	%						



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Terpene Analysis (Continued)

**Batch: B202466 - Potency/Terpenes (Continued)**

Duplicate(B202466-DUP1)		Extracted - 11/23/20 11:10 Analyzed - 11/23/20 16:41						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Ocimene	< LOQ	%		< LOQ				30
beta Ocimene	0.653	%		0.734			11.6	30
cis-Nerolidol	< LOQ	%		< LOQ				30
Phytol 1	< LOQ	%		< LOQ				30
Phytol 2	0.100	%		0.162			47.2	30
trans-Nerolidol	< LOQ	%		< LOQ				30
alpha Pinene	0.585	%		0.708			19.0	30
beta Myrcene	5.539	%		6.318			13.1	30
alpha Phellandrene	< LOQ	%		< LOQ				30
3-Carene	< LOQ	%		< LOQ				30
alpha Terpinene	< LOQ	%		< LOQ				30
Limonene	0.456	%		0.507			10.6	30
Terpinolene	< LOQ	%		< LOQ				30
Linalool	0.099	%		0.103			3.88	30
Fenchol	< LOQ	%		< LOQ				30
Borneol	< LOQ	%		< LOQ				30
Terpineol	< LOQ	%		< LOQ				30
Geraniol	< LOQ	%		< LOQ				30
alpha Humulene	0.394	%		0.407			3.11	30
beta Caryophyllene	1.280	%		1.313			2.59	30
(-)-Caryophyllene Oxide	< LOQ	%		< LOQ				30
(-)-alpha Bisabolol	0.167	%		0.153			8.41	30
Camphene	< LOQ	%		< LOQ				30
beta Pinene	0.147	%		0.168			13.5	30
Ocimene	0.653	%		0.734			11.6	30
Sabinene	< LOQ	%		< LOQ				30
Camphor	< LOQ	%		< LOQ				30
Isoborneol	< LOQ	%		< LOQ				30
Menthol	< LOQ	%		< LOQ				30
alpha Cedrene	< LOQ	%		< LOQ				30
Nerolidol	< LOQ	%		< LOQ				30
(+)-Pulegone	< LOQ	%		< LOQ				30
Eucalyptol	< LOQ	%		< LOQ				30
p-Cymene	< LOQ	%		< LOQ				30
(-)-Isopulegol	< LOQ	%		< LOQ				30



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Terpene Analysis (Continued)

**Batch: B202466 - Potency/Terpenes (Continued)**

Duplicate(B202466-DUP1)		Extracted - 11/23/20 11:10		Analyzed - 11/23/20 16:41				
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Geranyl Acetate	< LOQ	%		< LOQ				30
Guaiol	< LOQ	%		< LOQ				30
Valencene	< LOQ	%		< LOQ				30
Phytol	0.100	%		0.162			47.2	30
Citronellol	< LOQ	%		< LOQ				30
gamma Terpinene	< LOQ	%		< LOQ				30



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



Client: Willamette Valley Alchemy Client License: 100096CBBC Date Sampled: 11/19/2020 Thermometer ID: T014  
 Address Where Sampled: 870 W 2nd Ave unit: D Eugene, OR 97402 Requestor: Paul Sherman Event ID: 20k0129 Balance ID: SAMP\_BAL\_02  
 Sampling SOP & Rev. #: SC-OR-SAMP-003 Sampler: Scott Forster Transporter: Scott Forster Hygrometer ID: Anemometer\_02  
 Lab ORELAP ID: 4133  
 Lab OLCC ID: 1004748743D

Sampler Signature



Weight used (g)	Weight Set ID	Acceptance Criteria	Initial Measured	Initial P/F	Final Measured	Final P/F
0.5	SAMP_CAL_02	±2.5%	0.5	P	0.5	P
200		±2.5%	199.98		199.98	

Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
Mason Jars	1A401030003909000013739				Concentrate	Banana Puddintain Shatter (7Points-881A)	11/16/2020	1223
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	17.9	44.9	3	vial	4	6	0.583333333	Banana Puddintain Shatter (7Points-881A) Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
20k0129-01	Banana Puddintain Shatter (7Points-881A)-1		A4	0	0.59	0.59	13754	
20k0129-01	Banana Puddintain Shatter (7Points-881A)-2		B2	0.59	1.18	0.59	13754	
20k0129-01	Banana Puddintain Shatter (7Points-881A)-3		C1	1.18	1.77	0.59	13754	
20k0129-01	Banana Puddintain Shatter (7Points-881A)-3		C1	1.77	2.36	0.59	13754	
20k0129-01	Banana Puddintain Shatter (7Points-881A)-3		C2	2.36	2.95	0.59	13754	
20k0129-01	Banana Puddintain Shatter (7Points-881A)-3		C4	2.95	3.54	0.59	13754	
<b>Totals:</b>								
			6	6	Total Primary Mass = 3.54		Primary + Duplicate Mass = 7.05 g	

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	17.9	44.9	3	vial	4	6	0.583333333	Banana Puddintain Shatter (7Points-881A) Duplicate
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
20k0129-02	Banana Puddintain Shatter (7Points-881A)-1		A1	0	0.59	0.59	13754	
20k0129-02	Banana Puddintain Shatter (7Points-881A)-2		B2	0.59	1.18	0.59	13754	
20k0129-02	Banana Puddintain Shatter (7Points-881A)-2		B2	1.18	1.77	0.59	13754	
20k0129-02	Banana Puddintain Shatter (7Points-881A)-2		B3	1.77	2.36	0.59	13754	
20k0129-02	Banana Puddintain Shatter (7Points-881A)-3		C1	2.36	2.95	0.59	13754	
20k0129-02	Banana Puddintain Shatter (7Points-881A)-3		C3	2.95	3.51	0.56	13754	

Totals:		6	6	Total Duplicate Mass = 3.51		Primary + Duplicate Mass = 7.05 g	
Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
Mason Jars	1A4010300003909000013740				Concentrate	Banana Puddintain Shatter (7Points-881A)	11/16/2020	1274
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	17.9	44.9	3	vial	4	6	0.58333333	Banana Puddintain Shatter (7Points-881A) Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
20k0129-03	Banana Puddintain Shatter (7Points-881A)-1		A3	0	0.59	0.59	13755	
20k0129-03	Banana Puddintain Shatter (7Points-881A)-1		A4	0.59	1.18	0.59	13755	
20k0129-03	Banana Puddintain Shatter (7Points-881A)-2		B1	1.18	1.77	0.59	13755	
20k0129-03	Banana Puddintain Shatter (7Points-881A)-2		B1	1.77	2.36	0.59	13755	
20k0129-03	Banana Puddintain Shatter (7Points-881A)-2		B4	2.36	2.95	0.59	13755	
20k0129-03	Banana Puddintain Shatter (7Points-881A)-3		C1	2.95	3.54	0.59	13755	
Totals:		6	6	Total Primary Mass = 3.54		Primary + Duplicate Mass = 7.13 g		

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	17.9	44.9	3	vial	4	6	0.58333333	Banana Puddintain Shatter (7Points-881A) Duplicate
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
20k0129-04	Banana Puddintain Shatter (7Points-881A)-2		B1	0	0.59	0.59	13755	
20k0129-04	Banana Puddintain Shatter (7Points-881A)-2		B2	0.59	1.18	0.59	13755	
20k0129-04	Banana Puddintain Shatter (7Points-881A)-2		B3	1.18	1.77	0.59	13755	
20k0129-04	Banana Puddintain Shatter (7Points-881A)-2		B3	1.77	2.36	0.59	13755	
20k0129-04	Banana Puddintain Shatter (7Points-881A)-3		C3	2.36	2.95	0.59	13755	
20k0129-04	Banana Puddintain Shatter (7Points-881A)-3		C4	2.95	3.59	0.64	13755	

<b>Totals:</b>			6	6		Total Duplicate Mass = 3.59	Primary + Duplicate Mass = 7.13 g	
<b>Observations and Abnormalities:</b>		<b>Batch #</b>	<b>Equipment</b>	<b>Cont. Types/Sizes</b>	<b>Uniform</b>	<b>Plant Colors</b>	<b>Shape and Size</b>	<b>Sampling Plan ID &amp; Rev. Date</b>

Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
Mason Jars	1A4010300003909000013748				Concentrate	Blue Slushee CRJ (Foxhollow-879)	11/18/2020	467
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	17.9	44.9	1	vial	4	4	0.875	Blue Slushee CRJ (Foxhollow-879) Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
20k0129-05	Blue Slushee CRJ (Foxhollow-879)-1		A2	0	0.88	0.88	13756	
20k0129-05	Blue Slushee CRJ (Foxhollow-879)-1		A3	0.88	1.76	0.88	13756	
20k0129-05	Blue Slushee CRJ (Foxhollow-879)-1		A4	1.76	2.64	0.88	13756	
20k0129-05	Blue Slushee CRJ (Foxhollow-879)-1		A4	2.64	3.54	0.9	13756	
<b>Totals:</b>			4	4		Total Primary Mass = 3.54	Primary + Duplicate Mass = 7.11 g	

<b>Observations and Abnormalities:</b>		<b>Batch #</b>	<b>Equipment</b>	<b>Cont. Types/Sizes</b>	<b>Uniform</b>	<b>Plant Colors</b>	<b>Shape and Size</b>	<b>Sampling Plan ID &amp; Rev. Date</b>
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	17.9	44.9	1	vial	4	4	0.875	Blue Slushee CRJ (Foxhollow-879) Duplicate
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
20k0129-06	Blue Slushee CRJ (Foxhollow-879)-1		A1	0	0.88	0.88	13756	
20k0129-06	Blue Slushee CRJ (Foxhollow-879)-1		A2	0.88	1.76	0.88	13756	
20k0129-06	Blue Slushee CRJ (Foxhollow-879)-1		A3	1.76	2.64	0.88	13756	
20k0129-06	Blue Slushee CRJ (Foxhollow-879)-1		A3	2.64	3.57	0.93	13756	



Lab Sample ID	Container ID	Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
20k0129-08	Kush Cake + Ice Cream Man Shatter (7Points-886)-1	A1	0	0.59	0.59	13757	
20k0129-08	Kush Cake + Ice Cream Man Shatter (7Points-886)-1	A1	0.59	1.18	0.59	13757	
20k0129-08	Kush Cake + Ice Cream Man Shatter (7Points-886)-1	A2	1.18	1.77	0.59	13757	
20k0129-08	Kush Cake + Ice Cream Man Shatter (7Points-886)-2	B1	1.77	2.36	0.59	13757	
20k0129-08	Kush Cake + Ice Cream Man Shatter (7Points-886)-3	C2	2.36	2.95	0.59	13757	
20k0129-08	Kush Cake + Ice Cream Man Shatter (7Points-886)-3	C2	2.95	3.52	0.57	13757	
<b>Totals:</b>		6	6	Total Duplicate Mass = 3.52		Primary + Duplicate Mass = 7.1 g	
Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date



**OREGON LIQUOR CONTROL COMMISSION  
CANNABIS TRANSPORTATION MANIFEST**



20K0130

20K0129

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

<b>Manifest No.</b>	<b>0002827151</b>	<b>Date Created</b>	11/19/2020 11:27 AM
<b>Originating Entity</b>	Willamette Valley Alchemy		<b>For OLCC Use Only</b>
<b>Originating License Number</b>	030-1000096CBB6		
<b>Address of Originating Entity</b>	870 W. 2nd Ave Unit: D Eugene, OR 97402 County: Lane		
<b>Phone No. of Originating Entity</b>	541255.9170		
<b>Contact Phone No. for Inquiries: 8018824601</b>			
<b>1. Destination</b>	SC Laboratories	<b>Destination Phone No.</b>	503-272-8838
<b>Destination License Number</b>	010-1004748743D	<b>Date and Approx. Time of Departure</b>	11/19/2020 11:30 AM
<b>Address of Destination</b>	15865 SW 74th Avenue Ste 110 Tigard, OR 97224 County: Washington	<b>Date and Approx. Time of Arrival</b>	11/19/2020 3:30 PM
		<b>Date/Time Received</b>	11/19/2020 18:39
		<b>Notes:</b> details for extenuating circumstances (e.g., road closure, flat tire, etc.)	
<b>Route to be Traveled</b>			
Head east on W 2nd Ave toward Adams St Turn right onto Monroe St Turn right onto W 6th Ave Slight left onto W 5th Ave Turn right onto Seneca Rd Turn left onto W 1st Ave Turn left onto Grimes St Destination will be on the right Take S Bertelsen Rd and Roosevelt Blvd to OR-569 E Follow I-5 N to Lower Boones Ferry Rd in Tualatin. Take exit 290 from I-5 N Take SW Durham Rd to SW 74th Ave in Tigard			
<b>Name of Person Transporting</b>	Scott Forster	<b>Handler Permit No. of Driver</b>	SC Sampler
<b>State Driver's License No.</b>	A625521	<b>Signature of Person Transporting</b>	
<b>Make, Model, License Plate No.</b>	Nissan Kicks 249 MGD		
<b>1. Package I Shipped</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A4010300003909000013754 Lab Test: SubmittedForTesting		Banana Puddintain Shatter (7Points-881A) (Extracts)	Shp: 7.0500 g
<b>Item Details</b>			
<b>Source Harvest(s)</b> (multi-harvest)			
<b>Source Package(s)</b> 1A4010300003909000013739			
<b>2. Package I Shipped</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A4010300003909000013757 Lab Test: SubmittedForTesting		Kush Cake + Ice Cream Man Shatter (7Points-886) (Extracts)	Shp: 7.1000 g
<b>Item Details</b>			
<b>Source Harvest(s)</b> (multi-harvest)			
<b>Source Package(s)</b> 1A4010300003909000013751			
<b>3. Package I Shipped</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A4010300003909000013755 Lab Test: SubmittedForTesting		Banana Puddintain Shatter (7Points-881B) (Extracts)	Shp: 7.1300 g
<b>Item Details</b>			
<b>Source Harvest(s)</b> (multi-harvest)			
<b>Source Package(s)</b> 1A4010300003909000013740			



**OREGON LIQUOR CONTROL COMMISSION  
CANNABIS TRANSPORTATION MANIFEST**



20K0130

20K0129

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

<b>Manifest No.</b>	<b>0002827151</b>	<b>Date Created</b>	11/19/2020 11:27 AM
<b>4. Package I Shipped</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A4010300003909000013756 Lab Test: SubmittedForTesting		Blue Slushee CRJ (Foxhollow-879) (Extracts)	Shp: 7.1100 g
<b>Item Details</b>			
<b>Source Harvest(s)</b>	BS080520GH		
<b>Source Package(s)</b>	1A4010300003909000013748		
<b>5. Package I Shipped</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A4010300003909000013758 Lab Test: SubmittedForTesting		RETREATS: Indica Rec 10pk (GMO-145-13747) (Edibles (each))	Shp: 2.0000 ea
<b>Item Details</b>	Wgt: 35 g		
<b>Source Harvest(s)</b>	GMO Harvest 2-6-20		
<b>Source Package(s)</b>	1A4010300003909000013747		
<b>PRODUCT REJECTION</b> (if only a portion of shipment is rejected, circle that portion above)			
<b>Name of Person Receiving or Rejecting Product</b>	Alfredo Montes de Oca		
I confirm that the contents of this shipment match weight records entered above, and I agree to take custody of those portions of this shipment <i>not</i> circled above. Those portions circled were returned to the individual delivering this shipment.			
<b>Signature</b>	am	<b>Date</b>	11/19/2020
<b>Signature of individual taking receipt of rejected portion of this shipment</b>			



# CHAIN OF CUSTODY

Client Willamette Valley Alchemy 870 W 2nd Ave unit: D Eugene, OR 97402 Date Sampled: 11/19/2020 OLCC License #: 100096CBBC Processor: Processor Email: etvalval@alchemy.com Phone: 541.255.9170 Sampler OLCC License #: 010-1004748743D	COC # Work Order # Received By Received Date Courier Name of Sampler Transfer Manifest # Place where Sampled	1/1 20k0129 am 1/19/2020 Scott Forster Scott Forster 282 7451 870 W 2nd Ave unit: D Eugene, OR 97402
--	---	---

Sample Name	Time	METRC Label	Unique Batch Number	SC Labs LIMS ID	Sample Type	Total Sample Mass	# of Increments	TESTS REQUESTED					Sample Specific Notes
								Potency	Moisture Content	Pesticide	Residual Solvent	Terpene	
Banana Puddintain Shatter (7Points-881A) Pr		13754	Banana Puddintain	20k0129-01	C	3.54	6	X	X	X	X	X	
Banana Puddintain Shatter (7Points-881A) Du		13754	Banana Puddintain	20k0129-02	C	3.51	6	X	X	X	X	X	
Banana Puddintain Shatter (7Points-881A) Pr		13755	Banana Puddintain	20k0129-03	C	3.54	6	X	X	X	X	X	
Banana Puddintain Shatter (7Points-881A) Du		13755	Banana Puddintain	20k0129-04	C	3.59	6	X	X	X	X	X	
Blue Slushee CRJ (Foxhollow-879) Primary		13756	Blue Slushee CRJ (Foxhollow-)	20k0129-05	C	3.54	4	X	X	X	X	X	
Blue Slushee CRJ (Foxhollow-879) Duplicate		13756	Blue Slushee CRJ (Foxhollow-)	20k0129-06	C	3.57	4	X	X	X	X	X	
Kush Cake + Ice Cream Man Shatter (7Points-886) D		13757	Kush Cake + Ice Cream Man	20k0129-07	C	3.58	6	X	X	X	X	X	
ake + Ice Cream Man Shatter (7Points-886) D		13757	Kush Cake + Ice Cream Man	20k0129-08	C	3.52	6	X	X	X	X	X	

Notes/Special Considerations: Opt OUT of Sample Duplicate Yes  No

Samples Relinquished Print Name: Austin C Date: 11/19/20 Representative of: VVA Signature: Time: 1130	Samples Received Print Name: Scott F Date: 11/19/20 Representative of: SC Labs Signature: Time: 1130
--	---