

Sample Name: **Jet Fuel Gelato CRJ (Foxhollow-862B) Primary**
 Tested for: **Willamette Valley Alchemy**
Compliance Extract

Laboratory ID: 20J0222-07

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300003909000013661

Lot # NA

Batch RFID: 1A4010300003909000013652

Batch Size: 560 (g)

Process Date: 10/28/2020

License: 1000096CBB6

Date Sampled: 10/29/20 00:00

Date Accepted: 10/29/20



Potency Analysis

Date Extracted: 11/03/20

Analysis Method: UNODC 5.4.8

Date Analyzed: 11/03/20

* - ORELAP certified analyte

| Cannabinoids | % weight | mg/g | LOQ (%) | Cannabinoids Profile |
|--|--------------|--------------|-------------|----------------------|
| Total THC ((THCA*0.877)+d9) | 79.43 | 794.3 | 0.09 | |
| Total CBD ((CBDA*0.877)+CBD) | < LOQ | < LOQ | 0.09 | |
| d9-THC (d9-Tetrahydrocannabinol)* | 40.31 | 403.1 | 0.09 | |
| d8-THC (d8-Tetrahydrocannabinol)* | < LOQ | < LOQ | 0.12 | |
| THCA (d9-Tetrahydrocannabinolic Acid)* | 44.61 | 446.1 | 0.18 | |
| CBD (Cannabidiol)* | < LOQ | < LOQ | 0.09 | |
| CBDA (Cannabidiolic Acid)* | < LOQ | < LOQ | 0.18 | |
| CBN (Cannabinol)* | < LOQ | < LOQ | 0.09 | |
| CBG (Cannabigerol)* | 0.70 | 7 | 0.12 | |
| CBGA (Cannabigerolic Acid) | 0.68 | 6.8 | 0.12 | |
| CBDV (Cannabidivarin)* | < LOQ | < LOQ | 0.12 | |
| CBDVA (Cannabidivarinic Acid) | < LOQ | < LOQ | 0.12 | |
| CBC (Cannabichromene)* | 0.26 | 2.6 | 0.12 | |
| THCV (Tetrahydrocannabivarin) | 0.20 | 2 | 0.12 | |
| Total Cannabinoids | 86.85 | 868.5 | 0.09 | |

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Jet Fuel Gelato CRJ (Foxhollow-862B) Duplicate**
Tested for: **Willamette Valley Alchemy**
Compliance Extract

Laboratory ID: 20J0222-08

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300003909000013661

Process Date: 10/28/2020

Lot # NA

License: 1000096CBB6

Batch RFID: 1A4010300003909000013652

Date Sampled: 10/29/20 00:00

Batch Size: 560 (g)

Date Accepted: 10/29/20


Potency Analysis

Date Extracted: 11/03/20

Analysis Method: UNODC 5.4.8

Date Analyzed: 11/03/20

* - ORELAP certified analyte

| Cannabinoids | % weight | mg/g | LOQ (%) | Cannabinoids Profile |
|--|--------------|--------------|-------------|--|
| Total THC ((THCA*0.877)+d9) | 80.79 | 807.9 | 0.08 |  |
| Total CBD ((CBDA*0.877)+CBD) | 0.10 | 1 | 0.08 | |
| d9-THC (d9-Tetrahydrocannabinol)* | 45.06 | 450.6 | 0.08 | |
| d8-THC (d8-Tetrahydrocannabinol)* | < LOQ | < LOQ | 0.10 | |
| THCA (d9-Tetrahydrocannabinolic Acid)* | 40.75 | 407.5 | 0.15 | |
| CBD (Cannabidiol)* | < LOQ | < LOQ | 0.08 | |
| CBDA (Cannabidiolic Acid)* | < LOQ | < LOQ | 0.15 | |
| CBN (Cannabinol)* | 0.09 | 0.9 | 0.08 | |
| CBG (Cannabigerol)* | 0.78 | 7.8 | 0.10 | |
| CBGA (Cannabigerolic Acid) | 0.75 | 7.5 | 0.10 | |
| CBDV (Cannabidivarin)* | < LOQ | < LOQ | 0.10 | |
| CBDVA (Cannabidivarinic Acid) | < LOQ | < LOQ | 0.10 | |
| CBC (Cannabichromene)* | 0.27 | 2.7 | 0.10 | |
| THCV (Tetrahydrocannabivarin) | 0.24 | 2.4 | 0.10 | |
| Total Cannabinoids | 88.04 | 880.4 | 0.08 | |

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **Jet Fuel Gelato CRJ (Foxhollow-862B)**

Sample Metrc ID: 1A4010300003909000013661

| | Primary Result % | Duplicate Result % | Average % | % RPD | Pass/Fail (<15%RPD) |
|-------------------------------------|------------------|--------------------|-----------|-------|---------------------|
| Total THC ((THCA*0.877)+d9) | 79.43 | 80.79 | 80.11 | 1.7 | PASS |
| Total CBD ((CBDA*0.877)+CBD) | < LOQ | 0.10 | NA | NA | NA |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

| | |
|--|--|
| Sample Name: Jet Fuel Gelato CRJ (Foxhollow-862 | License: 100096CBB6 |
| Tested for: Willamette Valley Alchemy Compliance Extract | Date Sampled: 10/29/20 00:00 |
| | Date Accepted: 10/29/20 |
| Laboratory ID: 20J0222-07 | Sample Metrc ID: 1A4010300003909000013661 |
| Matrix: Extracts and Concentrates | Batch RFID: 1A4010300003909000013652 |
| Lot # NA | Batch Size: 560 (g) |

Terpene Analysis

Date Extracted: 11/03/20

Analysis Method: Terpenes by GC/FID

Date Analyzed: 11/04/20

| Analyte | Result (%) | LOQ | Analyte | Result | LOQ |
|-------------------------|------------|-------|---------------------|----------------|-------|
| alpha Pinene | < LOQ | 0.106 | beta Myrcene | 0.163 | 0.106 |
| alpha Phellandrene | < LOQ | 0.106 | 3-Carene | < LOQ | 0.106 |
| alpha Terpinene | < LOQ | 0.106 | Limonene | 0.429 | 0.106 |
| Terpinolene | 0.200 | 0.106 | Linalool | 0.285 | 0.106 |
| Fenchol | 0.158 | 0.106 | Borneol | < LOQ | 0.106 |
| Terpineol | 0.170 | 0.106 | Geraniol | < LOQ | 0.106 |
| alpha Humulene | 0.225 | 0.106 | beta Caryophyllene | 0.628 | 0.106 |
| (-)-Caryophyllene Oxide | < LOQ | 0.106 | (-)-alpha Bisabolol | < LOQ | 0.106 |
| Camphene | < LOQ | 0.106 | beta Pinene | < LOQ | 0.106 |
| Ocimene | < LOQ | 0.106 | Sabinene | < LOQ | 0.106 |
| Camphor | < LOQ | 0.106 | Isoborneol | < LOQ | 0.106 |
| Menthol | < LOQ | 0.106 | alpha Cedrene | < LOQ | 0.106 |
| Nerolidol | < LOQ | 0.106 | (+)-Pulegone | < LOQ | 0.106 |
| Eucalyptol | < LOQ | 0.106 | p-Cymene | < LOQ | 0.106 |
| (-)-Isopulegol | < LOQ | 0.106 | Geranyl Acetate | < LOQ | 0.106 |
| Guaiol | < LOQ | 0.106 | Valencene | < LOQ | 0.106 |
| Phytol | < LOQ | 0.106 | Citronellol | < LOQ | 0.106 |
| gamma Terpinene | < LOQ | 0.106 | | | |
| Total Terpenes | | | | 2.258 % | |

<LOQ - Results below the Limit of Quantitation - Compound not detected

Terpene Analysis is not ORELAP Accredited.



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Jet Fuel Gelato CRJ (Foxhollow-862B) Primary**

License: **1000096CBB6**

Tested for: **Willamette Valley Alchemy**

Date Sampled: **10/29/20 00:00**

Compliance Extract


Date Accepted: **10/29/20 15:00**

Laboratory ID: **20J0222-07**

Matrix: **Extracts and**

Client/Metric ID: **1A4010300003909000013661**

Terpene Profile




Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Jet Fuel Gelato CRJ (Foxhollow-862B) Primary** License: **100096CBB6**
 Tested for: **Willamette Valley Alchemy** Date Sampled: **10/29/20 00:00**
Compliance Extract Date Accepted: **10/29/20**

Laboratory ID: **20J0222-07** Sample Metrc ID: **1A4010300003909000013661**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300003909000013652**
 Lot # **NA** Batch Size: **560 (g)**

Pesticide Analysis in ppm

Date Extracted: 11/03/20 Analysis Method: AOAC 2007.01 & EN 15662
 Date Analyzed: 11/04/20 Results above the action levels are highlighted in red #.

| Analyte | Result | Action Level | LOQ | Analyte | Result | Action Level | LOQ |
|-------------------|--------|--------------|-------|---------------------|--------|--------------|-------|
| Abamectin | < LOQ | 0.5 | 0.246 | Acephate | < LOQ | 0.4 | 0.197 |
| Acequinocyl | < LOQ | 2 | 0.984 | Acetamiprid | < LOQ | 0.2 | 0.098 |
| Aldicarb | < LOQ | 0.4 | 0.197 | Azoxystrobin | < LOQ | 0.2 | 0.098 |
| Bifenazate | < LOQ | 0.2 | 0.098 | Bifenthrin | < LOQ | 0.2 | 0.098 |
| Boscalid | < LOQ | 0.4 | 0.197 | Carbaryl | < LOQ | 0.2 | 0.098 |
| Carbofuran | < LOQ | 0.2 | 0.098 | Chlorantraniliprole | < LOQ | 0.2 | 0.098 |
| Chlorfenapyr | < LOQ | 1 | 0.492 | Chlorpyrifos | < LOQ | 0.2 | 0.098 |
| Clofentezine | < LOQ | 0.2 | 0.098 | Cyfluthrin | < LOQ | 1 | 0.492 |
| Cypermethrin | < LOQ | 1 | 0.492 | Daminozide | < LOQ | 1 | 0.492 |
| DDVP (Dichlorvos) | < LOQ | 1 | 0.492 | Diazinon | < LOQ | 0.2 | 0.098 |
| Dimethoate | < LOQ | 0.2 | 0.098 | Ethoprophos | < LOQ | 0.2 | 0.098 |
| Etofenprox | < LOQ | 0.4 | 0.197 | Etoxazole | < LOQ | 0.2 | 0.098 |
| Fenoxycarb | < LOQ | 0.2 | 0.098 | Fenpyroximate | < LOQ | 0.4 | 0.197 |
| Fipronil | < LOQ | 0.4 | 0.197 | Fonicamid | < LOQ | 1 | 0.492 |
| Fludioxonil | < LOQ | 0.4 | 0.197 | Hexythiazox | < LOQ | 1 | 0.492 |
| Imazalil | < LOQ | 0.2 | 0.098 | Imidacloprid | < LOQ | 0.4 | 0.197 |
| Kresoxim-methyl | < LOQ | 0.4 | 0.197 | Malathion | < LOQ | 0.2 | 0.098 |
| Metalaxyl | < LOQ | 0.2 | 0.098 | Methiocarb | < LOQ | 0.2 | 0.098 |
| Methomyl | < LOQ | 0.4 | 0.197 | Methyl parathion | < LOQ | 0.2 | 0.098 |
| MGK-264 | < LOQ | 0.2 | 0.098 | Myclobutanil | < LOQ | 0.2 | 0.098 |
| Naled | < LOQ | 0.5 | 0.246 | Oxamyl | < LOQ | 1 | 0.492 |
| Paclobutrazol | < LOQ | 0.4 | 0.197 | Permethrins (total) | < LOQ | 0.2 | 0.098 |
| Phosmet | < LOQ | 0.2 | 0.098 | Piperonyl butoxide | < LOQ | 2 | 0.492 |
| Prallethrin | < LOQ | 0.2 | 0.098 | Propiconazole | < LOQ | 0.4 | 0.197 |
| Propoxur | < LOQ | 0.2 | 0.098 | Pyrethrins (total) | < LOQ | 1 | 0.492 |
| Pyridaben | < LOQ | 0.2 | 0.098 | Spinosad | < LOQ | 0.2 | 0.098 |
| Spiromesifen | < LOQ | 0.2 | 0.098 | Spirotetramat | < LOQ | 0.2 | 0.098 |
| Spiroxamine | < LOQ | 0.4 | 0.197 | Tebuconazole | < LOQ | 0.4 | 0.197 |
| Thiacloprid | < LOQ | 0.2 | 0.098 | Thiamethoxam | < LOQ | 0.2 | 0.098 |
| Trifloxystrobin | < LOQ | 0.2 | 0.098 | | | | |

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Jet Fuel Gelato CRJ (Foxhollow-862B) Duplicate** License: **100096CBB6**
 Tested for: **Willamette Valley Alchemy** Date Sampled: **10/29/20 00:00**
Compliance Extract Date Accepted: **10/29/20**

Laboratory ID: **20J0222-08** Sample Metrc ID: **1A4010300003909000013661**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300003909000013652**
 Lot # **NA** Batch Size: **560 (g)**

Pesticide Analysis in ppm

Date Extracted: 11/03/20 Analysis Method: AOAC 2007.01 & EN 15662
 Date Analyzed: 11/04/20 Results above the action levels are highlighted in red #.

| Analyte | Result | Action Level | LOQ | Analyte | Result | Action Level | LOQ |
|-------------------|--------|--------------|-------|---------------------|--------|--------------|-------|
| Abamectin | < LOQ | 0.5 | 0.238 | Acephate | < LOQ | 0.4 | 0.191 |
| Acequinocyl | < LOQ | 2 | 0.953 | Acetamiprid | < LOQ | 0.2 | 0.095 |
| Aldicarb | < LOQ | 0.4 | 0.191 | Azoxystrobin | < LOQ | 0.2 | 0.095 |
| Bifenazate | < LOQ | 0.2 | 0.095 | Bifenthrin | < LOQ | 0.2 | 0.095 |
| Boscalid | < LOQ | 0.4 | 0.191 | Carbaryl | < LOQ | 0.2 | 0.095 |
| Carbofuran | < LOQ | 0.2 | 0.095 | Chlorantraniliprole | < LOQ | 0.2 | 0.095 |
| Chlorfenapyr | < LOQ | 1 | 0.477 | Chlorpyrifos | < LOQ | 0.2 | 0.095 |
| Clofentezine | < LOQ | 0.2 | 0.095 | Cyfluthrin | < LOQ | 1 | 0.477 |
| Cypermethrin | < LOQ | 1 | 0.477 | Daminozide | < LOQ | 1 | 0.477 |
| DDVP (Dichlorvos) | < LOQ | 1 | 0.477 | Diazinon | < LOQ | 0.2 | 0.095 |
| Dimethoate | < LOQ | 0.2 | 0.095 | Ethoprophos | < LOQ | 0.2 | 0.095 |
| Etofenprox | < LOQ | 0.4 | 0.191 | Etoxazole | < LOQ | 0.2 | 0.095 |
| Fenoxycarb | < LOQ | 0.2 | 0.095 | Fenpyroximate | < LOQ | 0.4 | 0.191 |
| Fipronil | < LOQ | 0.4 | 0.191 | Fonicamid | < LOQ | 1 | 0.477 |
| Fludioxonil | < LOQ | 0.4 | 0.191 | Hexythiazox | < LOQ | 1 | 0.477 |
| Imazalil | < LOQ | 0.2 | 0.095 | Imidacloprid | < LOQ | 0.4 | 0.191 |
| Kresoxim-methyl | < LOQ | 0.4 | 0.191 | Malathion | < LOQ | 0.2 | 0.095 |
| Metalaxyl | < LOQ | 0.2 | 0.095 | Methiocarb | < LOQ | 0.2 | 0.095 |
| Methomyl | < LOQ | 0.4 | 0.191 | Methyl parathion | < LOQ | 0.2 | 0.095 |
| MGK-264 | < LOQ | 0.2 | 0.095 | Myclobutanil | < LOQ | 0.2 | 0.095 |
| Naled | < LOQ | 0.5 | 0.238 | Oxamyl | < LOQ | 1 | 0.477 |
| Paclobutrazol | < LOQ | 0.4 | 0.191 | Permethrins (total) | < LOQ | 0.2 | 0.095 |
| Phosmet | < LOQ | 0.2 | 0.095 | Piperonyl butoxide | < LOQ | 2 | 0.477 |
| Prallethrin | < LOQ | 0.2 | 0.095 | Propiconazole | < LOQ | 0.4 | 0.191 |
| Propoxur | < LOQ | 0.2 | 0.095 | Pyrethrins (total) | < LOQ | 1 | 0.477 |
| Pyridaben | < LOQ | 0.2 | 0.095 | Spinosad | < LOQ | 0.2 | 0.095 |
| Spiromesifen | < LOQ | 0.2 | 0.095 | Spirotetramat | < LOQ | 0.2 | 0.095 |
| Spiroxamine | < LOQ | 0.4 | 0.191 | Tebuconazole | < LOQ | 0.4 | 0.191 |
| Thiacloprid | < LOQ | 0.2 | 0.095 | Thiamethoxam | < LOQ | 0.2 | 0.095 |
| Trifloxystrobin | < LOQ | 0.2 | 0.095 | | | | |

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

| | |
|--|---|
| Sample Name: Jet Fuel Gelato CRJ (Foxhollow-862B) Primary | License: 100096CBB6 |
| Tested for: Willamette Valley Alchemy | Date Sampled: 10/29/20 00:00 |
| Compliance Extract | Date Accepted: 10/29/20 |
| Laboratory ID: 20J0222-07 | Sample Metric ID: 1A4010300003909000013661 |
| Matrix: Extracts and Concentrates | Batch RFID: 1A4010300003909000013652 |
| Lot # NA | Batch Size: 560 (g) |

Residual Solvents

| Solvent | Results in ug/g | Action Level | LOQ |
|--------------------------------------|-----------------|--------------|------|
| 1,4-Dioxane | < LOQ | 380 | 214 |
| 2-Butanol | < LOQ | 5000 | 2810 |
| 2-Ethoxyethanol | < LOQ | 160 | 90.0 |
| 2-Propanol (IPA) | < LOQ | 5000 | 2810 |
| Acetone | < LOQ | 5000 | 2810 |
| Acetonitrile | < LOQ | 400 | 231 |
| Benzene | < LOQ | 2 | 1.13 |
| Butanes | < LOQ | 5000 | 2810 |
| Cyclohexane | < LOQ | 3880 | 2180 |
| Dichloromethane (methylene chloride) | < LOQ | 600 | 338 |
| Ethyl acetate | < LOQ | 5000 | 2810 |
| Ethyl ether | < LOQ | 5000 | 2810 |
| Ethylbenzene | < LOQ | 2170 | 1220 |
| Ethylene glycol | < LOQ | 620 | 349 |
| Ethylene oxide | < LOQ | 50 | 28.1 |
| Heptane | < LOQ | 5000 | 2810 |
| Hexanes | < LOQ | 290 | 163 |
| Isopropyl acetate | < LOQ | 5000 | 2810 |
| Isopropylbenzene (cumene) | < LOQ | 70 | 39.4 |
| Methanol | < LOQ | 3000 | 1690 |
| Pentanes | < LOQ | 5000 | 2810 |
| Propane | < LOQ | 5000 | 2810 |
| Tetrahydrofuran | < LOQ | 720 | 405 |
| Toluene | < LOQ | 890 | 501 |
| Xylenes | < LOQ | 2170 | 1220 |

Date Extracted: 11/03/20
 Date Analyzed: 11/03/20
 Analysis Method: USP 467

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

| | |
|--|---|
| Sample Name: Jet Fuel Gelato CRJ (Foxhollow-862B) Duplicate | License: 100096CBB6 |
| Tested for: Willamette Valley Alchemy Compliance Extract | Date Sampled: 10/29/20 00:00 |
| | Date Accepted: 10/29/20 |
| Laboratory ID: 20J0222-08 | Sample Metric ID: 1A4010300003909000013661 |
| Matrix: Extracts and Concentrates | Batch RFID: 1A4010300003909000013652 |
| Lot # NA | Batch Size: 560 (g) |

Residual Solvents

| Solvent | Results in ug/g | Action Level | LOQ | Date Extracted: 11/03/20 |
|--------------------------------------|-----------------|--------------|------|--------------------------|
| 1,4-Dioxane | < LOQ | 380 | 209 | Date Analyzed: 11/04/20 |
| 2-Butanol | < LOQ | 5000 | 2740 | Analysis Method: USP 467 |
| 2-Ethoxyethanol | < LOQ | 160 | 87.8 | |
| 2-Propanol (IPA) | < LOQ | 5000 | 2740 | |
| Acetone | < LOQ | 5000 | 2740 | |
| Acetonitrile | < LOQ | 400 | 225 | |
| Benzene | < LOQ | 2 | 1.10 | |
| Butanes | < LOQ | 5000 | 2740 | |
| Cyclohexane | < LOQ | 3880 | 2130 | |
| Dichloromethane (methylene chloride) | < LOQ | 600 | 329 | |
| Ethyl acetate | < LOQ | 5000 | 2740 | |
| Ethyl ether | < LOQ | 5000 | 2740 | |
| Ethylbenzene | < LOQ | 2170 | 1190 | |
| Ethylene glycol | < LOQ | 620 | 340 | |
| Ethylene oxide | < LOQ | 50 | 27.4 | |
| Heptane | < LOQ | 5000 | 2740 | |
| Hexanes | < LOQ | 290 | 159 | |
| Isopropyl acetate | < LOQ | 5000 | 2740 | |
| Isopropylbenzene (cumene) | < LOQ | 70 | 38.4 | |
| Methanol | < LOQ | 3000 | 1650 | |
| Pentanes | < LOQ | 5000 | 2740 | |
| Propane | < LOQ | 5000 | 2740 | |
| Tetrahydrofuran | < LOQ | 720 | 395 | |
| Toluene | < LOQ | 890 | 488 | |
| Xylenes | < LOQ | 2170 | 1190 | |

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Case Narrative

Residual Solvent - Isopropylbenzene was above normally accepted recovery criteria in the Matrix Spike and Matrix Spike Duplicate due to pinene coelution. Analyte was below the reporting limit in all client samples. Ethylene glycol was below the lower acceptance criteria in the Blank Spike, Matrix Spike and Matrix Spike Duplicate. No peaks were identified in the retention time window of this analyte in client samples.

Pesticides - Daminozide recovered above the upper acceptance limit in the Blank Spike, Matrix Spike, and/or Matrix Spike Duplicate. Analytes were below the reporting limit in all client samples.

**Quality Control
Potency**

Batch: B202277 - Potency/Terpenes

| Blank(B202277-BLK1) | | | Extracted - 11/03/20 13:30 Analyzed - 11/03/20 17:55 | | | | | |
|---------------------------------------|--------|-------|--|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| d9-THC (d9-Tetrahydrocannabinol) | < LOQ | % | | | | | | |
| d8-THC (d8-Tetrahydrocannabinol) | < LOQ | % | | | | | | |
| THCA (d9-Tetrahydrocannabinolic Acid) | < LOQ | % | | | | | | |
| CBD (Cannabidiol) | < LOQ | % | | | | | | |
| CBDA (Cannabidiolic Acid) | < LOQ | % | | | | | | |
| CBN (Cannabinol) | < LOQ | % | | | | | | |
| CBG (Cannabigerol) | < LOQ | % | | | | | | |
| CBGA (Cannabigerolic Acid) | < LOQ | % | | | | | | |
| CBDV (Cannabidivarin) | < LOQ | % | | | | | | |
| CBDVA (Cannabidivarinic Acid) | < LOQ | % | | | | | | |
| CBC (Cannabichromene) | < LOQ | % | | | | | | |
| THCV (Tetrahydrocannabivarin) | < LOQ | % | | | | | | |

| Duplicate(B202277-DUP1) | | | Extracted - 11/03/20 13:30 Analyzed - 11/03/20 18:04 | | | | | |
|---------------------------------------|--------|-------|--|---------------|------|-------------|-------|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| d9-THC (d9-Tetrahydrocannabinol) | 81.98 | % | | 83.04 | | | 1.29 | 20 |
| d8-THC (d8-Tetrahydrocannabinol) | < LOQ | % | | < LOQ | | | | 20 |
| THCA (d9-Tetrahydrocannabinolic Acid) | < LOQ | % | | < LOQ | | | | 20 |
| CBD (Cannabidiol) | 0.15 | % | | 0.17 | | | 8.68 | 20 |
| CBDA (Cannabidiolic Acid) | < LOQ | % | | < LOQ | | | | 20 |
| CBN (Cannabinol) | 0.16 | % | | 0.16 | | | 1.94 | 20 |
| CBG (Cannabigerol) | 1.23 | % | | 1.23 | | | 0.231 | 20 |
| CBGA (Cannabigerolic Acid) | 0.18 | % | | 0.18 | | | 2.64 | 20 |
| CBDV (Cannabidivarin) | < LOQ | % | | < LOQ | | | | 20 |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Potency (Continued)

Batch: B202277 - Potency/Terpenes (Continued)

| Duplicate(B202277-DUP1) | | | Extracted - 11/03/20 13:30 | | Analyzed - 11/03/20 18:04 | | | |
|-------------------------------|--------|-------|----------------------------|---------------|---------------------------|-------------|-------|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| CBDVA (Cannabidivarinic Acid) | < LOQ | % | | < LOQ | | | | 20 |
| CBC (Cannabichromene) | 0.67 | % | | 0.62 | | | 6.71 | 20 |
| THCV (Tetrahydrocannabivarin) | 0.46 | % | | 0.45 | | | 0.947 | 20 |

| LCS(B202277-BS1) | | | Extracted - 11/03/20 13:30 | | Analyzed - 11/03/20 17:46 | | | |
|----------------------------------|--------|-------|----------------------------|---------------|---------------------------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| d9-THC (d9-Tetrahydrocannabinol) | 0.20 | % | 0.200 | | 101 | 80-120 | | |
| CBD (Cannabidiol) | 0.23 | % | 0.200 | | 114 | 80-120 | | |
| CBDA (Cannabidiolic Acid) | 0.19 | % | 0.200 | | 93.2 | 80-120 | | |
| CBN (Cannabinol) | 0.20 | % | 0.200 | | 102 | 80-120 | | |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis

Batch: B202276 - Pesticide Prep

| Blank(B202276-BLK1) | | Extracted - 11/03/20 13:30 Analyzed - 11/04/20 11:43 | | | | | | |
|---------------------|--------|--|-------------|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Abamectin | < LOQ | ppm | | | | | | |
| Acephate | < LOQ | ppm | | | | | | |
| Acequinocyl | < LOQ | ppm | | | | | | |
| Acetamiprid | < LOQ | ppm | | | | | | |
| Aldicarb | < LOQ | ppm | | | | | | |
| Azoxystrobin | < LOQ | ppm | | | | | | |
| Bifenazate | < LOQ | ppm | | | | | | |
| Bifenthrin | < LOQ | ppm | | | | | | |
| Boscalid | < LOQ | ppm | | | | | | |
| Carbaryl | < LOQ | ppm | | | | | | |
| Carbofuran | < LOQ | ppm | | | | | | |
| Chlorantraniliprole | < LOQ | ppm | | | | | | |
| Chlorfenapyr | < LOQ | ppm | | | | | | |
| Chlorpyrifos | < LOQ | ppm | | | | | | |
| Clofentezine | < LOQ | ppm | | | | | | |
| Cyfluthrin | < LOQ | ppm | | | | | | |
| Cypermethrin | < LOQ | ppm | | | | | | |
| Daminozide | < LOQ | ppm | | | | | | |
| DDVP (Dichlorvos) | < LOQ | ppm | | | | | | |
| Diazinon | < LOQ | ppm | | | | | | |
| Dimethoate | < LOQ | ppm | | | | | | |
| Ethoprophos | < LOQ | ppm | | | | | | |
| Etofenprox | < LOQ | ppm | | | | | | |
| Etoxazole | < LOQ | ppm | | | | | | |
| Fenoxycarb | < LOQ | ppm | | | | | | |
| Fenpyroximate | < LOQ | ppm | | | | | | |
| Fipronil | < LOQ | ppm | | | | | | |
| Fonicamid | < LOQ | ppm | | | | | | |
| Fludioxonil | < LOQ | ppm | | | | | | |
| Hexythiazox | < LOQ | ppm | | | | | | |
| Imazalil | < LOQ | ppm | | | | | | |
| Imidacloprid | < LOQ | ppm | | | | | | |
| Kresoxim-methyl | < LOQ | ppm | | | | | | |
| Malathion | < LOQ | ppm | | | | | | |
| Metalaxyl | < LOQ | ppm | | | | | | |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis (Continued)

Batch: B202276 - Pesticide Prep (Continued)

| Blank(B202276-BLK1) | | | Extracted - 11/03/20 13:30 Analyzed - 11/04/20 11:43 | | | | | |
|---------------------|--------|-------|--|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Methiocarb | < LOQ | ppm | | | | | | |
| Methomyl | < LOQ | ppm | | | | | | |
| Methyl parathion | < LOQ | ppm | | | | | | |
| MGK-264 | < LOQ | ppm | | | | | | |
| Myclobutanil | < LOQ | ppm | | | | | | |
| Naled | < LOQ | ppm | | | | | | |
| Oxamyl | < LOQ | ppm | | | | | | |
| Paclbutrazol | < LOQ | ppm | | | | | | |
| Permethrins (total) | < LOQ | ppm | | | | | | |
| Phosmet | < LOQ | ppm | | | | | | |
| Piperonyl butoxide | < LOQ | ppm | | | | | | |
| Prallethrin | < LOQ | ppm | | | | | | |
| Propiconazole | < LOQ | ppm | | | | | | |
| Propoxur | < LOQ | ppm | | | | | | |
| Pyrethrins (total) | < LOQ | ppm | | | | | | |
| Pyridaben | < LOQ | ppm | | | | | | |
| Spinosad | < LOQ | ppm | | | | | | |
| Spiromesifen | < LOQ | ppm | | | | | | |
| Spirotetramat | < LOQ | ppm | | | | | | |
| Spiroxamine | < LOQ | ppm | | | | | | |
| Tebuconazole | < LOQ | ppm | | | | | | |
| Thiacloprid | < LOQ | ppm | | | | | | |
| Thiamethoxam | < LOQ | ppm | | | | | | |
| Trifloxystrobin | < LOQ | ppm | | | | | | |

| LCS(B202276-BS1) | | | Extracted - 11/03/20 13:30 Analyzed - 11/04/20 11:59 | | | | | |
|------------------|--------|-------|--|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Abamectin | 0.75 | ppm | 0.980 | | 76.8 | 15-180 | | |
| Acephate | 1.00 | ppm | 1.00 | | 99.6 | 51-141 | | |
| Acequinocyl | 0.57 | ppm | 1.00 | | 56.7 | 16.9-111 | | |
| Acetamiprid | 1.02 | ppm | 1.00 | | 102 | 50-150 | | |
| Aldicarb | 0.93 | ppm | 1.00 | | 92.7 | 49-146 | | |
| Azoxystrobin | 0.99 | ppm | 1.00 | | 98.7 | 52-136 | | |
| Bifenazate | 0.91 | ppm | 1.00 | | 90.9 | 41-133 | | |
| Bifenthrin | 0.69 | ppm | 1.00 | | 69.4 | 22-130 | | |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B202276 - Pesticide Prep (Continued)

| LCS(B202276-BS1) | | Extracted - 11/03/20 13:30 Analyzed - 11/04/20 11:59 | | | | | | |
|---------------------|--------|--|-------------|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Boscalid | 0.92 | ppm | 1.00 | | 92.2 | 29-144 | | |
| Carbaryl | 0.99 | ppm | 1.00 | | 98.7 | 61-127 | | |
| Carbofuran | 1.02 | ppm | 1.00 | | 102 | 62-136 | | |
| Chlorantraniliprole | 0.97 | ppm | 1.00 | | 97.2 | 41-150 | | |
| Chlorfenapyr | 0.87 | ppm | 1.00 | | 87.1 | 40-160 | | |
| Chlorpyrifos | 0.88 | ppm | 1.00 | | 88.4 | 29-124 | | |
| Clofentezine | 0.90 | ppm | 1.00 | | 90.0 | 40-127 | | |
| Cyfluthrin | 0.86 | ppm | 1.00 | | 85.6 | 55-165 | | |
| Cypermethrin | 0.86 | ppm | 1.00 | | 86.3 | 21-144 | | |
| Daminozide | 1.85 | ppm | 1.00 | | 185 | 15-145 | | |
| DDVP (Dichlorvos) | 0.95 | ppm | 1.00 | | 95.0 | 55-150 | | |
| Diazinon | 0.95 | ppm | 1.00 | | 94.9 | 43-127 | | |
| Dimethoate | 0.96 | ppm | 1.00 | | 96.2 | 62-136 | | |
| Ethoprophos | 0.95 | ppm | 1.00 | | 95.0 | 45-142 | | |
| Etofenprox | 0.83 | ppm | 1.00 | | 83.1 | 24-113 | | |
| Etoxazole | 0.94 | ppm | 1.00 | | 93.5 | 34-121 | | |
| Fenoxycarb | 0.92 | ppm | 1.00 | | 92.0 | 22-150 | | |
| Fenpyroximate | 0.89 | ppm | 1.00 | | 89.3 | 34-144 | | |
| Fipronil | 0.97 | ppm | 1.00 | | 97.1 | 25-149 | | |
| Flonicamid | 0.87 | ppm | 1.00 | | 87.4 | 53-144 | | |
| Fludioxonil | 0.87 | ppm | 1.00 | | 87.1 | 29-132 | | |
| Hexythiazox | 0.88 | ppm | 1.00 | | 87.8 | 22-111 | | |
| Imazalil | 1.08 | ppm | 1.00 | | 108 | 48-125 | | |
| Imidacloprid | 0.95 | ppm | 1.00 | | 94.6 | 41-150 | | |
| Kresoxim-methyl | 0.98 | ppm | 1.00 | | 98.5 | 43-140 | | |
| Malathion | 0.91 | ppm | 1.00 | | 90.7 | 25-148 | | |
| Metalaxyl | 1.01 | ppm | 1.00 | | 101 | 50-136 | | |
| Methiocarb | 0.96 | ppm | 1.00 | | 96.3 | 56-132 | | |
| Methomyl | 0.97 | ppm | 1.00 | | 97.4 | 40-150 | | |
| Methyl parathion | 0.79 | ppm | 1.00 | | 79.0 | 35-160 | | |
| MGK-264 | 0.56 | ppm | 0.590 | | 94.7 | 32-134 | | |
| Myclobutanil | 0.97 | ppm | 1.00 | | 97.3 | 43-141 | | |
| Naled | 1.04 | ppm | 1.00 | | 104 | 15-136 | | |
| Oxamyl | 0.99 | ppm | 1.00 | | 98.5 | 56-133 | | |
| Paclobutrazol | 0.93 | ppm | 1.00 | | 93.3 | 34-143 | | |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis (Continued)

Batch: B202276 - Pesticide Prep (Continued)

| LCS(B202276-BS1) | | Extracted - 11/03/20 13:30 Analyzed - 11/04/20 11:59 | | | | | | |
|---------------------|--------|--|-------------|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Permethrins (total) | 0.79 | ppm | 1.00 | | 79.3 | 31-113 | | |
| Phosmet | 0.95 | ppm | 1.00 | | 95.1 | 53-124 | | |
| Piperonyl butoxide | 0.96 | ppm | 1.00 | | 95.7 | 39-128 | | |
| Prallethrin | 0.91 | ppm | 1.00 | | 90.8 | 43-140 | | |
| Propiconazole | 0.96 | ppm | 1.00 | | 96.3 | 47-124 | | |
| Propoxur | 0.97 | ppm | 1.00 | | 97.3 | 63-135 | | |
| Pyrethrins (total) | 0.50 | ppm | 0.580 | | 87.0 | 19-144 | | |
| Pyridaben | 0.90 | ppm | 1.00 | | 89.6 | 31-122 | | |
| Spinosad | 0.72 | ppm | 0.710 | | 101 | 24-147 | | |
| Spiromesifen | 0.79 | ppm | 1.00 | | 79.2 | 49-133 | | |
| Spirotetramat | 0.94 | ppm | 1.00 | | 93.5 | 29-150 | | |
| Spiroxamine | 1.16 | ppm | 1.00 | | 116 | 15-122 | | |
| Tebuconazole | 0.94 | ppm | 1.00 | | 94.2 | 40-133 | | |
| Thiacloprid | 1.01 | ppm | 1.00 | | 101 | 60-143 | | |
| Thiamethoxam | 0.96 | ppm | 1.00 | | 96.0 | 42-146 | | |
| Trifloxystrobin | 0.98 | ppm | 1.00 | | 97.6 | 41-148 | | |

| Matrix Spike(B202276-MS1) | | Extracted - 11/03/20 13:30 Analyzed - 11/04/20 12:15 | | | | | | |
|---------------------------|--------|--|-------------|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Abamectin | 0.95 | ppm | 0.940 | < LOQ | 101 | 55-190 | | |
| Acephate | 0.95 | ppm | 0.959 | < LOQ | 98.9 | 48-131 | | |
| Acequinocyl | 0.39 | ppm | 0.959 | < LOQ | 40.9 | 15-119 | | |
| Acetamiprid | 0.91 | ppm | 0.959 | < LOQ | 94.6 | 50-145 | | |
| Aldicarb | 0.85 | ppm | 0.959 | < LOQ | 89.0 | 53-133 | | |
| Azoxystrobin | 0.85 | ppm | 0.959 | < LOQ | 88.8 | 35-147 | | |
| Bifenazate | 0.80 | ppm | 0.959 | < LOQ | 82.9 | 43-143 | | |
| Bifenthrin | 0.21 | ppm | 0.959 | < LOQ | 22.0 | 16-107 | | |
| Boscalid | 0.83 | ppm | 0.959 | < LOQ | 86.1 | 42-140 | | |
| Carbaryl | 0.89 | ppm | 0.959 | < LOQ | 92.7 | 71-113 | | |
| Carbofuran | 0.92 | ppm | 0.959 | < LOQ | 96.3 | 73-118 | | |
| Chlorantraniliprole | 0.84 | ppm | 0.959 | < LOQ | 87.6 | 45-136 | | |
| Chlorfenapyr | 0.49 | ppm | 0.959 | < LOQ | 51.4 | 40-190 | | |
| Chlorpyrifos | 0.55 | ppm | 0.959 | < LOQ | 56.9 | 24-125 | | |
| Clofentezine | 0.71 | ppm | 0.959 | < LOQ | 74.0 | 38-118 | | |
| Cyfluthrin | 1.10 | ppm | 0.959 | < LOQ | 114 | 35-170 | | |



Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B202276 - Pesticide Prep (Continued)

| Matrix Spike(B202276-MS1) | | | Extracted - 11/03/20 13:30 Analyzed - 11/04/20 12:15 | | | | | |
|---------------------------|--------|-------|--|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Cypermethrin | 0.98 | ppm | 0.959 | < LOQ | 102 | 38-150 | | |
| Daminozide | 1.78 | ppm | 0.959 | < LOQ | 186 | 16-160 | | |
| DDVP (Dichlorvos) | 0.83 | ppm | 0.959 | < LOQ | 86.2 | 64-124 | | |
| Diazinon | 0.86 | ppm | 0.959 | < LOQ | 89.8 | 50-123 | | |
| Dimethoate | 0.89 | ppm | 0.959 | < LOQ | 92.6 | 69-116 | | |
| Ethoprophos | 0.82 | ppm | 0.959 | < LOQ | 85.0 | 39-146 | | |
| Etofenprox | 0.42 | ppm | 0.959 | < LOQ | 43.6 | 31-117 | | |
| Etoxazole | 0.59 | ppm | 0.959 | < LOQ | 61.8 | 35-136 | | |
| Fenoxycarb | 0.74 | ppm | 0.959 | < LOQ | 77.2 | 23-150 | | |
| Fenpyroximate | 0.88 | ppm | 0.959 | < LOQ | 91.7 | 30-143 | | |
| Fipronil | 0.81 | ppm | 0.959 | < LOQ | 84.2 | 15-150 | | |
| Flonicamid | 0.81 | ppm | 0.959 | < LOQ | 84.8 | 50-131 | | |
| Fludioxonil | 0.84 | ppm | 0.959 | < LOQ | 87.7 | 44-150 | | |
| Hexythiazox | 0.62 | ppm | 0.959 | < LOQ | 64.2 | 34-144 | | |
| Imazalil | 0.88 | ppm | 0.959 | < LOQ | 92.2 | 54-124 | | |
| Imidacloprid | 0.92 | ppm | 0.959 | < LOQ | 96.0 | 39-150 | | |
| Kresoxim-methyl | 0.89 | ppm | 0.959 | < LOQ | 93.3 | 46-134 | | |
| Malathion | 0.81 | ppm | 0.959 | < LOQ | 84.2 | 26-148 | | |
| Metalaxyl | 0.90 | ppm | 0.959 | < LOQ | 93.7 | 60-127 | | |
| Methiocarb | 0.85 | ppm | 0.959 | < LOQ | 88.6 | 50-131 | | |
| Methomyl | 0.89 | ppm | 0.959 | < LOQ | 92.7 | 47-135 | | |
| Methyl parathion | 0.66 | ppm | 0.959 | < LOQ | 68.6 | 33.5-156 | | |
| MGK-264 | 0.43 | ppm | 0.566 | < LOQ | 76.4 | 20-130 | | |
| Myclobutanil | 0.82 | ppm | 0.959 | < LOQ | 85.9 | 43-134 | | |
| Naled | 0.91 | ppm | 0.959 | < LOQ | 95.3 | 38-140 | | |
| Oxamyl | 0.96 | ppm | 0.959 | < LOQ | 99.7 | 48-127 | | |
| Paclobutrazol | 0.77 | ppm | 0.959 | < LOQ | 80.3 | 30-136 | | |
| Permethrins (total) | 0.70 | ppm | 0.959 | < LOQ | 73.1 | 20-120 | | |
| Phosmet | 0.87 | ppm | 0.959 | < LOQ | 91.0 | 51-134 | | |
| Piperonyl butoxide | 0.54 | ppm | 0.959 | < LOQ | 55.8 | 36-134 | | |
| Prallethrin | 0.72 | ppm | 0.959 | < LOQ | 75.5 | 23-149 | | |
| Propiconazole | 0.72 | ppm | 0.959 | < LOQ | 75.2 | 45-133 | | |
| Propoxur | 0.90 | ppm | 0.959 | < LOQ | 93.5 | 59-130 | | |
| Pyrethrins (total) | 0.60 | ppm | 0.556 | < LOQ | 108 | 15-146 | | |
| Pyridaben | 0.54 | ppm | 0.959 | < LOQ | 56.1 | 15-150 | | |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B202276 - Pesticide Prep (Continued)

| Matrix Spike(B202276-MS1) | | | Extracted - 11/03/20 13:30 Analyzed - 11/04/20 12:15 | | | | | |
|---------------------------|--------|-------|--|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Spinosad | 0.47 | ppm | 0.681 | < LOQ | 69.6 | 23-150 | | |
| Spiromesifen | 0.63 | ppm | 0.959 | < LOQ | 65.8 | 27-127 | | |
| Spirotetramat | 0.85 | ppm | 0.959 | < LOQ | 89.1 | 33-150 | | |
| Spiroxamine | 0.91 | ppm | 0.959 | < LOQ | 94.6 | 54-134 | | |
| Tebuconazole | 0.87 | ppm | 0.959 | < LOQ | 90.6 | 22-126 | | |
| Thiacloprid | 0.87 | ppm | 0.959 | < LOQ | 90.2 | 53-138 | | |
| Thiamethoxam | 0.88 | ppm | 0.959 | < LOQ | 91.8 | 40-134 | | |
| Trifloxystrobin | 0.91 | ppm | 0.959 | < LOQ | 94.6 | 25-140 | | |

| Matrix Spike Dup(B202276-MSD1) | | | Extracted - 11/03/20 13:30 Analyzed - 11/04/20 | | | | | |
|--------------------------------|--------|-------|--|---------------|------|-------------|-------|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Abamectin | 1.02 | ppm | 0.948 | < LOQ | 107 | 55-190 | 5.94 | 40 |
| Acephate | 1.01 | ppm | 0.968 | < LOQ | 104 | 48-131 | 5.41 | 26 |
| Acequinocyl | 0.37 | ppm | 0.968 | < LOQ | 38.4 | 15-119 | 6.27 | 50 |
| Acetamiprid | 0.93 | ppm | 0.968 | < LOQ | 96.0 | 50-145 | 1.49 | 30 |
| Aldicarb | 0.88 | ppm | 0.968 | < LOQ | 91.2 | 53-133 | 2.43 | 30 |
| Azoxystrobin | 0.90 | ppm | 0.968 | < LOQ | 92.8 | 35-147 | 4.40 | 29 |
| Bifenazate | 0.86 | ppm | 0.968 | < LOQ | 89.2 | 43-143 | 7.31 | 30 |
| Bifenthrin | 0.21 | ppm | 0.968 | < LOQ | 22.2 | 16-107 | 0.912 | 29 |
| Boscalid | 0.85 | ppm | 0.968 | < LOQ | 88.0 | 42-140 | 2.19 | 30 |
| Carbaryl | 0.93 | ppm | 0.968 | < LOQ | 95.9 | 71-113 | 3.44 | 20 |
| Carbofuran | 0.94 | ppm | 0.968 | < LOQ | 97.4 | 73-118 | 1.10 | 20 |
| Chlorantraniliprole | 0.89 | ppm | 0.968 | < LOQ | 92.0 | 45-136 | 4.96 | 30 |
| Chlorfenapyr | 0.64 | ppm | 0.968 | < LOQ | 65.9 | 40-190 | 24.6 | 50 |
| Chlorpyrifos | 0.58 | ppm | 0.968 | < LOQ | 59.6 | 24-125 | 4.74 | 29 |
| Clofentezine | 0.77 | ppm | 0.968 | < LOQ | 79.1 | 38-118 | 6.67 | 26 |
| Cyfluthrin | 1.00 | ppm | 0.968 | < LOQ | 103 | 35-170 | 10.5 | 50 |
| Cypermethrin | 1.00 | ppm | 0.968 | < LOQ | 104 | 38-150 | 1.26 | 30 |
| Daminozide | 1.81 | ppm | 0.968 | < LOQ | 187 | 16-160 | 0.629 | 26 |
| DDVP (Dichlorvos) | 0.88 | ppm | 0.968 | < LOQ | 91.4 | 64-124 | 5.89 | 27 |
| Diazinon | 0.95 | ppm | 0.968 | < LOQ | 98.3 | 50-123 | 9.03 | 20 |
| Dimethoate | 0.93 | ppm | 0.968 | < LOQ | 96.0 | 69-116 | 3.69 | 20 |
| Ethoprophos | 0.89 | ppm | 0.968 | < LOQ | 91.7 | 39-146 | 7.61 | 30 |
| Etofenprox | 0.42 | ppm | 0.968 | < LOQ | 43.1 | 31-117 | 0.965 | 27 |
| Etoxazole | 0.64 | ppm | 0.968 | < LOQ | 65.7 | 35-136 | 6.23 | 30 |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis (Continued)

Batch: B202276 - Pesticide Prep (Continued)

| Matrix Spike Dup(B202276-MSD1) | | | Extracted - 11/03/20 13:30 Analyzed - 11/04/20 | | | | | |
|--------------------------------|--------|-------|--|---------------|------|-------------|-------|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Fenoxycarb | 0.84 | ppm | 0.968 | < LOQ | 86.3 | 23-150 | 11.2 | 40 |
| Fenpyroximate | 1.01 | ppm | 0.968 | < LOQ | 104 | 30-143 | 12.6 | 26 |
| Fipronil | 0.83 | ppm | 0.968 | < LOQ | 85.5 | 15-150 | 1.51 | 30 |
| Flonicamid | 0.85 | ppm | 0.968 | < LOQ | 88.3 | 50-131 | 4.04 | 26 |
| Fludioxonil | 0.90 | ppm | 0.968 | < LOQ | 92.8 | 44-150 | 5.70 | 30 |
| Hexythiazox | 0.65 | ppm | 0.968 | < LOQ | 67.5 | 34-144 | 4.93 | 28 |
| Imazalil | 0.91 | ppm | 0.968 | < LOQ | 94.5 | 54-124 | 2.49 | 24 |
| Imidacloprid | 0.90 | ppm | 0.968 | < LOQ | 93.5 | 39-150 | 2.65 | 30 |
| Kresoxim-methyl | 1.04 | ppm | 0.968 | < LOQ | 107 | 46-134 | 14.1 | 20 |
| Malathion | 0.85 | ppm | 0.968 | < LOQ | 87.4 | 26-148 | 3.78 | 50 |
| Metalaxyl | 0.95 | ppm | 0.968 | < LOQ | 98.7 | 60-127 | 5.20 | 30 |
| Methiocarb | 0.90 | ppm | 0.968 | < LOQ | 93.3 | 50-131 | 5.14 | 30 |
| Methomyl | 0.94 | ppm | 0.968 | < LOQ | 96.7 | 47-135 | 4.25 | 20 |
| Methyl parathion | 0.67 | ppm | 0.968 | < LOQ | 69.3 | 33.5-156 | 1.02 | 50 |
| MGK-264 | 0.48 | ppm | 0.571 | < LOQ | 84.7 | 20-130 | 10.3 | 30 |
| Myclobutanil | 0.83 | ppm | 0.968 | < LOQ | 86.2 | 43-134 | 0.314 | 30 |
| Naled | 0.92 | ppm | 0.968 | < LOQ | 95.5 | 38-140 | 0.276 | 30 |
| Oxamyl | 1.00 | ppm | 0.968 | < LOQ | 103 | 48-127 | 3.47 | 28 |
| Paclobutrazol | 0.82 | ppm | 0.968 | < LOQ | 84.5 | 30-136 | 5.15 | 30 |
| Permethrins (total) | 0.70 | ppm | 0.968 | < LOQ | 72.3 | 20-120 | 1.16 | 28 |
| Phosmet | 0.88 | ppm | 0.968 | < LOQ | 91.4 | 51-134 | 0.465 | 30 |
| Piperonyl butoxide | 0.59 | ppm | 0.968 | < LOQ | 60.8 | 36-134 | 8.59 | 30 |
| Prallethrin | 0.87 | ppm | 0.968 | < LOQ | 90.0 | 23-149 | 17.5 | 30 |
| Propiconazole | 0.87 | ppm | 0.968 | < LOQ | 89.9 | 45-133 | 17.8 | 30 |
| Propoxur | 0.95 | ppm | 0.968 | < LOQ | 98.6 | 59-130 | 5.32 | 29 |
| Pyrethrins (total) | 0.67 | ppm | 0.561 | < LOQ | 119 | 15-146 | 9.54 | 28 |
| Pyridaben | 0.54 | ppm | 0.968 | < LOQ | 56.0 | 15-150 | 0.220 | 29 |
| Spinosad | 0.53 | ppm | 0.687 | < LOQ | 77.2 | 23-150 | 10.4 | 30 |
| Spiromesifen | 0.67 | ppm | 0.968 | < LOQ | 69.1 | 27-127 | 4.96 | 28 |
| Spirotetramat | 0.91 | ppm | 0.968 | < LOQ | 93.7 | 33-150 | 5.06 | 30 |
| Spiroxamine | 1.00 | ppm | 0.968 | < LOQ | 103 | 54-134 | 8.67 | 30 |
| Tebuconazole | 0.99 | ppm | 0.968 | < LOQ | 102 | 22-126 | 12.0 | 21 |
| Thiacloprid | 0.93 | ppm | 0.968 | < LOQ | 96.0 | 53-138 | 6.24 | 30 |
| Thiamethoxam | 0.94 | ppm | 0.968 | < LOQ | 97.3 | 40-134 | 5.80 | 28 |
| Trifloxystrobin | 0.95 | ppm | 0.968 | < LOQ | 97.8 | 25-140 | 3.31 | 30 |



Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis

Batch: B202275 - Residual Solvent Prep

| Blank(B202275-BLK1) | | | Extracted - 11/03/20 11:00 Analyzed - 11/03/20 20:34 | | | | | |
|--------------------------------------|--------|-------|---|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| 1,4-Dioxane | < LOQ | ug/g | | | | | | |
| 2-Butanol | < LOQ | ug/g | | | | | | |
| 2-Ethoxyethanol | < LOQ | ug/g | | | | | | |
| 2-Propanol (IPA) | < LOQ | ug/g | | | | | | |
| Acetone | < LOQ | ug/g | | | | | | |
| Acetonitrile | < LOQ | ug/g | | | | | | |
| Benzene | < LOQ | ug/g | | | | | | |
| Butanes | < LOQ | ug/g | | | | | | |
| Cyclohexane | < LOQ | ug/g | | | | | | |
| Dichloromethane (methylene chloride) | < LOQ | ug/g | | | | | | |
| Ethyl acetate | < LOQ | ug/g | | | | | | |
| Ethyl ether | < LOQ | ug/g | | | | | | |
| Ethylbenzene | < LOQ | ug/g | | | | | | |
| Ethylene glycol | < LOQ | ug/g | | | | | | |
| Ethylene oxide | < LOQ | ug/g | | | | | | |
| Heptane | < LOQ | ug/g | | | | | | |
| Hexanes | < LOQ | ug/g | | | | | | |
| Isopropyl acetate | < LOQ | ug/g | | | | | | |
| Isopropylbenzene (cumene) | < LOQ | ug/g | | | | | | |
| Methanol | < LOQ | ug/g | | | | | | |
| Pentanes | < LOQ | ug/g | | | | | | |
| Propane | < LOQ | ug/g | | | | | | |
| Tetrahydrofuran | < LOQ | ug/g | | | | | | |
| Toluene | < LOQ | ug/g | | | | | | |
| Xylenes | < LOQ | ug/g | | | | | | |

| LCS(B202275-BS1) | | | Extracted - 11/03/20 11:00 Analyzed - 11/03/20 19:31 | | | | | |
|------------------------------------|--------|-------|---|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| 1,4-Dioxane | 624 | ug/g | 570 | | 109 | 70-130 | | |
| 2,2-Dimethylbutane | 500 | ug/g | 435 | | 115 | 70-130 | | |
| 2,2-Dimethylpropane (neopentane) | 4150 | ug/g | 3120 | | 133 | 60-140 | | |
| 2-Butanol | 3610 | ug/g | 3500 | | 103 | 70-130 | | |
| 2-Ethoxyethanol | 196 | ug/g | 240 | | 81.5 | 60-140 | | |
| 2-Methylbutane (isopentane) | 3470 | ug/g | 3500 | | 99.2 | 70-130 | | |
| 2-Methylpentane/2,3-Dimethylbutane | 869 | ug/g | 870 | | 99.9 | 70-130 | | |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B202275 - Residual Solvent Prep (Continued)

| LCS(B202275-BS1) | | Extracted - 11/03/20 11:00 Analyzed - 11/03/20 19:31 | | | | | | |
|--------------------------------------|--------|--|-------------|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| 2-Methylpropane (isobutane) | 3660 | ug/g | 3120 | | 117 | 60-140 | | |
| 2-Propanol (IPA) | 3570 | ug/g | 3500 | | 102 | 70-130 | | |
| 3-Methylpentane | 472 | ug/g | 435 | | 109 | 70-130 | | |
| Acetone | 3450 | ug/g | 3500 | | 98.5 | 70-130 | | |
| Acetonitrile | 600 | ug/g | 615 | | 97.6 | 70-130 | | |
| Benzene | 2.60 | ug/g | 3.00 | | 86.5 | 70-130 | | |
| Cyclohexane | 7310 | ug/g | 5820 | | 125 | 70-130 | | |
| Dichloromethane (methylene chloride) | 980 | ug/g | 900 | | 109 | 70-130 | | |
| Ethyl acetate | 3620 | ug/g | 3500 | | 103 | 70-130 | | |
| Ethyl ether | 4310 | ug/g | 3500 | | 123 | 70-130 | | |
| Ethylbenzene | 3450 | ug/g | 3250 | | 106 | 70-130 | | |
| Ethylene glycol | 423 | ug/g | 930 | | 45.5 | 60-140 | | |
| Ethylene oxide | 425 | ug/g | 375 | | 113 | 60-140 | | |
| Heptane | 3620 | ug/g | 3500 | | 103 | 70-130 | | |
| Isopropyl acetate | 3620 | ug/g | 3500 | | 103 | 70-130 | | |
| Isopropylbenzene (cumene) | 101 | ug/g | 105 | | 96.6 | 70-130 | | |
| m,p-Xylene | 7270 | ug/g | 6510 | | 112 | 60-140 | | |
| Methanol | 2980 | ug/g | 2500 | | 119 | 70-130 | | |
| n-Butane | 3600 | ug/g | 3120 | | 115 | 60-140 | | |
| n-Hexane | 494 | ug/g | 435 | | 114 | 70-130 | | |
| n-Pentane | 3600 | ug/g | 3500 | | 103 | 70-130 | | |
| Propane | 1620 | ug/g | 1250 | | 129 | 60-140 | | |
| Tetrahydrofuran | 1170 | ug/g | 1080 | | 109 | 70-130 | | |
| Toluene | 1410 | ug/g | 1340 | | 105 | 70-130 | | |
| o-Xylene | 3320 | ug/g | 3250 | | 102 | 70-130 | | |

| Matrix Spike(B202275-MS1) | | Extracted - 11/03/20 11:00 Analyzed - 11/03/20 19:52 | | | | | | |
|------------------------------------|--------|--|-------------|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| 1,4-Dioxane | 682 | ug/g | 646 | < LOQ | 106 | 70-130 | | |
| 2,2-Dimethylbutane | 565 | ug/g | 493 | < LOQ | 115 | 70-130 | | |
| 2,2-Dimethylpropane (neopentane) | 4650 | ug/g | 3540 | < LOQ | 131 | 60-140 | | |
| 2-Butanol | 3900 | ug/g | 3970 | < LOQ | 98.4 | 70-130 | | |
| 2-Ethoxyethanol | 205 | ug/g | 272 | < LOQ | 75.4 | 60-140 | | |
| 2-Methylbutane (isopentane) | 3910 | ug/g | 3970 | < LOQ | 98.5 | 70-130 | | |
| 2-Methylpentane/2,3-Dimethylbutane | 976 | ug/g | 986 | < LOQ | 99.0 | 70-130 | | |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B202275 - Residual Solvent Prep (Continued)

| Matrix Spike(B202275-MS1) | | | Extracted - 11/03/20 11:00 Analyzed - 11/03/20 19:52 | | | | | |
|--------------------------------------|--------|-------|--|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| 2-Methylpropane (isobutane) | 4440 | ug/g | 3540 | 25.5 | 125 | 60-140 | | |
| 2-Propanol (IPA) | 3900 | ug/g | 3970 | < LOQ | 98.3 | 70-130 | | |
| 3-Methylpentane | 535 | ug/g | 493 | < LOQ | 109 | 70-130 | | |
| Acetone | 3770 | ug/g | 3970 | < LOQ | 95.2 | 70-130 | | |
| Acetonitrile | 659 | ug/g | 697 | < LOQ | 94.5 | 70-130 | | |
| Benzene | 3.02 | ug/g | 3.40 | < LOQ | 88.8 | 70-130 | | |
| Cyclohexane | 8160 | ug/g | 6600 | < LOQ | 124 | 70-130 | | |
| Dichloromethane (methylene chloride) | 1100 | ug/g | 1020 | < LOQ | 108 | 70-130 | | |
| Ethyl acetate | 3970 | ug/g | 3970 | < LOQ | 100 | 70-130 | | |
| Ethyl ether | 4810 | ug/g | 3970 | < LOQ | 121 | 70-130 | | |
| Ethylbenzene | 3830 | ug/g | 3680 | < LOQ | 104 | 70-130 | | |
| Ethylene glycol | 466 | ug/g | 1050 | < LOQ | 44.2 | 60-140 | | |
| Ethylene oxide | 478 | ug/g | 425 | < LOQ | 112 | 60-140 | | |
| Heptane | 4060 | ug/g | 3970 | < LOQ | 102 | 70-130 | | |
| Isopropyl acetate | 3930 | ug/g | 3970 | < LOQ | 99.1 | 70-130 | | |
| Isopropylbenzene (cumene) | 220 | ug/g | 119 | < LOQ | 185 | 70-130 | | |
| m,p-Xylene | 8130 | ug/g | 7380 | < LOQ | 110 | 60-140 | | |
| Methanol | 3280 | ug/g | 2830 | < LOQ | 116 | 70-130 | | |
| n-Butane | 4940 | ug/g | 3540 | 795 | 117 | 60-140 | | |
| n-Hexane | 560 | ug/g | 493 | < LOQ | 114 | 70-130 | | |
| n-Pentane | 4060 | ug/g | 3970 | < LOQ | 102 | 70-130 | | |
| Propane | 1820 | ug/g | 1420 | < LOQ | 128 | 60-140 | | |
| Tetrahydrofuran | 1270 | ug/g | 1220 | < LOQ | 104 | 70-130 | | |
| Toluene | 1550 | ug/g | 1520 | < LOQ | 102 | 70-130 | | |
| o-Xylene | 3710 | ug/g | 3680 | < LOQ | 101 | 70-130 | | |

| Matrix Spike Dup(B202275-MSD1) | | | Extracted - 11/03/20 11:00 Analyzed - 11/03/20 | | | | | |
|------------------------------------|--------|-------|--|---------------|------|-------------|------|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| 1,4-Dioxane | 693 | ug/g | 645 | < LOQ | 108 | 70-130 | 1.68 | 30 |
| 2,2-Dimethylbutane | 576 | ug/g | 492 | < LOQ | 117 | 70-130 | 1.89 | 30 |
| 2,2-Dimethylpropane (neopentane) | 4780 | ug/g | 3540 | < LOQ | 135 | 60-140 | 2.83 | 30 |
| 2-Butanol | 3950 | ug/g | 3960 | < LOQ | 99.6 | 70-130 | 1.16 | 30 |
| 2-Ethoxyethanol | 210 | ug/g | 272 | < LOQ | 77.2 | 60-140 | 2.23 | 30 |
| 2-Methylbutane (isopentane) | 4010 | ug/g | 3960 | < LOQ | 101 | 70-130 | 2.47 | 30 |
| 2-Methylpentane/2,3-Dimethylbutane | 992 | ug/g | 984 | < LOQ | 101 | 70-130 | 1.67 | 30 |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis (Continued)

Batch: B202275 - Residual Solvent Prep (Continued)

| Matrix Spike Dup(B202275-MSD1) | | | Extracted - 11/03/20 11:00 Analyzed - 11/03/20 | | | | | |
|--------------------------------------|--------|-------|--|---------------|------|-------------|-------|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| 2-Methylpropane (isobutane) | 4560 | ug/g | 3540 | 25.5 | 128 | 60-140 | 2.86 | 30 |
| 2-Propanol (IPA) | 3940 | ug/g | 3960 | < LOQ | 99.6 | 70-130 | 1.18 | 30 |
| 3-Methylpentane | 544 | ug/g | 492 | < LOQ | 111 | 70-130 | 1.68 | 30 |
| Acetone | 3840 | ug/g | 3960 | < LOQ | 97.0 | 70-130 | 1.71 | 30 |
| Acetonitrile | 667 | ug/g | 696 | < LOQ | 95.9 | 70-130 | 1.28 | 30 |
| Benzene | 2.93 | ug/g | 3.39 | < LOQ | 86.2 | 70-130 | 3.13 | 30 |
| Cyclohexane | 8340 | ug/g | 6590 | < LOQ | 127 | 70-130 | 2.14 | 30 |
| Dichloromethane (methylene chloride) | 1120 | ug/g | 1020 | < LOQ | 110 | 70-130 | 1.56 | 30 |
| Ethyl acetate | 4020 | ug/g | 3960 | < LOQ | 102 | 70-130 | 1.30 | 30 |
| Ethyl ether | 4920 | ug/g | 3960 | < LOQ | 124 | 70-130 | 2.22 | 30 |
| Ethylbenzene | 3930 | ug/g | 3680 | < LOQ | 107 | 70-130 | 2.50 | 30 |
| Ethylene glycol | 487 | ug/g | 1050 | < LOQ | 46.3 | 60-140 | 4.38 | 30 |
| Ethylene oxide | 489 | ug/g | 424 | < LOQ | 115 | 60-140 | 2.32 | 30 |
| Heptane | 4130 | ug/g | 3960 | < LOQ | 104 | 70-130 | 1.76 | 30 |
| Isopropyl acetate | 4000 | ug/g | 3960 | < LOQ | 101 | 70-130 | 1.87 | 30 |
| Isopropylbenzene (cumene) | 221 | ug/g | 119 | < LOQ | 186 | 70-130 | 0.376 | 30 |
| m,p-Xylene | 8170 | ug/g | 7370 | < LOQ | 111 | 60-140 | 0.472 | 30 |
| Methanol | 3320 | ug/g | 2830 | < LOQ | 117 | 70-130 | 1.26 | 30 |
| n-Butane | 5060 | ug/g | 3540 | 795 | 121 | 60-140 | 2.42 | 30 |
| n-Hexane | 569 | ug/g | 492 | < LOQ | 116 | 70-130 | 1.60 | 30 |
| n-Pentane | 4160 | ug/g | 3960 | < LOQ | 105 | 70-130 | 2.45 | 30 |
| Propane | 1870 | ug/g | 1410 | < LOQ | 132 | 60-140 | 2.56 | 30 |
| Tetrahydrofuran | 1290 | ug/g | 1220 | < LOQ | 106 | 70-130 | 1.72 | 30 |
| Toluene | 1590 | ug/g | 1510 | < LOQ | 105 | 70-130 | 2.56 | 30 |
| o-Xylene | 3760 | ug/g | 3680 | < LOQ | 102 | 70-130 | 1.26 | 30 |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Terpene Analysis

Batch: B202278 - Potency/Terpenes

| Blank(B202278-BLK1) | | Extracted - 11/03/20 13:30 Analyzed - 11/04/20 19:07 | | | | | | |
|-------------------------|--------|--|-------------|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| alpha Pinene | < LOQ | % | | | | | | |
| beta Myrcene | < LOQ | % | | | | | | |
| alpha Phellandrene | < LOQ | % | | | | | | |
| 3-Carene | < LOQ | % | | | | | | |
| alpha Terpinene | < LOQ | % | | | | | | |
| Limonene | < LOQ | % | | | | | | |
| Terpinolene | < LOQ | % | | | | | | |
| Linalool | < LOQ | % | | | | | | |
| Fenchol | < LOQ | % | | | | | | |
| Borneol | < LOQ | % | | | | | | |
| Terpineol | < LOQ | % | | | | | | |
| Geraniol | < LOQ | % | | | | | | |
| alpha Humulene | < LOQ | % | | | | | | |
| beta Caryophyllene | < LOQ | % | | | | | | |
| (-)-Caryophyllene Oxide | < LOQ | % | | | | | | |
| (-)-alpha Bisabolol | < LOQ | % | | | | | | |
| Camphene | < LOQ | % | | | | | | |
| beta Pinene | < LOQ | % | | | | | | |
| Ocimene | < LOQ | % | | | | | | |
| Sabinene | < LOQ | % | | | | | | |
| Camphor | < LOQ | % | | | | | | |
| Isoborneol | < LOQ | % | | | | | | |
| Menthol | < LOQ | % | | | | | | |
| alpha Cedrene | < LOQ | % | | | | | | |
| Nerolidol | < LOQ | % | | | | | | |
| (+)-Pulegone | < LOQ | % | | | | | | |
| Eucalyptol | < LOQ | % | | | | | | |
| p-Cymene | < LOQ | % | | | | | | |
| (-)-Isopulegol | < LOQ | % | | | | | | |
| Geranyl Acetate | < LOQ | % | | | | | | |
| Guaiol | < LOQ | % | | | | | | |
| Valencene | < LOQ | % | | | | | | |
| Phytol | < LOQ | % | | | | | | |
| Citronellol | < LOQ | % | | | | | | |
| gamma Terpinene | < LOQ | % | | | | | | |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Terpene Analysis (Continued)

Batch: B202278 - Potency/Terpenes (Continued)

| Duplicate(B202278-DUP1) | | Extracted - 11/03/20 13:30 Analyzed - 11/04/20 19:24 | | | | | | |
|-------------------------|--------|--|-------------|---------------|------|-------------|------|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| alpha Ocimene | < LOQ | % | | < LOQ | | | | 30 |
| alpha Pinene | 0.209 | % | | 0.199 | | | 4.88 | 30 |
| beta Myrcene | 0.206 | % | | 0.198 | | | 3.77 | 30 |
| alpha Phellandrene | < LOQ | % | | < LOQ | | | | 30 |
| 3-Carene | < LOQ | % | | < LOQ | | | | 30 |
| alpha Terpinene | < LOQ | % | | < LOQ | | | | 30 |
| Limonene | 0.846 | % | | 0.811 | | | 4.17 | 30 |
| Terpinolene | 0.314 | % | | 0.300 | | | 4.57 | 30 |
| Linalool | 0.426 | % | | 0.391 | | | 8.61 | 30 |
| Fenchol | 0.224 | % | | 0.215 | | | 4.00 | 30 |
| Borneol | < LOQ | % | | < LOQ | | | | 30 |
| Terpineol | 0.223 | % | | 0.212 | | | 5.34 | 30 |
| Geraniol | < LOQ | % | | < LOQ | | | | 30 |
| alpha Humulene | 0.260 | % | | 0.248 | | | 4.49 | 30 |
| beta Caryophyllene | 0.745 | % | | 0.717 | | | 3.78 | 30 |
| (-)-Caryophyllene Oxide | < LOQ | % | | < LOQ | | | | 30 |
| (-)-alpha Bisabolol | 0.118 | % | | 0.101 | | | | 30 |
| Camphene | < LOQ | % | | < LOQ | | | | 30 |
| beta Pinene | 0.135 | % | | 0.131 | | | 3.44 | 30 |
| Ocimene | < LOQ | % | | < LOQ | | | | 30 |
| Sabinene | < LOQ | % | | < LOQ | | | | 30 |
| Camphor | < LOQ | % | | < LOQ | | | | 30 |
| Isoborneol | < LOQ | % | | < LOQ | | | | 30 |
| Menthol | < LOQ | % | | < LOQ | | | | 30 |
| alpha Cedrene | < LOQ | % | | < LOQ | | | | 30 |
| Nerolidol | < LOQ | % | | < LOQ | | | | 30 |
| (+)-Pulegone | < LOQ | % | | < LOQ | | | | 30 |
| Eucalyptol | < LOQ | % | | < LOQ | | | | 30 |
| p-Cymene | < LOQ | % | | < LOQ | | | | 30 |
| (-)-Isopulegol | < LOQ | % | | < LOQ | | | | 30 |
| Geranyl Acetate | < LOQ | % | | < LOQ | | | | 30 |
| Guaiol | < LOQ | % | | < LOQ | | | | 30 |
| Valencene | 0.105 | % | | 0.108 | | | 2.89 | 30 |
| Phytol | 0.111 | % | | < LOQ | | | | 30 |
| Citronellol | < LOQ | % | | < LOQ | | | | 30 |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Terpene Analysis (Continued)

Batch: B202278 - Potency/Terpenes (Continued)

| Duplicate(B202278-DUP1) | | Extracted - 11/03/20 13:30 Analyzed - 11/04/20 19:24 | | | | | | |
|-------------------------|--------|--|-------------|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| gamma Terpinene | < LOQ | % | | < LOQ | | | | 30 |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Client: Willamette Valley Alchemy Client License: 100096CBBC Date Sampled: 10/29/2020 Thermometer ID: T014
 Address Where Sampled: 870 W 2nd Ave unit: D Eugene, OR 97402 Requestor: Paul Sherman Event ID: 20J0222 Balance ID: SAMP_BAL_02
 Sampling SOP & Rev. #: SC-OR-SAMP-003 Sampler: Scott Forster Transporter: Scott Forster Hygrometer ID: Anemometer_02
 Lab ORELAP ID: 4133 Lab OLCC ID: 1004748743D

Sampler Signature



| Weight used (g) | Weight Set ID | Acceptance Criteria | Initial Measured | Initial P/F | Final Measured | Final P/F |
|-----------------|---------------|---------------------|------------------|-------------|----------------|-----------|
| 0.5 | SAMP_CAL_02 | ±2.5% | 0.5 | P | 0.5 | P |
| 200 | | ±2.5% | 199.95 | | 199.95 | |

| Container Type | METRC Harvest/Processing Lot ID #: | | | | Product Type | Client Sample Name | Product Date | Batch Size (g) |
|----------------|-------------------------------------|--------------|-----------------|------------------------|---------------------------|--------------------------------|----------------------------------|---|
| Mason Jars | 1A401030003909000013648 | | | | Concentrate | pples N' Bananas LDR (Rogue-85 | 10/28/2020 | 655 |
| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
| | 17.3 | 41.8 | 2 | vial | 4 | 4 | 0.875 | Apples N' Bananas LDR (Rogue-858) Primary |
| Lab Sample ID | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | |
| 20J0222-01 | Apples N' Bananas LDR (Rogue-858)-1 | | A2 | 0 | 0.88 | 0.88 | 13658 | |
| 20J0222-01 | Apples N' Bananas LDR (Rogue-858)-1 | | A3 | 0.88 | 1.76 | 0.88 | 13658 | |
| 20J0222-01 | Apples N' Bananas LDR (Rogue-858)-2 | | B1 | 1.76 | 2.64 | 0.88 | 13658 | |
| 20J0222-01 | Apples N' Bananas LDR (Rogue-858)-2 | | B3 | 2.64 | 3.56 | 0.92 | 13658 | |
| Totals: | | | | | | | | |
| | | | 4 | 4 | Total Primary Mass = 3.56 | | Primary + Duplicate Mass = 7.1 g | |

| Observations and Abnormalities: | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date |
|---------------------------------|---------|-----------|-------------------|---------|--------------|----------------|------------------------------|
| | | | | | | | |

| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
|----------------|-------------------|--------------|-----------------|----------------|---------|-----------|---------------|---|
| | 17.3 | 41.8 | 2 | vial | 4 | 4 | 0.875 | Apples N' Bananas LDR (Rogue-858) Duplicate |

| Lab Sample ID | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | |
|---------------|-------------------------------------|--|----------------|------------------------|-------------------|----------------------|------------------|--|
| 20J0222-02 | Apples N' Bananas LDR (Rogue-858)-1 | | A1 | 0 | 0.88 | 0.88 | 13658 | |
| 20J0222-02 | Apples N' Bananas LDR (Rogue-858)-1 | | A2 | 0.88 | 1.76 | 0.88 | 13658 | |
| 20J0222-02 | Apples N' Bananas LDR (Rogue-858)-2 | | B3 | 1.76 | 2.64 | 0.88 | 13658 | |
| 20J0222-02 | Apples N' Bananas LDR (Rogue-858)-2 | | B4 | 2.64 | 3.54 | 0.9 | 13658 | |

| | | | | | | | |
|---------------------------------|--|---------|-----------|-------------------|---------|-----------------------------|------------------------------|
| | | | | | | | |
| Totals: | | 4 | | 4 | | Total Duplicate Mass = 3.54 | |
| Observations and Abnormalities: | | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size |
| | | | | | | | Sampling Plan ID & Rev. Date |

| Container Type | METRC Harvest/Processing Lot ID #: | | | | Product Type | Client Sample Name | Product Date | Batch Size (g) |
|----------------|------------------------------------|--------------|-----------------|------------------------|-------------------|---------------------------|------------------|-----------------------------------|
| Mason Jars | 1A4010300003909000013649 | | | | Concentrate | BIZZ LCR (Siren-859) | 10/28/2020 | 944 |
| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
| | 17.3 | 41.8 | 3 | vial | 4 | 6 | 0.58333333 | BIZZ LCR (Siren-859) Primary |
| Lab Sample ID | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | |
| 20J0222-03 | BIZZ LCR (Siren-859)-1 | | A2 | 0 | 0.59 | 0.59 | 13659 | |
| 20J0222-03 | BIZZ LCR (Siren-859)-2 | | B1 | 0.59 | 1.18 | 0.59 | 13659 | |
| 20J0222-03 | BIZZ LCR (Siren-859)-2 | | B4 | 1.18 | 1.77 | 0.59 | 13659 | |
| 20J0222-03 | BIZZ LCR (Siren-859)-3 | | C3 | 1.77 | 2.36 | 0.59 | 13659 | |
| 20J0222-03 | BIZZ LCR (Siren-859)-3 | | C3 | 2.36 | 2.95 | 0.59 | 13659 | |
| 20J0222-03 | BIZZ LCR (Siren-859)-3 | | C3 | 2.95 | 3.58 | 0.63 | 13659 | |
| Totals: | | 6 | | 6 | | Total Primary Mass = 3.58 | | Primary + Duplicate Mass = 7.18 g |

| | | | | | | | | |
|---------------------------------|--|---------|-----------|-------------------|---------|--------------|----------------|------------------------------|
| Observations and Abnormalities: | | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date |
| | | | | | | | | |

| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
|----------------|------------------------|--------------|-----------------|------------------------|-------------------|----------------------|------------------|--------------------------------|
| | 17.3 | 41.8 | 3 | vial | 4 | 6 | 0.58333333 | BIZZ LCR (Siren-859) Duplicate |
| Lab Sample ID | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | |
| 20J0222-04 | BIZZ LCR (Siren-859)-1 | | A1 | 0 | 0.59 | 0.59 | 13659 | |
| 20J0222-04 | BIZZ LCR (Siren-859)-1 | | A3 | 0.59 | 1.18 | 0.59 | 13659 | |
| 20J0222-04 | BIZZ LCR (Siren-859)-1 | | A3 | 1.18 | 1.77 | 0.59 | 13659 | |
| 20J0222-04 | BIZZ LCR (Siren-859)-1 | | A3 | 1.77 | 2.36 | 0.59 | 13659 | |
| 20J0222-04 | BIZZ LCR (Siren-859)-2 | | B1 | 2.36 | 2.95 | 0.59 | 13659 | |
| 20J0222-04 | BIZZ LCR (Siren-859)-3 | | C2 | 2.95 | 3.6 | 0.65 | 13659 | |

| | | | | | | | |
|--|-----------------------------------|------------------|--------------------------|-----------------------------|---------------------|-----------------------------------|---|
| 20J0222-06 | Cascade Orange LLR (Ideal-860A)-3 | C3 | 2.36 | 2.95 | 0.59 | 13660 | |
| 20J0222-06 | Cascade Orange LLR (Ideal-860A)-3 | C4 | 2.95 | 3.54 | 0.59 | 13660 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals: | | 6 | 6 | Total Duplicate Mass = 3.54 | | Primary + Duplicate Mass = 7.13 g | |
| Observations and Abnormalities: | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date |
| | | | | | | | |

| Container Type | METRC Harvest/Processing Lot ID #: | | | | Product Type | Client Sample Name | Product Date | Batch Size (g) |
|--|--|------------------|--------------------------|---------------------------|---------------------|-----------------------------------|---|--|
| Mason Jars | 1A401030003909000013652 | | | | Concentrate | Fuel Gelato CRJ (Foxhollow-86 | 10/28/2020 | 560 |
| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
| | 17.3 | 41.8 | 2 | vial | 4 | 4 | 0.875 | Jet Fuel Gelato CRJ (Foxhollow-862B) Primary |
| Lab Sample ID | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | |
| 20J0222-07 | Jet Fuel Gelato CRJ (Foxhollow-862B)-1 | | A2 | 0 | 0.88 | 0.88 | 13661 | |
| 20J0222-07 | Jet Fuel Gelato CRJ (Foxhollow-862B)-1 | | A4 | 0.88 | 1.76 | 0.88 | 13661 | |
| 20J0222-07 | Jet Fuel Gelato CRJ (Foxhollow-862B)-1 | | A4 | 1.76 | 2.64 | 0.88 | 13661 | |
| 20J0222-07 | Jet Fuel Gelato CRJ (Foxhollow-862B)-2 | | B4 | 2.64 | 3.58 | 0.94 | 13661 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Totals: | | 4 | 4 | Total Primary Mass = 3.58 | | Primary + Duplicate Mass = 7.12 g | | |
| Observations and Abnormalities: | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date | |
| | | | | | | | | |
| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
| | 17.3 | 41.8 | 2 | vial | 4 | 4 | 0.875 | Jet Fuel Gelato CRJ (Foxhollow-862B) Duplicate |

| Lab Sample ID | Container ID | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | |
|---------------------------------|--|----------------|------------------------|-----------------------------|----------------------|-----------------------------------|------------------------------|
| 20J0222-08 | Jet Fuel Gelato CRJ (Foxhollow-862B)-1 | A1 | 0 | 0.88 | 0.88 | 13661 | |
| 20J0222-08 | Jet Fuel Gelato CRJ (Foxhollow-862B)-1 | A4 | 0.88 | 1.76 | 0.88 | 13661 | |
| 20J0222-08 | Jet Fuel Gelato CRJ (Foxhollow-862B)-2 | B3 | 1.76 | 2.64 | 0.88 | 13661 | |
| 20J0222-08 | Jet Fuel Gelato CRJ (Foxhollow-862B)-2 | B4 | 2.64 | 3.54 | 0.9 | 13661 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals: | | 4 | 4 | Total Duplicate Mass = 3.54 | | Primary + Duplicate Mass = 7.12 g | |
| Observations and Abnormalities: | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date |
| | | | | | | | |

| Container Type | METRC Harvest/Processing Lot ID #: | | | | Product Type | Client Sample Name | Product Date | Batch Size (g) |
|---------------------------------|--|----------------|------------------------|---------------------------|----------------------|-----------------------------------|------------------------------|--|
| Mason Jars | 1A4010300003909000013653 | | | | Concentrate | Fuel Gelato LCR (Foxhollow-862A) | 10/28/2020 | 507 |
| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
| | 17.3 | 41.8 | 2 | vial | 4 | 4 | 0.875 | Jet Fuel Gelato LCR (Foxhollow-862A) Primary |
| Lab Sample ID | Container ID | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | | |
| 20J0222-09 | Jet Fuel Gelato LCR (Foxhollow-862A)-1 | A1 | 0 | 0.88 | 0.88 | 13662 | | |
| 20J0222-09 | Jet Fuel Gelato LCR (Foxhollow-862A)-1 | A2 | 0.88 | 1.76 | 0.88 | 13662 | | |
| 20J0222-09 | Jet Fuel Gelato LCR (Foxhollow-862A)-2 | B2 | 1.76 | 2.64 | 0.88 | 13662 | | |
| 20J0222-09 | Jet Fuel Gelato LCR (Foxhollow-862A)-2 | B3 | 2.64 | 3.55 | 0.91 | 13662 | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Totals: | | 4 | 4 | Total Primary Mass = 3.55 | | Primary + Duplicate Mass = 7.16 g | | |
| Observations and Abnormalities: | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date | |
| | | | | | | | | |



**OREGON LIQUOR CONTROL COMMISSION
CANNABIS TRANSPORTATION MANIFEST**



20J0222

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

| | | | |
|---|---|---|--------------------------|
| Manifest No. | 0002777226 | Date Created | 10/29/2020 12:40 PM |
| Originating Entity | Willamette Valley Alchemy | | For OLCC Use Only |
| Originating License Number | 030-1000096CBB6 | | |
| Address of Originating Entity | 870 W. 2nd Ave Unit: D Eugene, OR 97402 County: Lane | | |
| Phone No. of Originating Entity | 541255.9170 | | |
| Contact Phone No. for Inquiries: 8018824601 | | | |
| 1. Destination | SC Laboratories | Destination Phone No. | 503-272-8838 |
| Destination License Number | 010-1004748743D | Date and Approx. Time of Departure | 10/29/2020 12:50 PM |
| Address of Destination | 15865 SW 74th Avenue Ste 110 Tigard, OR 97224 County: Washington | Date and Approx. Time of Arrival | 10/29/2020 3:45 PM |
| | | Date/Time Received | 10/29/2020 15:00 |
| | | Notes: details for extenuating circumstances (e.g., road closure, flat tire, etc.) | |
| Route to be Traveled Get on I-105 E from Monroe St and W 5th Ave Follow I-5 N to Lower Boones Ferry Rd in Tualatin. Take exit 290 from I-5 N Take SW Durham Rd to SW 74th Ave in Tigard | | | |
| Name of Person Transporting | Scott Forster | Handler Permit No. of Driver | SC Sampler |
| State Driver's License No. | A625521 | Signature of Person Transporting | |
| Make, Model, License Plate No. | Nissan Kicks 249 MGD | | |
| 1. Package I Shipped | Production Batch No. | Item Name | Quantity |
| 1A4010300003909000013659 Lab Test: SubmittedForTesting | | BIZZ LCR (Siren-859) (Extracts) | Shp: 7.1800 g |
| Item Details | | | |
| Source Harvest(s) | (multi-harvest) | | |
| Source Package(s) | 1A4010300003909000013649 | | |
| 2. Package I Shipped | Production Batch No. | Item Name | Quantity |
| 1A4010300003909000013660 Lab Test: SubmittedForTesting | | Cascade Orange LLR (Ideal-860A) (Extracts) | Shp: 7.1300 g |
| Item Details | | | |
| Source Harvest(s) | (multi-harvest) | | |
| Source Package(s) | 1A4010300003909000013651 | | |
| 3. Package I Shipped | Production Batch No. | Item Name | Quantity |
| 1A4010300003909000013658 Lab Test: SubmittedForTesting | | Apples n Bananas LDR (Rogue-858) (Extracts) | Shp: 7.1000 g |
| Item Details | | | |
| Source Harvest(s) | (multi-harvest) | | |
| Source Package(s) | 1A4010300003909000013648 | | |
| 4. Package I Shipped | Production Batch No. | Item Name | Quantity |
| 1A4010300003909000013661 Lab Test: SubmittedForTesting | | Jet Fuel Gelato CRJ (Foxhollow-862B) (Extracts) | Shp: 7.1200 g |
| Item Details | | | |
| Source Harvest(s) | JF073120F4 | | |
| Source Package(s) | 1A4010300003909000013652 | | |




**OREGON LIQUOR CONTROL COMMISSION
CANNABIS TRANSPORTATION MANIFEST**



20J0222

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

| | | | |
|--|--|--|---------------------|
| Manifest No. | 0002777226 | Date Created | 10/29/2020 12:40 PM |
| 5. Package I Shipped | Production Batch No. | Item Name | Quantity |
| 1A4010300003909000013662 Lab Test: SubmittedForTesting | | Jet Fuel Gelato LCR (Foxhollow-862A) (Extracts) | Shp: 7.1600 g |
| Item Details | | | |
| Source Harvest(s) | JF073120F4 | | |
| Source Package(s) | 1A4010300003909000013653 | | |
| PRODUCT REJECTION <i>(if only a portion of shipment is rejected, circle that portion above)</i> | | | |
| Name of Person Receiving or Rejecting Product | Chrissy Nguyen | | |
| I confirm that the contents of this shipment match weight records entered above, and I agree to take custody of those portions of this shipment <i>not</i> circled above. Those portions circled were returned to the individual delivering this shipment. | | | |
| Signature |  | Date | 10.29.2020 |
| Signature of individual taking receipt of rejected portion of this shipment | | | |



CHAIN OF CUSTODY

| | | | |
|-------------------------------|---|----------------------------|--|
| Client | Williamette Valley Alchemy 870 W 2nd Ave unit: D Eugene, OR 97402 | COC # | 1/1 |
| Address Where Sampled | 870 W 2nd Ave unit: D Eugene, OR 97402 | Work Order # | 20J0222 |
| Date Sampled | 10/29/2020 | Received By | <i>SN</i> |
| OLCC License # | 100096CBBC | Received Date | 10.29.2020 |
| OLCC License Type | Processor | Courier | Scott Forster |
| Email | ettevalleyalchemy@gmail.com | Name of Sampler | Scott Forster |
| Phone | 541.255.9170 | Transfer Manifest # | 00027777226 |
| Sampler OLCC License # | 010-1004748743D | Place where Sampled | 870 W 2nd Ave unit: D Eugene, OR 97402 |

| Sample Name | Time | METRC Label | Unique Batch Number | SC Labs LIMS ID | Sample Type | Total Sample Mass | # of Increments | TESTS REQUESTED | | | | | | Sample Specific Notes |
|--|------|-------------|--------------------------------------|-----------------|-------------|-------------------|-----------------|-----------------|----------------|------------------|-----------|------------------|---------|-----------------------|
| | | | | | | | | Potency | Water Activity | Molature Content | Pesticide | Residual Solvent | Terpene | |
| Apples N' Bananas LDR (Rogue-859) Primary | | 1365B | Apples N' Bananas LDR | 20J0222-01 | C | 3.56 | 4 | X | X | X | X | X | X | |
| Apples N' Bananas LDR (Rogue-858) Duplicate | | 1365B | Apples N' Bananas LDR | 20J0222-02 | C | 3.54 | 4 | X | X | X | X | X | X | |
| BIZZ LCR (Siren-859) Primary | | 13659 | BIZZ LCR (Siren-859) | 20J0222-03 | C | 3.58 | 6 | X | X | X | X | X | X | |
| BIZZ LCR (Siren-859) Duplicate | | 13659 | BIZZ LCR (Siren-859) | 20J0222-04 | C | 3.6 | 6 | X | X | X | X | X | X | |
| Cascade Orange LLR (Ideal-860A) Primary | | 13660 | Cascade Orange LLR (Ideal-860A) | 20J0222-05 | C | 3.59 | 6 | X | X | X | X | X | X | |
| Cascade Orange LLR (Ideal-860A) Duplicate | | 13660 | Cascade Orange LLR (Ideal-860A) | 20J0222-06 | C | 3.54 | 6 | X | X | X | X | X | X | |
| Jet Fuel Gelato CRJ (Foxhollow-862B) Primary | | 13661 | Jet Fuel Gelato CRJ (Foxhollow-862B) | 20J0222-07 | C | 3.58 | 4 | X | X | X | X | X | X | |
| Jet Fuel Gelato CRJ (Foxhollow-862B) Duplicate | | 13661 | Jet Fuel Gelato CRJ (Foxhollow-862B) | 20J0222-08 | C | 3.54 | 4 | X | X | X | X | X | X | |
| Jet Fuel Gelato LCR (Foxhollow-862A) Primary | | 13662 | Jet Fuel Gelato LCR (Foxhollow-862A) | 20J0222-09 | C | 3.55 | 4 | X | X | X | X | X | X | |
| Jet Fuel Gelato LCR (Foxhollow-862A) Duplicate | | 13662 | Jet Fuel Gelato LCR (Foxhollow-862A) | 20J0222-10 | C | 3.61 | 4 | X | X | X | X | X | X | |

Notes/Special Considerations: Opt OUT of Sample Duplicate Yes No

| Samples Relinquished | Samples Received |
|--|---|
| Print Name: Austin C Date: 10/29/20 Representative of: WVA Signature: <i>Austin C</i> Time: 1 | Print Name: Scott F Date: 10/29/20 Representative of: SC Labs Signature: <i>SN</i> Time: 1 |