

Sample Name: **Now n Later LCR (Focus-979) Primary**  
 Tested for: **Willamette Valley Alchemy**  
**Compliance Extract**

Laboratory ID: 21D0033-01

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300003909000014273

Lot # NA

Batch RFID: 1A4010300003909000014270

Batch Size: 493 (g)

Process Date: 03/18/2021

License: 1000096CBB6

Date Sampled: 04/06/21 00:00

Date Accepted: 04/06/21




### Potency Analysis

Date Extracted: 04/08/21

Analysis Method: UNODC 5.4.8

Date Analyzed: 04/08/21

\* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
<b>Total THC ((THCA*0.877)+d9)</b>	80.96	809.6	0.08	
<b>Total CBD ((CBDA*0.877)+CBD)</b>	0.14	1.4	0.08	
d9-THC (d9-Tetrahydrocannabinol)*	80.96	809.6	0.08	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.11	
THCA (d9-Tetrahydrocannabinolic Acid)*	< LOQ	< LOQ	0.16	
CBD (Cannabidiol)*	0.14	1.4	0.08	
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	0.16	
CBN (Cannabinol)*	0.10	1	0.08	
CBG (Cannabigerol)*	2.89	28.9	0.11	
CBGA (Cannabigerolic Acid)	< LOQ	< LOQ	0.11	
CBDV (Cannabidivarin)*	< LOQ	< LOQ	0.11	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.11	
CBC (Cannabichromene)*	2.25	22.5	0.11	
THCV (Tetrahydrocannabivarin)	0.27	2.7	0.11	
<b>Total Cannabinoids</b>	<b>86.62</b>	<b>866.2</b>	<b>0.08</b>	

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Now n Later LCR (Focus-979) Duplicate**  
Tested for: **Willamette Valley Alchemy**  
**Compliance Extract**

Laboratory ID: 21D0033-02

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300003909000014273

Process Date: 03/18/2021

Lot # NA

License: 1000096CBB6

Batch RFID: 1A4010300003909000014270

Date Sampled: 04/06/21 00:00

Batch Size: 493 (g)

Date Accepted: 04/06/21


## Potency Analysis

Date Extracted: 04/08/21

Analysis Method: UNODC 5.4.8

Date Analyzed: 04/08/21

\* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
<b>Total THC ((THCA*0.877)+d9)</b>	81.78	817.8	0.08	
<b>Total CBD ((CBDA*0.877)+CBD)</b>	0.14	1.4	0.08	
d9-THC (d9-Tetrahydrocannabinol)*	81.78	817.8	0.08	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.11	
THCA (d9-Tetrahydrocannabinolic Acid)*	< LOQ	< LOQ	0.17	
CBD (Cannabidiol)*	0.14	1.4	0.08	
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	0.17	
CBN (Cannabinol)*	0.10	1	0.08	
CBG (Cannabigerol)*	2.93	29.3	0.11	
CBGA (Cannabigerolic Acid)	< LOQ	< LOQ	0.11	
CBDV (Cannabidivarin)*	< LOQ	< LOQ	0.11	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.11	
CBC (Cannabichromene)*	2.27	22.7	0.11	
THCV (Tetrahydrocannabivarin)	0.32	3.2	0.11	
<b>Total Cannabinoids</b>	<b>87.55</b>	<b>875.5</b>	<b>0.08</b>	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **Now n Later LCR (Focus-979)**

Sample Metrc ID: 1A4010300003909000014273

	Primary Result %	Duplicate Result %	Average %	% RPD	Pass/Fail (<15%RPD)
<b>Total THC ((THCA*0.877)+d9)</b>	80.96	81.78	81.37	1.01	PASS
<b>Total CBD ((CBDA*0.877)+CBD)</b>	0.14	0.14	0.14	NA	PASS



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>Now n Later LCR (Focus-979) Prima</b>	License: <b>100096CBB6</b>
Tested for: <b>Willamette Valley Alchemy Compliance Extract</b>	Date Sampled: <b>04/06/21 00:00</b>
Laboratory ID: <b>21D0033-01</b>	Date Accepted: <b>04/06/21</b>
Matrix: <b>Extracts and Concentrates</b>	Sample Metrc ID: <b>1A4010300003909000014273</b>
Lot # <b>NA</b>	Batch RFID: <b>1A4010300003909000014270</b>
	Batch Size: <b>493 (g)</b>

**Terpene Analysis**

Date Extracted: 04/08/21

Analysis Method: Terpenes by GC/FID

Date Analyzed: 04/09/21

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	0.707	0.100	beta Myrcene	2.801	0.100
alpha Phellandrene	< LOQ	0.100	3-Carene	< LOQ	0.100
alpha Terpinene	< LOQ	0.100	Limonene	0.664	0.100
Terpinolene	< LOQ	0.100	Linalool	0.438	0.100
Fenchol	0.131	0.100	Borneol	< LOQ	0.100
Terpineol	0.160	0.100	Geraniol	< LOQ	0.100
alpha Humulene	0.175	0.100	beta Caryophyllene	0.514	0.100
(-)-Caryophyllene Oxide	< LOQ	0.100	(-)-alpha Bisabolol	0.107	0.100
Camphene	< LOQ	0.100	beta Pinene	0.224	0.100
Ocimene	0.208	0.100	Sabinene	< LOQ	0.100
Camphor	< LOQ	0.100	Isoborneol	< LOQ	0.100
Menthol	< LOQ	0.100	alpha Cedrene	< LOQ	0.100
Nerolidol	< LOQ	0.100	(+)-Pulegone	< LOQ	0.100
Eucalyptol	< LOQ	0.100	p-Cymene	< LOQ	0.100
(-)-Isopulegol	< LOQ	0.100	Geranyl Acetate	< LOQ	0.100
Guaiol	< LOQ	0.100	Valencene	< LOQ	0.100
Phytol	< LOQ	0.100	Citronellol	< LOQ	0.100
gamma Terpinene	< LOQ	0.100			
<b>Total Terpenes</b>				<b>6.130 %</b>	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Terpene Analysis is not ORELAP Accredited.



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Now n Later LCR (Focus-979) Primary**

License: **100096CBB6**

Tested for: **Willamette Valley Alchemy**

Date Sampled: **04/06/21 00:00**


**Compliance Extract**

Date Accepted: **04/06/21 15:29**

Laboratory ID: **21D0033-01** Matrix: **Extracts and**

Client/Metric ID: **1A4010300003909000014273**

**Terpene Profile**




Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Now n Later LCR (Focus-979) Primary** License: **100096CBB6**  
 Tested for: **Willamette Valley Alchemy** Date Sampled: **04/06/21 00:00**  
**Compliance Extract** Date Accepted: **04/06/21**

Laboratory ID: **21D0033-01** Sample Metrc ID: **1A4010300003909000014273**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300003909000014270**  
 Lot # **NA** Batch Size: **493 (g)**

## Pesticide Analysis in ppm

Date Extracted: 04/08/21 Analysis Method: AOAC 2007.01 & EN 15662  
 Date Analyzed: 04/13/21 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.244	Acephate	< LOQ	0.4	0.195
Acequinocyl	< LOQ	2	0.977	Acetamiprid	< LOQ	0.2	0.098
Aldicarb	< LOQ	0.4	0.195	Azoxystrobin	< LOQ	0.2	0.098
Bifenazate	< LOQ	0.2	0.098	Bifenthrin	< LOQ	0.2	0.098
Boscalid	< LOQ	0.4	0.195	Carbaryl	< LOQ	0.2	0.098
Carbofuran	< LOQ	0.2	0.098	Chlorantraniliprole	< LOQ	0.2	0.098
Chlorfenapyr	< LOQ	1	0.488	Chlorpyrifos	< LOQ	0.2	0.098
Clofentezine	< LOQ	0.2	0.098	Cyfluthrin	< LOQ	1	0.488
Cypermethrin	< LOQ	1	0.488	Daminozide	< LOQ	1	0.488
DDVP (Dichlorvos)	< LOQ	1	0.488	Diazinon	< LOQ	0.2	0.098
Dimethoate	< LOQ	0.2	0.098	Ethoprophos	< LOQ	0.2	0.098
Etofenprox	< LOQ	0.4	0.195	Etoxazole	< LOQ	0.2	0.098
Fenoxycarb	< LOQ	0.2	0.098	Fenpyroximate	< LOQ	0.4	0.195
Fipronil	< LOQ	0.4	0.195	Fonicamid	< LOQ	1	0.488
Fludioxonil	< LOQ	0.4	0.195	Hexythiazox	< LOQ	1	0.488
Imazalil	< LOQ	0.2	0.098	Imidacloprid	< LOQ	0.4	0.195
Kresoxim-methyl	< LOQ	0.4	0.195	Malathion	< LOQ	0.2	0.098
Metalaxyl	< LOQ	0.2	0.098	Methiocarb	< LOQ	0.2	0.098
Methomyl	< LOQ	0.4	0.195	Methyl parathion	< LOQ	0.2	0.098
MGK-264	< LOQ	0.2	0.098	Myclobutanil	< LOQ	0.2	0.098
Naled	< LOQ	0.5	0.244	Oxamyl	< LOQ	1	0.488
Paclobutrazol	< LOQ	0.4	0.195	Permethrins (total)	< LOQ	0.2	0.098
Phosmet	< LOQ	0.2	0.098	Piperonyl butoxide	< LOQ	2	0.488
Prallethrin	< LOQ	0.2	0.098	Propiconazole	< LOQ	0.4	0.195
Propoxur	< LOQ	0.2	0.098	Pyrethrins (total)	< LOQ	1	0.488
Pyridaben	< LOQ	0.2	0.098	Spinosad	< LOQ	0.2	0.098
Spiromesifen	< LOQ	0.2	0.098	Spirotetramat	< LOQ	0.2	0.098
Spiroxamine	< LOQ	0.4	0.195	Tebuconazole	< LOQ	0.4	0.195
Thiacloprid	< LOQ	0.2	0.098	Thiamethoxam	< LOQ	0.2	0.098
Trifloxystrobin	< LOQ	0.2	0.098				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Now n Later LCR (Focus-979) Duplicate** License: **100096CBB6**  
 Tested for: **Willamette Valley Alchemy** Date Sampled: **04/06/21 00:00**  
**Compliance Extract** Date Accepted: **04/06/21**

Laboratory ID: **21D0033-02** Sample Metrc ID: **1A4010300003909000014273**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300003909000014270**  
 Lot # **NA** Batch Size: **493 (g)**

## Pesticide Analysis in ppm

Date Extracted: 04/08/21 Analysis Method: AOAC 2007.01 & EN 15662  
 Date Analyzed: 04/13/21 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.249	Acephate	< LOQ	0.4	0.199
Acequinocyl	< LOQ	2	0.996	Acetamiprid	< LOQ	0.2	0.100
Aldicarb	< LOQ	0.4	0.199	Azoxystrobin	< LOQ	0.2	0.100
Bifenazate	< LOQ	0.2	0.100	Bifenthrin	< LOQ	0.2	0.100
Boscalid	< LOQ	0.4	0.199	Carbaryl	< LOQ	0.2	0.100
Carbofuran	< LOQ	0.2	0.100	Chlorantraniliprole	< LOQ	0.2	0.100
Chlorfenapyr	< LOQ	1	0.498	Chlorpyrifos	< LOQ	0.2	0.100
Clofentezine	< LOQ	0.2	0.100	Cyfluthrin	< LOQ	1	0.498
Cypermethrin	< LOQ	1	0.498	Daminozide	< LOQ	1	0.498
DDVP (Dichlorvos)	< LOQ	1	0.498	Diazinon	< LOQ	0.2	0.100
Dimethoate	< LOQ	0.2	0.100	Ethoprophos	< LOQ	0.2	0.100
Etofenprox	< LOQ	0.4	0.199	Etoazole	< LOQ	0.2	0.100
Fenoxycarb	< LOQ	0.2	0.100	Fenpyroximate	< LOQ	0.4	0.199
Fipronil	< LOQ	0.4	0.199	Fonicamid	< LOQ	1	0.498
Fludioxonil	< LOQ	0.4	0.199	Hexythiazox	< LOQ	1	0.498
Imazalil	< LOQ	0.2	0.100	Imidacloprid	< LOQ	0.4	0.199
Kresoxim-methyl	< LOQ	0.4	0.199	Malathion	< LOQ	0.2	0.100
Metalaxyl	< LOQ	0.2	0.100	Methiocarb	< LOQ	0.2	0.100
Methomyl	< LOQ	0.4	0.199	Methyl parathion	< LOQ	0.2	0.100
MGK-264	< LOQ	0.2	0.100	Myclobutanil	< LOQ	0.2	0.100
Naled	< LOQ	0.5	0.249	Oxamyl	< LOQ	1	0.498
Paclobutrazol	< LOQ	0.4	0.199	Permethrins (total)	< LOQ	0.2	0.100
Phosmet	< LOQ	0.2	0.100	Piperonyl butoxide	< LOQ	2	0.498
Prallethrin	< LOQ	0.2	0.100	Propiconazole	< LOQ	0.4	0.199
Propoxur	< LOQ	0.2	0.100	Pyrethrins (total)	< LOQ	1	0.498
Pyridaben	< LOQ	0.2	0.100	Spinosad	< LOQ	0.2	0.100
Spiromesifen	< LOQ	0.2	0.100	Spirotetramat	< LOQ	0.2	0.100
Spiroxamine	< LOQ	0.4	0.199	Tebuconazole	< LOQ	0.4	0.199
Thiacloprid	< LOQ	0.2	0.100	Thiamethoxam	< LOQ	0.2	0.100
Trifloxystrobin	< LOQ	0.2	0.100				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>Now n Later LCR (Focus-979) Primary</b>	License: <b>100096CBB6</b>
Tested for: <b>Willamette Valley Alchemy Compliance Extract</b>	Date Sampled: <b>04/06/21 00:00</b> Date Accepted: <b>04/06/21</b>
Laboratory ID: <b>21D0033-01</b>	Sample Metric ID: <b>1A4010300003909000014273</b>
Matrix: <b>Extracts and Concentrates</b>	Batch RFID: <b>1A4010300003909000014270</b>
Lot # <b>NA</b>	Batch Size: <b>493 (g)</b>

### Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	169
2-Butanol	< LOQ	5000	2220
2-Ethoxyethanol	< LOQ	160	71.2
2-Propanol (IPA)	< LOQ	5000	2220
Acetone	< LOQ	5000	2220
Acetonitrile	< LOQ	400	182
Benzene	< LOQ	2	0.890
Butanes	< LOQ	5000	2220
Cyclohexane	< LOQ	3880	1730
Dichloromethane (methylene chloride)	< LOQ	600	267
Ethyl acetate	< LOQ	5000	2220
Ethyl ether	< LOQ	5000	2220
Ethylbenzene	< LOQ	2170	966
Ethylene glycol	< LOQ	620	276
Ethylene oxide	< LOQ	50	22.2
Heptane	< LOQ	5000	2220
Hexanes	< LOQ	290	129
Isopropyl acetate	< LOQ	5000	2220
Isopropylbenzene (cumene)	< LOQ	70	31.1
Methanol	< LOQ	3000	1330
Pentanes	< LOQ	5000	2220
Propane	< LOQ	5000	2220
Tetrahydrofuran	< LOQ	720	320
Toluene	< LOQ	890	396
Xylenes	< LOQ	2170	966

Date Extracted: 04/08/21  
 Date Analyzed: 04/09/21  
 Analysis Method: USP 467

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>Now n Later LCR (Focus-979) Duplicate</b>	License: <b>100096CBB6</b>
Tested for: <b>Willamette Valley Alchemy</b>	Date Sampled: <b>04/06/21 00:00</b>
<b>Compliance Extract</b>	Date Accepted: <b>04/06/21</b>
Laboratory ID: <b>21D0033-02</b>	Sample Metric ID: <b>1A4010300003909000014273</b>
Matrix: <b>Extracts and Concentrates</b>	Batch RFID: <b>1A4010300003909000014270</b>
Lot # <b>NA</b>	Batch Size: <b>493 (g)</b>

### Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	192
2-Butanol	< LOQ	5000	2530
2-Ethoxyethanol	< LOQ	160	80.9
2-Propanol (IPA)	< LOQ	5000	2530
Acetone	< LOQ	5000	2530
Acetonitrile	< LOQ	400	207
Benzene	< LOQ	2	1.01
Butanes	< LOQ	5000	2530
Cyclohexane	< LOQ	3880	1960
Dichloromethane (methylene chloride)	< LOQ	600	303
Ethyl acetate	< LOQ	5000	2530
Ethyl ether	< LOQ	5000	2530
Ethylbenzene	< LOQ	2170	1100
Ethylene glycol	< LOQ	620	314
Ethylene oxide	< LOQ	50	25.3
Heptane	< LOQ	5000	2530
Hexanes	< LOQ	290	147
Isopropyl acetate	< LOQ	5000	2530
Isopropylbenzene (cumene)	< LOQ	70	35.4
Methanol	< LOQ	3000	1520
Pentanes	< LOQ	5000	2530
Propane	< LOQ	5000	2530
Tetrahydrofuran	< LOQ	720	364
Toluene	< LOQ	890	450
Xylenes	< LOQ	2170	1100

Date Extracted: 04/08/21  
 Date Analyzed: 04/09/21  
 Analysis Method: USP 467

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



**Case Narrative**

**Residual Solvent** - Isopropylbenzene was above normally accepted recovery criteria in the Matrix Spike and Matrix Spike Duplicate due to pinene coelution. Analyte was below the reporting limit in all client samples.

**Pesticides** - Multiple analytes recovered above the upper acceptance limit in the Blank Spike, Matrix Spike, and/or Matrix Spike Duplicate. Analytes were below the reporting limit in all client samples. See QC Report for details.

**Quality Control  
Potency**

**Batch: B211053 - Potency/Terpenes**

Blank(B211053-BLK1)			Extracted - 04/08/21 13:21 Analyzed - 04/08/21 22:22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						

Duplicate(B211053-DUP1)			Extracted - 04/08/21 13:21 Analyzed - 04/08/21 22:30					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	75.53	%		76.15			0.828	20
d8-THC (d8-Tetrahydrocannabinol)	0.16	%		0.17			3.28	20
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%		< LOQ				20
CBD (Cannabidiol)	0.12	%		0.11			15.8	20
CBDA (Cannabidiolic Acid)	< LOQ	%		< LOQ				20
CBN (Cannabinol)	0.47	%		0.48			0.598	20
CBG (Cannabigerol)	2.92	%		2.96			1.22	20
CBGA (Cannabigerolic Acid)	0.25	%		0.25			1.98	20



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Potency (Continued)

**Batch: B211053 - Potency/Terpenes (Continued)**

Duplicate(B211053-DUP1)			Extracted - 04/08/21 13:21		Analyzed - 04/08/21 22:30			
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20
CBC (Cannabichromene)	2.17	%		2.18			0.0361	20
THCV (Tetrahydrocannabivarin)	0.58	%		0.62			5.88	20

LCS(B211053-BS1)			Extracted - 04/08/21 13:21		Analyzed - 04/08/21 22:13			
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.20	%	0.200		100	80-120		
CBD (Cannabidiol)	0.20	%	0.200		99.1	80-120		
CBDA (Cannabidiolic Acid)	0.18	%	0.200		88.8	80-120		
CBN (Cannabinol)	0.20	%	0.200		97.5	80-120		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Pesticide Analysis

**Batch: B211052 - Pesticide Prep**

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<b>Blank(B211052-BLK1)</b>			<b>Extracted - 04/08/21 10:16 Analyzed - 04/13/21 17:32</b>					
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Fonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	< LOQ	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B211052 - Pesticide Prep (Continued)**

Blank(B211052-BLK1)			Extracted - 04/08/21 10:16 Analyzed - 04/13/21 17:32					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Paclbutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B211052-BS1)			Extracted - 04/08/21 10:16 Analyzed - 04/13/21 17:56					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.24	ppm	0.980		127	15-180		
Acephate	0.92	ppm	1.00		92.0	51-141		
Acequinocyl	2.11	ppm	1.00		211	16.9-111		
Acetamiprid	0.93	ppm	1.00		93.0	50-150		
Aldicarb	0.78	ppm	1.00		77.9	49-146		
Azoxystrobin	1.17	ppm	1.00		117	52-136		
Bifenazate	1.21	ppm	1.00		121	41-133		
Bifenthrin	1.01	ppm	1.00		101	22-130		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B211052 - Pesticide Prep (Continued)**

LCS(B211052-BS1)		Extracted - 04/08/21 10:16 Analyzed - 04/13/21 17:56						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Boscalid	1.36	ppm	1.00		136	29-144		
Carbaryl	0.97	ppm	1.00		97.0	61-127		
Carbofuran	1.04	ppm	1.00		104	62-136		
Chlorantraniliprole	1.00	ppm	1.00		100	41-150		
Chlorfenapyr	1.24	ppm	1.00		124	40-160		
Chlorpyrifos	1.03	ppm	1.00		103	29-124		
Clofentezine	0.97	ppm	1.00		96.7	40-127		
Cyfluthrin	1.11	ppm	1.00		111	55-165		
Cypermethrin	1.13	ppm	1.00		113	21-144		
Daminozide	1.15	ppm	1.00		115	15-145		
DDVP (Dichlorvos)	0.93	ppm	1.00		92.7	55-150		
Diazinon	0.97	ppm	1.00		97.5	43-127		
Dimethoate	1.01	ppm	1.00		101	62-136		
Ethoprophos	1.00	ppm	1.00		99.8	45-142		
Etofenprox	1.03	ppm	1.00		103	24-113		
Etoxazole	1.12	ppm	1.00		112	34-121		
Fenoxycarb	1.24	ppm	1.00		124	22-150		
Fenpyroximate	1.24	ppm	1.00		124	34-144		
Fipronil	1.13	ppm	1.00		113	25-149		
Flonicamid	1.19	ppm	1.00		119	53-144		
Fludioxonil	0.85	ppm	1.00		85.0	29-132		
Hexythiazox	1.25	ppm	1.00		125	22-111		
Imazalil	0.99	ppm	1.00		98.9	48-125		
Imidacloprid	0.93	ppm	1.00		93.2	41-150		
Kresoxim-methyl	0.93	ppm	1.00		93.4	43-140		
Malathion	1.13	ppm	1.00		113	25-148		
Metalaxyl	1.15	ppm	1.00		115	50-136		
Methiocarb	0.95	ppm	1.00		95.1	56-132		
Methomyl	0.77	ppm	1.00		76.7	40-150		
Methyl parathion	1.04	ppm	1.00		104	35-160		
MGK-264	0.79	ppm	0.630		125	32-134		
Myclobutanil	1.35	ppm	1.00		135	43-141		
Naled	1.29	ppm	1.00		129	15-136		
Oxamyl	0.94	ppm	1.00		93.9	56-133		
Paclobutrazol	1.16	ppm	1.00		116	34-143		



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Pesticide Analysis (Continued)

**Batch: B211052 - Pesticide Prep (Continued)**

LCS(B211052-BS1)		Extracted - 04/08/21 10:16 Analyzed - 04/13/21 17:56						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Permethrins (total)	1.11	ppm	1.00		111	31-113		
Phosmet	1.18	ppm	1.00		118	53-124		
Piperonyl butoxide	1.09	ppm	1.00		109	39-128		
Prallethrin	1.20	ppm	1.00		120	43-140		
Propiconazole	1.19	ppm	1.00		119	47-124		
Propoxur	0.90	ppm	1.00		89.9	63-135		
Pyrethrins (total)	0.74	ppm	0.630		117	19-144		
Pyridaben	1.14	ppm	1.00		114	31-122		
Spinosad	0.67	ppm	0.820		81.5	24-147		
Spiromesifen	1.16	ppm	1.00		116	49-133		
Spirotetramat	1.18	ppm	1.00		118	29-150		
Spiroxamine	1.16	ppm	1.00		116	15-122		
Tebuconazole	1.11	ppm	1.00		111	40-133		
Thiacloprid	0.98	ppm	1.00		98.4	60-143		
Thiamethoxam	1.22	ppm	1.00		122	42-146		
Trifloxystrobin	1.09	ppm	1.00		109	41-148		

Matrix Spike(B211052-MS1)		Extracted - 04/08/21 10:16 Analyzed - 04/13/21 18:12						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	2.19	ppm	0.979	< LOQ	223	55-190		
Acephate	0.87	ppm	0.999	< LOQ	87.1	48-131		
Acequinocyl	0.44	ppm	0.999	< LOQ	44.1	15-119		
Acetamiprid	0.97	ppm	0.999	< LOQ	96.7	50-145		
Aldicarb	0.81	ppm	0.999	< LOQ	81.1	53-133		
Azoxystrobin	1.08	ppm	0.999	< LOQ	108	35-147		
Bifenazate	1.09	ppm	0.999	< LOQ	109	43-143		
Bifenthrin	0.81	ppm	0.999	< LOQ	81.1	16-107		
Boscalid	1.21	ppm	0.999	< LOQ	121	42-140		
Carbaryl	0.91	ppm	0.999	< LOQ	91.4	71-113		
Carbofuran	1.00	ppm	0.999	< LOQ	100	73-118		
Chlorantraniliprole	0.87	ppm	0.999	< LOQ	87.0	45-136		
Chlorfenapyr	0.75	ppm	0.999	< LOQ	75.4	40-190		
Chlorpyrifos	0.98	ppm	0.999	< LOQ	97.9	24-125		
Clofentezine	0.73	ppm	0.999	< LOQ	73.3	38-118		
Cyfluthrin	1.09	ppm	0.999	< LOQ	109	35-170		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B211052 - Pesticide Prep (Continued)**

Matrix Spike(B211052-MS1)			Extracted - 04/08/21 10:16 Analyzed - 04/13/21 18:12					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Cypermethrin	1.28	ppm	0.999	< LOQ	128	38-150		
Daminozide	1.00	ppm	0.999	< LOQ	101	16-160		
DDVP (Dichlorvos)	1.05	ppm	0.999	< LOQ	105	64-124		
Diazinon	0.98	ppm	0.999	< LOQ	98.0	50-123		
Dimethoate	0.96	ppm	0.999	< LOQ	96.0	69-116		
Ethoprophos	0.96	ppm	0.999	< LOQ	96.0	39-146		
Etofenprox	0.90	ppm	0.999	< LOQ	89.8	31-117		
Etoxazole	0.94	ppm	0.999	< LOQ	94.4	35-136		
Fenoxycarb	1.10	ppm	0.999	< LOQ	110	23-150		
Fenpyroximate	1.48	ppm	0.999	< LOQ	148	30-143		
Fipronil	1.11	ppm	0.999	< LOQ	111	15-150		
Flonicamid	1.13	ppm	0.999	< LOQ	113	50-131		
Fludioxonil	0.80	ppm	0.999	< LOQ	80.3	44-150		
Hexythiazox	1.15	ppm	0.999	< LOQ	115	34-144		
Imazalil	1.01	ppm	0.999	< LOQ	101	54-124		
Imidacloprid	1.00	ppm	0.999	< LOQ	100	39-150		
Kresoxim-methyl	0.92	ppm	0.999	< LOQ	91.6	46-134		
Malathion	1.06	ppm	0.999	< LOQ	106	26-148		
Metalaxyl	1.11	ppm	0.999	< LOQ	111	60-127		
Methiocarb	0.92	ppm	0.999	< LOQ	92.3	50-131		
Methomyl	0.74	ppm	0.999	< LOQ	73.9	47-135		
Methyl parathion	1.05	ppm	0.999	< LOQ	105	33.5-156		
MGK-264	0.70	ppm	0.629	< LOQ	111	20-130		
Myclobutanil	1.27	ppm	0.999	< LOQ	127	43-134		
Naled	1.00	ppm	0.999	< LOQ	100	38-140		
Oxamyl	0.88	ppm	0.999	< LOQ	88.6	48-127		
Paclobutrazol	1.08	ppm	0.999	< LOQ	108	30-136		
Permethrins (total)	1.25	ppm	0.999	< LOQ	125	20-120		
Phosmet	0.99	ppm	0.999	< LOQ	98.7	51-134		
Piperonyl butoxide	0.87	ppm	0.999	< LOQ	86.8	36-134		
Prallethrin	1.27	ppm	0.999	< LOQ	128	23-149		
Propiconazole	1.18	ppm	0.999	0.05	113	45-133		
Propoxur	0.85	ppm	0.999	< LOQ	85.3	59-130		
Pyrethrins (total)	0.87	ppm	0.629	< LOQ	138	15-146		
Pyridaben	1.09	ppm	0.999	< LOQ	109	15-150		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B211052 - Pesticide Prep (Continued)**

Matrix Spike(B211052-MS1)			Extracted - 04/08/21 10:16 Analyzed - 04/13/21 18:12					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Spinosad	0.73	ppm	0.819	< LOQ	88.6	23-150		
Spiromesifen	0.99	ppm	0.999	< LOQ	99.2	27-127		
Spirotetramat	1.22	ppm	0.999	< LOQ	122	33-150		
Spiroxamine	1.14	ppm	0.999	< LOQ	114	54-134		
Tebuconazole	1.15	ppm	0.999	< LOQ	115	22-126		
Thiacloprid	1.01	ppm	0.999	< LOQ	102	53-138		
Thiamethoxam	1.12	ppm	0.999	< LOQ	112	40-134		
Trifloxystrobin	1.04	ppm	0.999	< LOQ	104	25-140		

Matrix Spike Dup(B211052-MSD1)			Extracted - 04/08/21 10:16 Analyzed - 04/13/21					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.95	ppm	0.969	< LOQ	201	55-190	10.3	40
Acephate	0.91	ppm	0.989	< LOQ	91.9	48-131	5.42	26
Acequinocyl	0.42	ppm	0.989	< LOQ	42.0	15-119	4.65	50
Acetamiprid	0.96	ppm	0.989	< LOQ	97.2	50-145	0.494	30
Aldicarb	0.75	ppm	0.989	< LOQ	75.7	53-133	6.89	30
Azoxystrobin	0.93	ppm	0.989	< LOQ	94.3	35-147	13.8	29
Bifenazate	0.94	ppm	0.989	< LOQ	95.0	43-143	13.7	30
Bifenthrin	0.70	ppm	0.989	< LOQ	70.7	16-107	13.7	29
Boscalid	1.06	ppm	0.989	< LOQ	107	42-140	12.5	30
Carbaryl	0.89	ppm	0.989	< LOQ	90.1	71-113	1.44	20
Carbofuran	0.94	ppm	0.989	< LOQ	95.0	73-118	5.55	20
Chlorantraniliprole	0.79	ppm	0.989	< LOQ	79.5	45-136	9.00	30
Chlorfenapyr	0.70	ppm	0.989	< LOQ	70.6	40-190	6.60	50
Chlorpyrifos	0.85	ppm	0.989	< LOQ	86.3	24-125	12.5	29
Clofentezine	0.73	ppm	0.989	< LOQ	74.3	38-118	1.26	26
Cyfluthrin	0.89	ppm	0.989	< LOQ	89.5	35-170	19.6	50
Cypermethrin	1.06	ppm	0.989	< LOQ	107	38-150	17.7	30
Daminozide	1.05	ppm	0.989	< LOQ	107	16-160	5.87	26
DDVP (Dichlorvos)	1.02	ppm	0.989	< LOQ	103	64-124	2.38	27
Diazinon	0.97	ppm	0.989	< LOQ	97.9	50-123	0.0906	20
Dimethoate	0.89	ppm	0.989	< LOQ	90.5	69-116	5.90	20
Ethoprophos	0.86	ppm	0.989	< LOQ	86.9	39-146	9.88	30
Etofenprox	0.77	ppm	0.989	< LOQ	78.3	31-117	13.7	27
Etoxazole	0.80	ppm	0.989	< LOQ	80.8	35-136	15.5	30



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



## Quality Control Pesticide Analysis (Continued)

Batch: B211052 - Pesticide Prep (Continued)

Matrix Spike Dup(B211052-MSD1)			Extracted - 04/08/21 10:16 Analyzed - 04/13/21					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Fenoxycarb	1.03	ppm	0.989	< LOQ	104	23-150	5.42	40
Fenpyroximate	1.39	ppm	0.989	< LOQ	141	30-143	5.29	26
Fipronil	0.94	ppm	0.989	< LOQ	95.4	15-150	15.2	30
Flonicamid	1.10	ppm	0.989	< LOQ	111	50-131	1.29	26
Fludioxonil	0.66	ppm	0.989	< LOQ	66.8	44-150	18.4	30
Hexythiazox	0.96	ppm	0.989	< LOQ	97.1	34-144	17.1	28
Imazalil	0.87	ppm	0.989	< LOQ	87.5	54-124	14.4	24
Imidacloprid	0.94	ppm	0.989	< LOQ	95.2	39-150	5.22	30
Kresoxim-methyl	0.93	ppm	0.989	< LOQ	94.2	46-134	2.77	20
Malathion	0.91	ppm	0.989	< LOQ	92.4	26-148	13.8	50
Metalaxyl	0.99	ppm	0.989	< LOQ	101	60-127	10.1	30
Methiocarb	0.86	ppm	0.989	< LOQ	87.0	50-131	5.84	30
Methomyl	0.72	ppm	0.989	< LOQ	73.1	47-135	1.08	20
Methyl parathion	0.93	ppm	0.989	< LOQ	93.5	33.5-156	11.3	50
MGK-264	0.59	ppm	0.623	< LOQ	95.0	20-130	15.4	30
Myclobutanil	1.05	ppm	0.989	< LOQ	106	43-134	18.1	30
Naled	0.88	ppm	0.989	< LOQ	88.6	38-140	12.1	30
Oxamyl	0.87	ppm	0.989	< LOQ	87.9	48-127	0.826	28
Paclobutrazol	0.95	ppm	0.989	< LOQ	96.5	30-136	11.2	30
Permethrins (total)	1.11	ppm	0.989	< LOQ	112	20-120	11.4	28
Phosmet	0.83	ppm	0.989	< LOQ	84.3	51-134	15.8	30
Piperonyl butoxide	0.73	ppm	0.989	< LOQ	73.6	36-134	16.5	30
Prallethrin	1.08	ppm	0.989	< LOQ	109	23-149	15.7	30
Propiconazole	1.09	ppm	0.989	0.05	106	45-133	6.72	30
Propoxur	0.81	ppm	0.989	< LOQ	81.6	59-130	4.38	29
Pyrethrins (total)	0.75	ppm	0.623	< LOQ	120	15-146	14.3	28
Pyridaben	0.93	ppm	0.989	< LOQ	94.5	15-150	14.2	29
Spinosad	0.76	ppm	0.811	< LOQ	94.3	23-150	6.20	30
Spiromesifen	0.86	ppm	0.989	< LOQ	87.0	27-127	13.1	28
Spirotetramat	1.03	ppm	0.989	< LOQ	104	33-150	16.0	30
Spiroxamine	0.95	ppm	0.989	< LOQ	95.9	54-134	17.0	30
Tebuconazole	1.11	ppm	0.989	< LOQ	113	22-126	1.82	21
Thiacloprid	0.96	ppm	0.989	< LOQ	96.6	53-138	5.10	30
Thiamethoxam	1.01	ppm	0.989	< LOQ	103	40-134	8.55	28
Trifloxystrobin	0.87	ppm	0.989	< LOQ	87.7	25-140	16.8	30



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Solvent Analysis

**Batch: B211051 - Residual Solvent Prep**

Blank(B211051-BLK1)			Extracted - 04/08/21 17:30 Analyzed - 04/09/21 2:26					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	< LOQ	ug/g						
2-Butanol	< LOQ	ug/g						
2-Ethoxyethanol	< LOQ	ug/g						
2-Propanol (IPA)	< LOQ	ug/g						
Acetone	< LOQ	ug/g						
Acetonitrile	< LOQ	ug/g						
Benzene	< LOQ	ug/g						
Butanes	< LOQ	ug/g						
Cyclohexane	< LOQ	ug/g						
Dichloromethane (methylene chloride)	< LOQ	ug/g						
Ethyl acetate	< LOQ	ug/g						
Ethyl ether	< LOQ	ug/g						
Ethylbenzene	< LOQ	ug/g						
Ethylene glycol	< LOQ	ug/g						
Ethylene oxide	< LOQ	ug/g						
Heptane	< LOQ	ug/g						
Hexanes	< LOQ	ug/g						
Isopropyl acetate	< LOQ	ug/g						
Isopropylbenzene (cumene)	< LOQ	ug/g						
Methanol	< LOQ	ug/g						
Pentanes	< LOQ	ug/g						
Propane	< LOQ	ug/g						
Tetrahydrofuran	< LOQ	ug/g						
Toluene	< LOQ	ug/g						
Xylenes	< LOQ	ug/g						

LCS(B211051-BS1)			Extracted - 04/08/21 17:30 Analyzed - 04/09/21 1:22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	587	ug/g	570		103	70-130		
2,2-Dimethylbutane	443	ug/g	435		102	70-130		
2,2-Dimethylpropane (neopentane)	3550	ug/g	3120		114	60-140		
2-Butanol	3600	ug/g	3500		103	70-130		
2-Ethoxyethanol	251	ug/g	240		105	60-140		
2-Methylbutane (isopentane)	3840	ug/g	3500		110	70-130		
2-Methylpentane/2,3-Dimethylbutane	887	ug/g	870		102	70-130		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Solvent Analysis (Continued)

**Batch: B211051 - Residual Solvent Prep (Continued)**

<b>LCS(B211051-BS1)</b>		<b>Extracted - 04/08/21 17:30 Analyzed - 04/09/21 1:22</b>						
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Spike Level</b>	<b>Source Result</b>	<b>%REC</b>	<b>%REC Limits</b>	<b>RPD</b>	<b>RPD Limit</b>
2-Methylpropane (isobutane)	3760	ug/g	3120		120	60-140		
2-Propanol (IPA)	3700	ug/g	3500		106	70-130		
3-Methylpentane	448	ug/g	435		103	70-130		
Acetone	3710	ug/g	3500		106	70-130		
Acetonitrile	648	ug/g	615		105	70-130		
Benzene	2.80	ug/g	3.00		93.3	70-130		
Cyclohexane	6570	ug/g	5820		113	70-130		
Dichloromethane (methylene chloride)	887	ug/g	900		98.6	70-130		
Ethyl acetate	3810	ug/g	3500		109	70-130		
Ethyl ether	4010	ug/g	3500		114	70-130		
Ethylbenzene	3290	ug/g	3250		101	70-130		
Ethylene glycol	767	ug/g	930		82.4	60-140		
Ethylene oxide	405	ug/g	375		108	60-140		
Heptane	3810	ug/g	3500		109	70-130		
Isopropyl acetate	3790	ug/g	3500		108	70-130		
Isopropylbenzene (cumene)	94.4	ug/g	105		89.9	70-130		
m,p-Xylene	6600	ug/g	6510		101	60-140		
Methanol	2790	ug/g	2500		111	70-130		
n-Butane	4030	ug/g	3120		129	60-140		
n-Hexane	433	ug/g	435		99.5	70-130		
n-Pentane	3830	ug/g	3500		109	70-130		
Propane	977	ug/g	1250		78.2	60-140		
Tetrahydrofuran	1200	ug/g	1080		111	70-130		
Toluene	1350	ug/g	1340		101	70-130		
o-Xylene	3100	ug/g	3250		95.5	70-130		

<b>Matrix Spike(B211051-MS1)</b>		<b>Extracted - 04/08/21 17:30 Analyzed - 04/09/21 1:43</b>						
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Spike Level</b>	<b>Source Result</b>	<b>%REC</b>	<b>%REC Limits</b>	<b>RPD</b>	<b>RPD Limit</b>
1,4-Dioxane	582	ug/g	551	< LOQ	106	70-130		
2,2-Dimethylbutane	477	ug/g	421	< LOQ	113	70-130		
2,2-Dimethylpropane (neopentane)	3580	ug/g	3020	< LOQ	118	60-140		
2-Butanol	3660	ug/g	3390	< LOQ	108	70-130		
2-Ethoxyethanol	248	ug/g	232	< LOQ	107	60-140		
2-Methylbutane (isopentane)	4190	ug/g	3390	< LOQ	124	70-130		
2-Methylpentane/2,3-Dimethylbutane	940	ug/g	842	< LOQ	112	70-130		



 Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Solvent Analysis (Continued)

**Batch: B211051 - Residual Solvent Prep (Continued)**

Matrix Spike(B211051-MS1)			Extracted - 04/08/21 17:30 Analyzed - 04/09/21 1:43					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	4400	ug/g	3020	443	131	60-140		
2-Propanol (IPA)	3840	ug/g	3390	< LOQ	114	70-130		
3-Methylpentane	478	ug/g	421	< LOQ	114	70-130		
Acetone	3860	ug/g	3390	< LOQ	114	70-130		
Acetonitrile	662	ug/g	595	< LOQ	111	70-130		
Benzene	2.95	ug/g	2.90	< LOQ	102	70-130		
Cyclohexane	6900	ug/g	5630	< LOQ	122	70-130		
Dichloromethane (methylene chloride)	940	ug/g	871	< LOQ	108	70-130		
Ethyl acetate	3880	ug/g	3390	< LOQ	115	70-130		
Ethyl ether	4310	ug/g	3390	< LOQ	127	70-130		
Ethylbenzene	3420	ug/g	3140	< LOQ	109	70-130		
Ethylene glycol	847	ug/g	900	< LOQ	94.1	60-140		
Ethylene oxide	400	ug/g	363	< LOQ	110	60-140		
Heptane	4010	ug/g	3390	< LOQ	118	70-130		
Isopropyl acetate	3860	ug/g	3390	< LOQ	114	70-130		
Isopropylbenzene (cumene)	450	ug/g	102	< LOQ	443	70-130		
m,p-Xylene	6860	ug/g	6300	< LOQ	109	60-140		
Methanol	2980	ug/g	2420	< LOQ	123	70-130		
n-Butane	5210	ug/g	3020	1050	138	60-140		
n-Hexane	456	ug/g	421	< LOQ	108	70-130		
n-Pentane	4160	ug/g	3390	< LOQ	123	70-130		
Propane	969	ug/g	1210	< LOQ	80.1	60-140		
Tetrahydrofuran	1200	ug/g	1040	< LOQ	115	70-130		
Toluene	1400	ug/g	1290	< LOQ	108	70-130		
o-Xylene	3240	ug/g	3140	< LOQ	103	70-130		

Matrix Spike Dup(B211051-MSD1)			Extracted - 04/08/21 17:30 Analyzed - 04/09/21					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	643	ug/g	620	< LOQ	104	70-130	9.96	30
2,2-Dimethylbutane	498	ug/g	473	< LOQ	105	70-130	4.33	30
2,2-Dimethylpropane (neopentane)	3550	ug/g	3400	< LOQ	104	60-140	1.02	30
2-Butanol	3790	ug/g	3800	< LOQ	99.6	70-130	3.43	30
2-Ethoxyethanol	264	ug/g	261	< LOQ	101	60-140	6.35	30
2-Methylbutane (isopentane)	4220	ug/g	3800	< LOQ	111	70-130	0.862	30
2-Methylpentane/2,3-Dimethylbutane	979	ug/g	946	< LOQ	104	70-130	4.06	30



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Solvent Analysis (Continued)

Batch: B211051 - Residual Solvent Prep (Continued)

Matrix Spike Dup(B211051-MSD1)			Extracted - 04/08/21 17:30 Analyzed - 04/09/21					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	4210	ug/g	3400	443	111	60-140	4.49	30
2-Propanol (IPA)	3910	ug/g	3800	< LOQ	103	70-130	1.62	30
3-Methylpentane	509	ug/g	473	< LOQ	108	70-130	6.32	30
Acetone	3980	ug/g	3800	< LOQ	105	70-130	3.13	30
Acetonitrile	700	ug/g	668	< LOQ	105	70-130	5.60	30
Benzene	3.05	ug/g	3.26	< LOQ	93.4	70-130	3.22	30
Cyclohexane	7320	ug/g	6330	< LOQ	116	70-130	5.93	30
Dichloromethane (methylene chloride)	981	ug/g	978	< LOQ	100	70-130	4.28	30
Ethyl acetate	4100	ug/g	3800	< LOQ	108	70-130	5.45	30
Ethyl ether	4420	ug/g	3800	< LOQ	116	70-130	2.46	30
Ethylbenzene	3750	ug/g	3530	< LOQ	106	70-130	9.47	30
Ethylene glycol	887	ug/g	1010	< LOQ	87.8	60-140	4.71	30
Ethylene oxide	403	ug/g	408	< LOQ	98.8	60-140	0.671	30
Heptane	4270	ug/g	3800	< LOQ	112	70-130	6.24	30
Isopropyl acetate	4100	ug/g	3800	< LOQ	108	70-130	5.94	30
Isopropylbenzene (cumene)	474	ug/g	114	< LOQ	415	70-130	5.10	30
m,p-Xylene	7740	ug/g	7080	< LOQ	109	60-140	12.0	30
Methanol	2880	ug/g	2720	< LOQ	106	70-130	3.40	30
n-Butane	5020	ug/g	3400	1050	117	60-140	3.84	30
n-Hexane	491	ug/g	473	< LOQ	104	70-130	7.35	30
n-Pentane	4230	ug/g	3800	< LOQ	111	70-130	1.66	30
Propane	915	ug/g	1360	< LOQ	67.4	60-140	5.67	30
Tetrahydrofuran	1280	ug/g	1170	< LOQ	109	70-130	6.63	30
Toluene	1550	ug/g	1450	< LOQ	107	70-130	10.0	30
o-Xylene	3680	ug/g	3530	< LOQ	104	70-130	12.7	30



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Terpene Analysis

**Batch: B211054 - Potency/Terpenes**

Blank(B211054-BLK2)			Extracted - 04/08/21 13:21 Analyzed - 04/09/21 20:43					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	< LOQ	%						
beta Myrcene	< LOQ	%						
alpha Phellandrene	< LOQ	%						
3-Carene	< LOQ	%						
alpha Terpinene	< LOQ	%						
Limonene	< LOQ	%						
Terpinolene	< LOQ	%						
Linalool	< LOQ	%						
Fenchol	< LOQ	%						
Borneol	< LOQ	%						
Terpineol	< LOQ	%						
Geraniol	< LOQ	%						
alpha Humulene	< LOQ	%						
beta Caryophyllene	< LOQ	%						
(-)-Caryophyllene Oxide	< LOQ	%						
(-)-alpha Bisabolol	< LOQ	%						
Camphene	< LOQ	%						
beta Pinene	< LOQ	%						
Ocimene	< LOQ	%						
Sabinene	< LOQ	%						
Camphor	< LOQ	%						
Isoborneol	< LOQ	%						
Menthol	< LOQ	%						
alpha Cedrene	< LOQ	%						
Nerolidol	< LOQ	%						
(+)-Pulegone	< LOQ	%						
Eucalyptol	< LOQ	%						
p-Cymene	< LOQ	%						
(-)-Isopulegol	< LOQ	%						
Geranyl Acetate	< LOQ	%						
Guaiol	< LOQ	%						
Valencene	< LOQ	%						
Phytol	< LOQ	%						
Citronellol	< LOQ	%						
gamma Terpinene	< LOQ	%						



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Terpene Analysis (Continued)

Batch: B211054 - Potency/Terpenes (Continued)

Duplicate(B211054-DUP2)		Extracted - 04/08/21 13:21 Analyzed - 04/09/21 21:03						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Ocimene	< LOQ	%		< LOQ				30
beta Ocimene	< LOQ	%		< LOQ				30
cis-Nerolidol	< LOQ	%		< LOQ				30
Phytol 1	< LOQ	%		< LOQ				30
Phytol 2	< LOQ	%		< LOQ				30
trans-Nerolidol	< LOQ	%		< LOQ				30
alpha Pinene	0.356	%		0.361			1.41	30
beta Myrcene	0.183	%		0.188			2.49	30
alpha Phellandrene	< LOQ	%		< LOQ				30
3-Carene	< LOQ	%		< LOQ				30
alpha Terpinene	< LOQ	%		< LOQ				30
Limonene	0.880	%		0.896			1.78	30
Terpinolene	0.697	%		0.711			1.92	30
Linalool	0.207	%		0.211			2.29	30
Fenchol	0.161	%		0.166			2.95	30
Borneol	< LOQ	%		< LOQ				30
Terpineol	< LOQ	%		< LOQ				30
Geraniol	< LOQ	%		< LOQ				30
alpha Humulene	0.292	%		0.297			1.43	30
beta Caryophyllene	0.775	%		0.794			2.49	30
(-)-Caryophyllene Oxide	< LOQ	%		< LOQ				30
(-)-alpha Bisabolol	0.414	%		0.399			3.79	30
Camphene	< LOQ	%		< LOQ				30
beta Pinene	< LOQ	%		< LOQ				30
Ocimene	< LOQ	%		< LOQ				30
Sabinene	< LOQ	%		< LOQ				30
Camphor	< LOQ	%		< LOQ				30
Isoborneol	< LOQ	%		< LOQ				30
Menthol	< LOQ	%		< LOQ				30
alpha Cedrene	< LOQ	%		< LOQ				30
Nerolidol	< LOQ	%		< LOQ				30
(+)-Pulegone	< LOQ	%		< LOQ				30
Eucalyptol	< LOQ	%		< LOQ				30
p-Cymene	< LOQ	%		< LOQ				30
(-)-Isopulegol	< LOQ	%		< LOQ				30



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Terpene Analysis (Continued)

**Batch: B211054 - Potency/Terpenes (Continued)**

Duplicate(B211054-DUP2)		Extracted - 04/08/21 13:21 Analyzed - 04/09/21 21:03						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Geranyl Acetate	< LOQ	%		< LOQ				30
Guaiol	< LOQ	%		< LOQ				30
Valencene	< LOQ	%		< LOQ				30
Phytol	< LOQ	%		< LOQ				30
Citronellol	< LOQ	%		< LOQ				30
gamma Terpinene	< LOQ	%		< LOQ				30



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.





**OREGON LIQUOR CONTROL COMMISSION  
CANNABIS TRANSPORTATION MANIFEST**



21D0033

21D0032

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

<b>Manifest No.</b>	<b>0003160724</b>	<b>Date Created</b>	4/6/2021 12:28 PM
<b>Originating Entity</b>	Willamette Valley Alchemy	<b>For OLCC Use Only</b>	
<b>Originating License Number</b>	030-1000096CBB6		
<b>Address of Originating Entity</b>	870 W. 2nd Ave Unit: D Eugene, OR 97402 County: Lane		
<b>Phone No. of Originating Entity</b>	541-255-9170		
<b>Contact Phone No. for Inquiries: 7073310560</b>			
<b>1. Destination</b>	SC Laboratories	<b>Destination Phone No.</b>	503-272-8838
<b>Destination License Number</b>	010-1004748743D	<b>Date and Approx. Time of Departure</b>	4/6/2021 12:22 PM
<b>Address of Destination</b>	15865 SW 74th Avenue Ste 110 Tigard, OR 97224 County: Washington	<b>Date and Approx. Time of Arrival</b>	4/6/2021 5:20 PM
		<b>Date/Time Received</b>	4/6/21 15:29
		<b>Notes:</b> details for extenuating circumstances (e.g., road closure, flat tire, etc.)	
<b>Route to be Traveled</b>			
870 W 2nd Ave Eugene, OR 97402			
Head east on W 2nd Ave toward Adams St 276 ft			
Turn right onto Monroe St 0.3 mi			
Turn right onto W 6th Ave Pass by Jack in the Box (on the left in 0.7 mi) 1.2 mi			
Slight left onto W 5th Ave 0.6 mi			
Turn right onto Seneca Rd 0.3 mi			
Turn left onto W 1st Ave 0.8 mi			
Turn left onto Grimes St Destination will be on the right 367 ft 9 min (3.3 mi) 180 Grimes St Eugene, OR 97402			
Head north on Grimes St toward W 1st Ave 367 ft			
Turn left onto W 1st Ave 0.3 mi			
Turn right onto S Bertelsen Rd 0.4 mi			
Turn left onto Roosevelt Blvd 0.7 mi			
Turn left onto S Danebo Ave 0.7 mi			
Turn right Destination will be on the right 161 ft 6 min (2.4 mi) 500 S Danebo Ave			



**OREGON LIQUOR CONTROL COMMISSION  
CANNABIS TRANSPORTATION MANIFEST**



21D0033

21D0032

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

<b>Manifest No.</b>	<b>0003160724</b>	<b>Date Created</b>	4/6/2021 12:28 PM
Eugene, OR 97402  Take S Danebo Ave to OR-569 E 2 min (1.0 mi)  Follow I-5 N to Lower Boones Ferry Rd in Tualatin. Take exit 290 from I-5 N 1 hr 36 min (104 mi)  Continue on Lower Boones Ferry Rd to your destination in Tigard 4 min (1.0 mi) 1 hr 42 min (106 mi) 15865 SW 74th Ave Tigard, OR 97224			
<b>Name of Person Transporting</b>	Scott Forster	<b>Handler Permit No. of Driver</b>	SC Sampler
<b>State Driver's License No.</b>	A625521	<b>Signature of Person Transporting</b>	
<b>Make, Model, License Plate No.</b>	Nissan Kicks 249 MGD		
<b>1. Package I Shipped</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A4010300003909000014273 Lab Test: SubmittedForTesting		Now n L8ter LCR (Focus-979) (Extracts)	Shp: 7.1600 g
<b>Item Details</b>			
<b>Source Harvest(s)</b>	Now n Later G 12.22.20		
<b>Source Package(s)</b>	1A4010300003909000014270		
<b>2. Package I Shipped</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A4010300003909000014272 Lab Test: SubmittedForTesting		Angel Food Cake Liquid Live Rosin (WVALR13) (Concentrate)	Shp: 5.3100 g
<b>Item Details</b>			
<b>Source Harvest(s)</b>	AFC OD 2020 WFFF		
<b>Source Package(s)</b>	1A4010300003909000014269		
<b>PRODUCT REJECTION (if only a portion of shipment is rejected, circle that portion above)</b>			
<b>Name of Person Receiving or Rejecting Product</b>	Lilli Patton		
I confirm that the contents of this shipment match weight records entered above, and I agree to take custody of those portions of this shipment <i>not</i> circled above. Those portions circled were returned to the individual delivering this shipment.			
<b>Signature</b>		<b>Date</b>	4/6/21
<b>Signature of individual taking receipt of rejected portion of this shipment</b>			

Client: Willamette Valley Alchemy Client License: 100096CBBC Date Sampled: 4/6/2021 Thermometer ID: T014  
 Address Where Sampled: 870 W 2nd Ave unit: D Eugene, OR 97402 Requestor: Paul Sherman Event ID: 21D0033 Balance ID: SAMP\_BAL\_05  
 Sampling SOP & Rev. #: SC-OR-SAMP-003 Sampler: Scott Forster Transporter: Scott Forster Hygrometer ID: Anemometer\_02  
 Lab ORELAP ID: 4133  
 Lab OLCC ID: 1004748743D

Sampler Signature



Weight used (g)	Weight Set ID	Acceptance Criteria	Initial Measured	Initial P/F	Final Measured	Final P/F
0.5	SAMP_CAL_05	±2.5%	0.5	P	0.56	P
200		±2.5%	199.96		199.96	

Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
Mason Jars	14270				Concentrate	Now n Later LCR (Focus-979)	3/18/2021	493
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	18.8	41.8	2	vial	4	4	0.875	Now n Later LCR (Focus-979) Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
21D0033-01	Now n Later LCR (Focus-979)-1		A2	0	0.88	0.88	14273	
21D0033-01	Now n Later LCR (Focus-979)-2		B1	0.88	1.76	0.88	14273	
21D0033-01	Now n Later LCR (Focus-979)-2		B1	1.76	2.64	0.88	14273	
21D0033-01	Now n Later LCR (Focus-979)-2		B2	2.64	3.65	1.01	14273	
<b>Totals:</b>				4	4	Total Primary Mass = 3.65		Primary + Duplicate Mass = 7.16 g

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	18.8	41.8	2	vial	4	4	0.875	Now n Later LCR (Focus-979) Duplicate
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
21D0033-02	Now n Later LCR (Focus-979)-1		A1	0	0.88	0.88	14273	
21D0033-02	Now n Later LCR (Focus-979)-1		A2	0.88	1.76	0.88	14273	
21D0033-02	Now n Later LCR (Focus-979)-2		B1	1.76	2.64	0.88	14273	
21D0033-02	Now n Later LCR (Focus-979)-2		B1	2.64	3.51	0.87	14273	

<b>Totals:</b>		4	4		Total Duplicate Mass = 3.51		Primary + Duplicate Mass = 7.16 g
<b>Observations and Abnormalities:</b>	<b>Batch #</b>	<b>Equipment</b>	<b>Cont. Types/Sizes</b>	<b>Uniform</b>	<b>Plant Colors</b>	<b>Shape and Size</b>	<b>Sampling Plan ID &amp; Rev. Date</b>

<b>CHAIN OF CUSTODY</b>		Client Williamette Valley Alchemy 870 W 2nd Ave unit: D Eugene, OR 97402		COC #	1/1		21D0033		21D0033	
SC Laboratories Oregon LLC 15865 SW 74th Avenue, Ste 110 Tigard OR, 97224 (503) 272-8830 ORELAP ID # 4133 www.sclabs.com		Address Where Sampled Date Sampled OLCC License # OLCC License Type Email Phone		Work Order #	21D0033		MLP		Sample Type Legend	
		Received By Received Date Courier Name of Sampler Transfer Manifest #		Received By	MLP		4/6/21		U - Usable Marijuana C - Concentrate P - Product O - Other	
		Processor Place where Sampled		Courier	Scott Forster		Scott Forster			
		SAMPLER LICENSE #		Transfer Manifest #	3160724		870 W 2nd Ave unit: D Eugene, OR 97402			
		SAMPLER LICENSE #		Place where Sampled	870 W 2nd Ave unit: D Eugene, OR 97402					

Sample Name	Time	METRC Label	Unique Batch Number	SC Labs LIMS ID	Sample Type	Total Sample Mass	TESTS REQUESTED						Sample Specific Notes	
							# of Increments	Potency	Water Activity	Moisture Content	Pesticide	Residual Solvent		Terpene
Now n Later LCR (Focus-979) Primary		14273	Now n Later LCR (Focus-979)	21D0033-01	C	3.65	4	X				X	X	
Now n Later LCR (Focus-979) Duplicate		14273	Now n Later LCR (Focus-979)	21D0033-02	C	3.51	4	X				X	X	

Notes/Special Considerations: Opt OUT of Sample Duplicate Yes  No

Samples Relinquished Print Name: Austin C Date: 4/6/21 Representative of: WVA Signature: <i>Austin C</i> Time: 1		Samples Relinquished Print Name: Scott F Date: 4/6/21 Representative of: SC Labs Signature: <i>Scott F</i> Time: 1		Samples Received Print Name: _____ Date: _____ Representative of: _____ Signature: _____ Time: _____	
---	--	---	--	---	--